

BRECO®, BRECOFLEX® timing belts











Keeping things moving!

Innovation is our drive - this principle marks BRECO Antriebstechnik Breher GmbH & Co., manufacturer of BRECO® and BRECOFLEX® timing belts as the most innovative producer in the field of polyurethane timing belt technology worldwide. The basis for a high-quality and reliable product is provided by wear resistant polyurethane for the belt body and high tensile steel cord tension members.

The name BRECO became the synonym for polyurethane timing belts resulting from years of experience in the field of thermoplastic polyurethane, the development of BRECO® and BRECOFLEX® manufacturing processes and their further development. The BRECO® and BRECOFLEX® timing belts, the pulleys designed to match them perfectly, and other components supplied by BRECO reflect the breadth of experience gathered over decades by countless people who have used the products. We maintain a consistently high level of quality through our exclusive use of high-quality materials and by listening to feedback from our suppliers about the needs of our customers.

One strong point is the development and production of special belts for various application fields. The large number of belt coatings and the most varied shape of flights open up an extremely broad application field for BRECO® and BRECOFLEX® timing belts. We stock a broad range of belt and tension cord materials to cater for applications in very cold or very hot environments.

In simple applications too, BRECO® timing belts offer all the advantages and quality expected of a high-end branded product. Safety, durability, accuracy and availability are some of the benefits which ultimately have a positive impact on costs.

All our products conform to the European RoHS Directive which restricts the use of hazardous substances.

Staying safely on the move.



General information Page	
BRECO®, BRECOFLEX® timing belts 6 Timing belt types	
BRECOFLEX® timing belts	
BRECOFLEX® manufacturing process 17 Review of product and performance 18 AT high performance timing belts - endless 20 AT3 20 AT5, AT5-DL, AT5-DR 22 AT10, AT10-DL, AT10-DR, AT10-T 24	
AT\$15, AT\$15-DL	
ATP high performance timing belts - endless	
ATP10, ATP10-DL	
Self-guiding timing belts - endless BAT10. 34 BAT15. 36 BATK10. 38 BATK15. 40 SFAT10. 42 SFAT20. 46 ATK5K6. 48 ATK10K6, ATK10K6-DL, ATK10K6-DR 50 TK5K6. 52 TK10K6. 54 TK10K13. 56 T Standard timing belts - endless T0, T10-DL, T10-DR, T10-T 60 T20, T20-DL, T20-DR, T20-T 62 Imperial timing belts - endless XL 64 L 64 L 66	
H, H-DL, H-DR, H-T	
BRECO® timing belts	
BRECO® manufacturing process	
AT3	

	O' timing beits Pag
	AT20, AT20-T
	ATL5
	ATL10
	ATL20
_	
Se	If-guiding timing belts - Open length / joined
	BAT10. 90 BAT15. 92
	BATK10
	SFAT10 98
	SFAT20
	ATK5K6
	ATK10K6
	ATK10K13, ATK10K13-T
	ATK20K13
	TK5K6
	TK10K6
	TK10K13, TK10K13-T
	TK1/2"K13, TK1/2"K13-T
т	Standard timing belts - Open length / joined
١,	T2,5
	T5, T5-DL, T5-DR, T5-T
	T10, T10-DL, T10-DR, T10-T
	T20, T20-DL, T20-T
lm	perial timing belts - Open length / joined
	T1/5"
	T3/8"
	T1/2", T1/2"-T
	T7/8"
BR	T7/8"
BR	
ope	ECO® timing belt lock AT10 DC / T10 DC
pe Be	ECO® timing belt lock AT10 DC / T10 DC
Be Ar	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To Pre	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To Pro Ba	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To Pro Ba Lis	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To Pro Ba Lis	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 139 It guidance, tooth gap shapes 139 It gular drives 130 It fy factors 140 Iterances 140 Iteranc
Be Ar Sa To Pro Ba Lis Ca	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 136 It guidance, tooth gap shapes. 136 It gular drives 136 It fy factors 146 Iterances 147 2-tension force 148 Ses of calculation 149 It of formulae 149 Iculation example power transmission 149 Iculation example transport technology 149
Be Ar Sa To Pro Ba Lis Ca	ECO® timing belt lock AT10 DC / T10 DC It guidance, tooth gap shapes. 136 gular drives 136 fty factors 146 erances 147 e-tension force 146 ses of calculation 146 t of formulae 146 lculation example power transmission 146 lculation example transport technology 146 formation about linear technology
Be Ar Sa To Pro Ba Lis Ca	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 136 It guidance, tooth gap shapes 146 It guidance, tooth gap shapes
Be Ar Sa To Pro Ba Lis Ca	ECO® timing belt lock AT10 DC / T10 DC
Be Ar Sa To Pro Ba Lis Ca	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 136 It guidance, tooth gap shapes 136 It guidance, tooth gap shapes 136 It guidances 136 It fy factors 146 Iterances 147 Interpretation force 147 Iteration force 148 Iteration example power transmission 149 Iculation example transport technology 149 Icomation about linear technology 140 Construction and properties 150 Construction features 150 Coars design 150
Be Ar Sa To Pro Ba Lis Ca Ca	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 135 It guidance, tooth gap shapes 136 In gular drives 137 In gular drives 136 In gular drives 137 In gular drives 136 In gular drives 137 In gular drives 147 In gular drives 148 In gular drives 149 In gular drives 140 In gular drives 140 <t< td=""></t<>
Be Ar Sa To Pro Ba Liss Ca Int	ECO® timing belt lock AT10 DC / T10 DC 13-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2
Be Ar Sa To Pro Ba Lis Ca Ca Int	ECO® timing belt lock AT10 DC / T10 DC 134 Endix 135 It guidance, tooth gap shapes 136 In gular drives 137 In gular drives 136 In gular drives 137 In gular drives 136 In gular drives 137 In gular drives 147 In gular drives 148 In gular drives 149 In gular drives 140 In gular drives 140 <t< td=""></t<>



Construction

BRECO®, BRECOFLEX® timing belts are manufactured of wear resistant polyurethane and high tensile steel cord tension members. Both high quality materials combined form the basis for dimensionally stable and high resistance polyurethane timing belts. Polyurethane timing belts have a very high span rigidity. No post-elongation of the tension members is to be expected in continuous operation. Only under extreme load and after a short run-in time, the pre-tension of the belts might slightly reduce by the tension members settling, making a once-only re-tensioning of the timing belt unavoidable.

The timing belts are temperature resistant with ambient temperatures from -30°C to +80°C. Applications close to the limit temperatures (<-10°C and >50°C), however, might require adapted dimensioning. For specific temperature ranges various belt materials are available. Please contact our distribution partner for this type of application.

The production methods according to which BRECO®, BRECOFLEX® timing belts are produced, allow keeping within tight tolerances which guarantee a uniform load distribution during power transmission. These polyurethane timing belts are suitable for the transmission of high torques as well as the precise positioning and transport of various goods.

Properties

Mechanical

- Positive fit, synchronous run
- Constant length, no post-elongation
- Low noise
- · Wear resistant
- Low-maintenance
- Highly flexible
- Positional and angular accuracy
- Can be crossed (see chapter "Angular drives")
- Fatigue resistant, low extension steel cord tension members
- Beltspeed up to 80 ms-1
- · Small build sizes
- Favourable power-to-weight ratio
- · Low pre-tension
- Low bearing load
- Permits large centre distances
- Permits large transmission ratios
- High degree of efficiency, max. 98 %

Chemical

- Hydrolysis resistant
- Resistant to aging
- Temperature resistant from -30° to +80°C (see information in the text "Construction")
- Tropical climate resistant
- · Resistant against simple oils, fats and petrol
- Resistant to some acids and Iyes

For special areas of use we can produce all types of timing belts in materials, whose properties make it possible, to use belts in following areas:

- Foodstuff sector (TPUFD)
- Low temperature range from -30°C to +5°C (TPUKF)
- High temperaure range from +20°C to +110°C (TPUWB)
- Use in low aggressive environment (TPUAU)

As alternative to the standard steel cord tension members, tension members in stainless steel and aramide are available. In the case of strong bending stress resp. tension load, timing belts with high flexible tension members (E) resp. with reinforced tension members could be produced.

For further information about the resistance of polyurethane timing belts and available belt materials as well as alternativly tension member materials please contact our distribution partner.

AT high capacity profile

Further development of the T profile resulted in the AT profile. This type of belt is characterised by the larger tooth shear strength resulting from the larger tooth volume and the stronger tension members.

Further advantages:

- · Favourable tooth mesh
- Strengthened tension members for constant pitch
- Improved performance up to 50 % as compared to the T profile
- Precise transmission of movement in conjunction with synchronous pulleys with reduced or zero backlash
- Reduction of meshing impacts or shocks



AT in DL version

The DL timing belt (the belt is double-sided) is applied in the power transmission and transport technology. Multiple-shaft drives with different rotational directions can be realised with this timing belt. Full loadability on both tooth sides.




Curved teeth

As a logical consequence of the demand for reducing running noise, a profile was developed which does without the conventional polygon effect. In addition to smooth running, the profile has, in comparison to the AT, a larger tooth face and is self-guiding in the preferred running direction.

Preferred use:

- Special demands regarding smooth running properties and transmission precision
- Tight assembly dimensions
- Transport and transmission tasks




Curved teeth with guiding track

The BATK has ensued from the BAT. The timing belt is self-tracking in both running directions due to the integrated quiding track.

Preferred use

- Special demands regarding smooth running properties and transmission precision
- Applications in the field of the linear and power transmission technology
- Tight assembly dimensions





ATP high capacity profile

Further increased performance, noise reduction and extension of the belts useful life led to the development of the ATP timing belt. The basic concept of the ATP profile provides the division of the trapezoidal tooth into two individual and load bearing teeth. Performance increase up to 60 %, running noise reduced by up to 10 db(A) and an increased longevity by:

- Tooth surface area increased by 70 %
- Uniform load/tension distribution
- Improved power dispersion
- Reduced polygon effect
- Small construction width
- Optimised tooth mesh



AIN

The ATN timing belt is especially designed for the application in the transport technology. The flight fastening system in the belt tooth permits fast fitting and replacement of the flights individually manufactured for the conveying application concerned.



ATN with V-groove

The ATN timing belt is especially designed for the application in the transport technology and applied where no flanges on the pulleys and other guiding elements are possible for constructional reasons.



Offset teeth

AT performance profile with two toothed tracks with a belt designed as SFAT. These toothed tracks are offset by half a tooth pitch in relation to each other. In combination with the accompanying synchronous pulleys, the SFAT is self-guiding. No flanges are required.

Preferred use

- Running on synchronous pulleys without flanges
- Where low noise is of the essence (reduced polygon effect)

Self-tracking belts

Self-tracking belts are a combined construction of synchronous belts and V-belts with straight running characteristics. The performance range is that of the standard T or AT profiles minus the non toothed belt width.

Preferred use

- Where large lateral forces apply
- Running on synchronous pulleys without flanges

(Also available in TK-version)



Standard profile

The timing belt with a trapezoidal profile according to DIN 7721 is regarded as the classical standard timing belt. Preferred use:

- For standard drive tasks
- For high bending stress

(Also available in **DL-version**)



Imperial profile

Imperial pitches according to DIN/ISO 5296 are available in the following sizes:

XL = 5,000 mm L = 9,000 mm H = 12,000 mm XH = 22,000 mm

Preferred use:

Applications in imperial units



 \overline{g}

Available versions





Standard version, single-sided

The standard version of the BRECO® and BRECOFLEX® timing belt is a combined construction of the two materials: wear resistant polyurethane and high tensile steel cord tension members. The standard version is universal applicable for all tasks in the drive and conveying technology.

Ordering code: without

Available for all pitches




Standard version, double-sided

The standard version of the double-sided BRECO® and BRECOFLEX® timing belts is a combined construction of the two materials: wear resistant polyurethane and high tensile steel cord tension members. Full loadability on both tooth sides. The standard version of the DL timing belts are universal applicable for all tasks in the drive and conveying technology. Ordering code: DL

Available for:

AT5-DL only BRECOFLEX $^{\otimes}$, AT10-DL only BRECOFLEX $^{\otimes}$, T5-DL, T10-DL, T20-DL, H-DL only BRECOFLEX $^{\otimes}$, ATK10K6-DL only BRECOFLEX $^{\otimes}$, AT20DL only BRECOFLEX $^{\otimes}$



Standard version with reinforced belt back

The timing belt in version DR has in comparison with the standard version a thicker belt back.

Ordering code: DR

Version DR

Available belt types see product range



Standard version with transport coating

The timing belt in version T has in comparison with the standard version a transport coating, thickness 1.5 mm (T5, AT5) resp. 2 mm (T10, T20, AT10 AT20, Imperial timing belts), which is extruded on the belt back. The timing belt in version T is universal applicable for all tasks in the conveying technology.

Ordering code: version T

Available belt types see product range

Nylon tooth facing

The belt base corresponds the standard version. An additional nylon tooth facing causes a lower friction coefficient, lightens the tooth mesh in the pulley and reduces noise. Transport belts on bed plates running easier and are wear resistant.

Ordering code: PAZ

Version PAZ

Available for all pitches but T2,5

Nylon facing on the back of the belt

The belt base corresponds the standard version. An additional nylon tooth facing causes a lower friction coefficient. Application area in the conveying technology: e.g. for accumulation conveyor (back of the belt runs easier and is wear resistant).

Ordering code: PAR

Ordering code: PAZ-PAR (both sides coated)

Version PAR

Available for all pitches, only BRECO M and V, but AT3 and T2,5

Nylon facing on double-sided belts

The belt base corresponds the double-sided standard version. An additional nylon tooth facing causes a lower friction coefficient, lightens the tooth mesh in the pulley and reduces noise. Transport belts on bed plates running easier and are wear resistant.

Ordering code: PAZ (coating only possible on inner side)

Version DL-PAZ

Available for AT5-DL only BRECOFLEX®, AT10-DL only BRECOFLEX®, T5-DL, T10-DL, T20-DL, T1/2"-DL only BRECOFLEX®

Available materials

Materials for					
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range
TPUST1	steel cordstainless steel cord	all standard types, not for BRECOFLEX® belts up to 720 mm	white	92 Shore A	0°C up to +80°C
TPUST2	steel cordstainless steel cord cord	all standard types, not for BRECOFLEX® belts up to 720 mm	transparent	85 Shore A	+5°C up to +50°C
TPUST3	steel cordstainless steel cord	BRECOFLEX® belts up to 720 mm	transparent	92 Shore A	0°C up to +80°C

Approved materials by contact with food						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
TPUFD1	temperature range	all standard types	transparent	92 Shore A	0°C up to +80°C	

Materials for the use in areas with low aggressive environment						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
TPUAU1	stainless steel cord	all standard types, not for BRECOFLEX® belts up to 720 mm	transparent	92 Shore A	0°C up to +50°C	

Materials for the use in areas with high ambient temperature						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
TPUWB1	steel cordstainless steel cord	all standard types, not for BRECOFLEX® belts up to 720 mm	white	94 Shore A	+20°C up to +110°C	

	Materials for the use in areas with low ambient temperature						
I	Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
	TPUKF1	steel cord stainless steel cord	all standard types, not for BRECOFLEX® belts up to 720 mm	transparent	85 Shore A	-25°C up to +5°C	

Materials wi	Materials with electrically discharge properties						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range		
TPUAS1	steel cord stainless steel cord	all standard types, not for BRECOFLEX® belts up to 720 mm	grey-transparent	92 Shore A	0°C up to +80°C		

For further information about the resistance of polyurethane timing belts and available belt materials as well as alternativly tension member materials please contact our distribution partner.

The E steel cord tension member

Highly flexible tension inserts - the E steel cord tension member

The thinner the single wire, the more flexible the overall tension member! This interrelation led us to develop BRECO® and BRECOFLEX® timing belts with E tension members.

In the E tension member the tension member cross-section is distributed to a lot more thin individual wires and, therefore, the bending fatigues are markedly lower in the individual wires. The advantage of the E tension members is a higher flexibility.

This is especially important, when smaller mounting dimensions for pulleys and tension rollers are required. The minimum number of teeth and/or minimum diameter of the pulleys can be fallen below up to 30% compared with standard tension members.

Timing belts with E tension members are recommended for multi-shaft drive with frequent bends.

Application informations: For intended application under extreme conditions please contact our technical department for advise.

Steel cord tension members (Example):





The thinner the individual wire the more flexible the whole timing belt.

Summary:

- Thinner individual wires in the steel cord
- Higher dynamic capabilities
- Extremely high bonding and bending fatigue strength
- Smaller pulley and tension roller diameter
- No correction of the synchronising pulleys are necessary

Notes:

- AT3 (standard), AT5 (standard), ATL5 (standard)
- Belt lengths respectively to the delivery range
- Synchronising pulleys respectively to the delivery range
- · Calculation analog to the standard tension member
- For deliverable types refer to delivery programme




The special characteristics


- · Increased tooth load resulting from the tooth curve
- Clearly reduced running noise due to a time elongated tooth mesh
- Higher power transmission precision and lower vibration tendency due to a reduced polygon effect
- The BAT is self-guiding in the preferred running direction, no flanges are required
- The BATK is self-guiding in both running directions due to the integrated guiding track making flanges obsolete
- Length constant belts due to the application of high tensile steel cord tension members

BAT / BATK timing belts

"New profile shapes result in improved performance features", this comment often describes the development possibilities of polyurethane timing belts. The curved tooth based on the proven AT profile forms the basis for the new BRECO® and BRECOFLEX® timing belts with curved teeth. The unique curved teeth guarantee notably improved transmission and running properties. On the one hand the BAT tooth has an increased load bearing capacity, on the other hand it does not abruptly run into the pulley gap but perfectly timed. Both features combined lead to an increased performance, clearly reduced running noise as well as a higher transmission precision and a lower vibration tendency. The belt centers itself on the pulleys in the stated preferred running direction due to the curved shape of the tooth which produces the self-guiding effect.

The **BATK** timing belt has ensued from the **BAT** timing belt. Compared to the BAT the BATK is provided with a guiding track resulting in a timing belt self-guiding in both running directions.





Timing belt guide of the BAT timing belt

The BRECO® and BRECOFLEX® timing belts with curved teeth have only one preferred running direction. In this direction the convex side of the tooth curve points in running direction of the drive. When observing this running direction the teeth laterally guide the belt also with large span lengths for which reason flanges are not required.

Even if the pulleys, tension and return rollers as well as their axes are perfectly aligned, we recommend a minimum span length of 5 times the belt width (see graphic) between the elements. This results in reduced lateral forces and the respective friction.

If tension and return rollers running on the teeth have a distance to their upstream pulley or roller exceeding 5 times the belt width (b), these rollers should be designed with teeth. If these elements are running on the back of the belt without teeth, flanges must be used (see graphic). Both measures lead to a better belt guidance and result in a high running performance.

BATK timing belts

For the BATK timing belt guidance by flanges is not required due to the teeth design. A wandering-off effect from the pulleys is excluded due to the guiding track.

Application fields

The BRECO® and BRECOFLEX® timing belts type **BAT** are suitable for all areas of the power transmission and transport technology, where high transmission precision, low variation tendency, smooth running and only one running direction are required. The BAT timing belt is self-guiding in its preferred running direction, thus, no guiding elements are required.


The **BATK** timing belt is mainly designed for application in the linear and power transmission technology.





BRECOFLEX® timing belts





BRECOFLEX: The BRECOFLEX® timing belt is manufactured in endless lengths without tension member interruption. The tension member is spirally coiled. BRECOFLEX® timing belts are universal applicable for all tasks in the drive technology up to 10000 min⁻¹.

Application areas

Endless timing belts for power transmissions

All drives designed for a high performance should preferably be produced as BRECOFLEX® timing belts with a full length steel cord tension member. They can be subjected to both permanent operation or for a start-brake characteristic. They operate in a rotational speed range of up to 10000 min⁻¹.


Endless timing belts are available in preferred catalog lengths. Our production range also permits the supply of intermediate lengths up to a maximum endless length of 20000 mm.

StandardPlus - BRECOFLEX® timing belts with improved properties

The new generation of BRECOFLEX® timing belts was special developed for high precision positioning applications. The use of the bifilar winding reduces the tendency of the belt to run off. The special way of winding prevents the formation of lateral forces resulting from the tensioned tension members inside the belt, which cause the timing belt to run off. In this manner, the friction forces in the drive are considerably reduced which leads to improve positioning properties.

Additional the new BRECOFLEX® timing belts achieve a notably improved pitch stability. The deviation of the tooth spaces could be further minimized.

With the new generation of BRECOFLEX® timing belts, the user is offered standard products which unite outstanding properties, such as high power transmission, high rigidity, optimized running behaviour and high precision.





(bifilar winding, with a full length tension member)

Materials

BRECO® and BRECOFLEX® timing belts are manufactured according to standard in the material with the designation TPUST1 and steel cord tension members. Other materials e.g. for low or high temperature or for contact with food are possible. Likewise high flexible tension members (E) and tension members in stainless-steel are available. Our distribution partner advises you regarding our possibilities.

AT3	
Power transmission	≤ 5 kW
Rotational speed	approx. 20000 min ⁻¹
Peripheral speed	approx. 80 ms ⁻¹
Synchronous pulley	from z=15
Applications (example)	small power drives, handling technology

ATS15	
Power transmission	≤ 160 kW
Rotational speed	approx. 8000 min ⁻¹
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=25
Applications (example)	power drives, paper-making machines, high-bay storage, lifting equipment

AT5				
Power transmission	≤ 15 kW			
Rotational speed	approx. 10000 min ⁻¹			
Peripheral speed	approx. 80 ms ⁻¹			
Synchronous pulley	from z=15			
Applications (example)	machine tools, pumps, textile machinery			

BAT15, BATK15	
Power transmission	≤ 140 kW
Rotational speed	approx. 8000 min ⁻¹
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=20
Applications (example)	power drives, pumps, sanding machinery

AT10, BAT10, BATK10, SFAT10, ATK10K6				
Power transmission	≤ 70 kW			
Rotational speed	ca. 10000 min ⁻¹			
Peripheral speed	ca. 60 ms ⁻¹			
Synchronous pulley	ab z=15			
Applications (example)	construction machines, pumps, paper-making machines, compressors, textile machines, roller- table drives			

100 kW
pprox. 10000 min ⁻¹
pprox. 60 ms ⁻¹
rom z=15
anding machinery, power rives, machine tools
ķ

SFAT15	
Power transmission	≤ 135 kW
Rotational speed	approx. 8000 min-1
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=20
Applications (example)	construction machines, pumps, paper-making machines, compressors

ATP15	
Power transmission	possible beyond 200 kW
Rotational speed	approx. 10000 min-1
Peripheral speed	approx. 50 ms-1
Synchronous pulley	from z=20
Applications (example)	power drives, Machine tools

AT20, SFAT20				
Power transmission possible beyond 200 kW				
Rotational speed approx. 6500 min ⁻¹				
Peripheral speed	approx. 40 ms ⁻¹			
Synchronous pulley	from z=18			
Applications (example)	heavy-duty drives, textile machinery, printing machinery, machine tools			


T10, L, H	
Power transmission	≤ 30 kW
Rotational speed	approx. 10000 min ⁻¹
Peripheral speed	approx. 60 ms ⁻¹
Synchronous pulley	from z=12
Applications (example)	machine tools, Main and subsidiary drives, textile machines, printing machinery

T5, XL	
Power transmission	≤ 5 kW
Rotational speed	approx. 10000 min ⁻¹
Peripheral speed	approx. 80 ms ⁻¹
Synchronous pulley	from z=10
Applications (example)	office machinery, do-It- yourself units, positioning and regulating drives

T20, XH	
Power transmission	up to approx. 100 kW
Rotational speed	approx. 6500 min ⁻¹
Peripheral speed	approx. 40 ms ⁻¹
Synchronous pulley	from z=15
Applications (example)	heavy construction machinery, paper machinery, pumps, compressors, textile machinery

Remark:

Special timing belt designs allow the rpm and peripheral speed parameters to be increased.



Belt width (in-betwe		hs on reque	st)			
6 10 16 25 32						


BFX AT3	Available length and versions				
Standard lengths	•				
Any number of teeth available from	720 mm up to 1701 mm				
StandardPlus version	720 mm up to 1701 mm				
Minimum purchase amount	1 sleeve (b=100 mm)				
Standard material	TPUST1 ¹⁾				
Steel tension member	-				
E tension member (Standard)	Х				
Stainless steel tension member	0				
PAZ	Х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				


- x available, minimum purchase amount 1 sleeve o minimum purchase amount on request
- not available
- 1) further materials on request


ECOFLEX ®	AT3	Tooth sh	near strength (s	specific belt too	th load bearing	1)	
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]
0	32,34	1,544	0,000	2000	20,70	0,988	2,070
20	32,00	1,528	0,032	2200	20,20	0,964	2,222
40	31,68	1,513	0,063	2400	19,73	0,942	2,367
60	31,37	1,498	0,094	2600	19,52	0,922	2,510
80	31,08	1,484	0,124	2800	19,31	0,902	2,646
100	30,80	1,471	0,154	3000	18,90	0,885	2,779
200	29,58	1,412	0,296	3200	18,17	0,868	2,907
300	28,55	1,363	0,428	3400	17,84	0,852	3,033
400	27,68	1,322	0,554	3600	17,52	0,837	3,153
500	26,91	1,285	0,673	3800	17,22	0,822	3,272
600	26,23	1,252	0,787	4000	16,93	0,808	3,386
700	25,62	1,223	0,897	4500	16,27	0,777	3,660
800	25,07	1,197	1,003	5000	15,67	0,748	3,917
900	24,56	1,173	1,105	5500	15,12	0,722	4,158
1000	24,09	1,150	1,204	6000	14,62	0,698	4,386
1100	23,65	1,129	1,301	6500	14,15	0,676	4,598
1200	23,24	1,110	1,394	7000	13,72	0,655	4,802
1300	22,86	1,091	1,486	7500	13,32	0,636	4,995
1400	22,50	1,074	1,575	8000	12,94	0,618	5,176
1500	22,16	1,058	1,662	8500	12,59	0,601	5,350
1600	21,84	1,043	1,747	9000	12,25	0,585	5,512
1700	21,53	1,028	1,830	9500	11,93	0,570	5,666
1800	21,24	1,014	1,911	10000	11,63	0,555	5,815
1900	20,96	1,001	1,991		-	•	


BRECOFLEX® AT3 Admissible tensile force of the belt F _{adr}			" / Belt weight				
Belt width		b [mm]	6	10	16	25	32
E / Steel tension member		F _{adm [N]}	190	380	645	1100	1400
Stainless steel tension member (E)		F _{adm [N]}	165	335	565	970	1230
	Standard	[kg/m]	0,014	0,023	0,037	0,058	0,074
Belt weight	DL	[kg/m]	=	=	-	=	-
	DR	[kg/m]	-	-	-	-	-
	Т	[kg/m]	-	-	-	-	-

BRECOFLEX® AT3		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	nsion	memb	er	E steel te	ension	meml	ber	Stainless stee	l tensio	n mem	ber (E)
			Standard	DL	DR	T	Standard	DL	DR	T	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	15	-	-	-	20	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	20	-	-	-	30	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	20	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	20	-	-	-	40	-	-	-









- x available, standard lengths from 720 mm (see table) without minimum purchase amount
- o minimum purchase amount on request
- not available
- further materials on request
 only inner side can be coated

	dths b [r ween be	•	on requ	iest)		
10	16	25	32	50	75	100


BFX AT5	Available lengths and versions				
Standard lengths	see table o	n the right			
Minimum purchase amount	up to 660 mm 1 sleev (b= 100 r				
Any number of teeth available from	720 mm up to 15000 mm				
Intermediate lengths	from 720 mm	0			
Version StandardPlus	720 mm up to 15000 mm				
Over 15000 mm	on request				
Standard material	up to 660 mm	TPUST3			
Standard material	from 720 mm	TPUST11)			
Steel tension member	-				
E tension member (Standard)	>	(
Stainless steel tension member	C)			
PAZ	Х				
DL / DL-PAZ	from 900 mm	O ²⁾			
DR / DR-PAZ	from 900 mm	0			
T / T-PAZ	()			


Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
225	45	1005	201	3000	600
255	51	1020	204	3150	630
280	56	1075	215	3350	670
305	61	1100	220	3550	710
340	68	1215	243	3750	750
390	78	1380	276	4000	800
420	84	1400	280	4250	850
455	91	1500	300	4500	900
500	100	1600	320	4750	950
545	109	1700	340	5000	1000
610	122	1800	360	5300	1060
660	132	1900	380	5600	1120
720	144	2000	400	6000	1200
780	156	2120	424	6300	1260
840	168	2240	448	6700	1340
855	171	2360	472	7100	1420
875	175	2500	500	7500	1500
960	192	2650	530		
990	198	2800	560		


RECOFLEX®		Tooth sh	near strength (s	pecific belt too	th load bearing	g)	
R.p.m.	F _{Uspec}	M _{spec}	P_{spec}	R.p.m.	F _{Uspec}	M_{spec}	P_{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm
0	35,30	2,810	0,000	2000	21,90	1,740	3,650
20	34,90	2,780	0,058	2200	21,30	1,695	3,910
40	34,50	2,750	0,115	2400	20,80	1,654	4,160
60	34,10	2,720	0,171	2600	20,30	1,615	4,400
80	33,80	2,690	0,225	2800	19,84	1,579	4,630
100	33,50	2,660	0,279	3000	19,42	1,545	4,850
200	32,00	2,550	0,534	3200	19,01	1,513	5,070
300	30,90	2,460	0,771	3400	18,64	1,483	5,280
400	29,80	2,370	0,995	3600	18,28	1,454	5,480
500	29,00	2,300	1,207	3800	17,93	1,427	5,680
600	28,20	2,240	1,409	4000	17,61	1,401	5,870
700	27,50	2,190	1,603	4500	16,86	1,342	6,320
800	26,80	2,140	1,789	5000	16,18	1,288	6,740
900	26,30	2,090	1,969	5500	15,56	1,239	7,130
1000	25,70	2,050	2,140	6000	15,00	1,194	7,500
1100	25,20	2,010	2,310	6500	14,48	1,152	7,840
1200	24,80	1,970	2,480	7000	13,99	1,113	8,160
1300	24,30	1,936	2,640	7500	13,54	1,077	8,460
1400	23,90	1,903	2,790	8000	13,11	1,043	8,740
1500	23,50	1,872	2,940	8500	12,71	1,011	9,000
1600	23,20	1,843	3,090	9000	12,33	0,981	9,240
1700	22,80	1,816	3,230	9500	11,97	0,953	9,470
1800	22,50	1,789	3,370	10000	11,63	0,925	9,690
1900	22,20	1,764	3,510	10000	,		
				_			


BRECOFLEX® AT	5	Admiss	sible tensile	force of the	ne belt F _{adm}	/ Belt weight					
Belt width		b [mm]	10	16	25	32	50	75	100		
E / Steel tension me	ember	F _{adm} [N]	700	1260	2030	2660	4200	6370	8610		
Stainless steel tension member (E)		F _{adm} [N]	455	820	1320	1730	2730	4140	5597		
	Standard	[kg/m]	0,031	0,052	0,085	0,105	0,164	0,241	0,328		
Dolt woight	DL	[kg/m]	0,040	0,064	0,101	0,130	0,204	0,307	0,410		
Belt weight	DR	[kg/m]	0,045	0,073	0,115	0,148	0,231	0,348	0,464		
	Т	[kg/m]	0,053	0,084	0,132	0,169	0,264	0,396	0,528		

BRECOFLEX® AT5	Flexibility (minimum number of teeth / minimum diameter)													
			Steel te	nsion	memb	er	E tens	ion m	ember		Stainless stee	l tensio	n mem	ber (E)
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	12	20	25	25	22	-	-	25
d _{min}	flexure	d _{min} [mm]	-	-	-	-	18	20	60	60	35	-	-	60
Z _{min}	With contra-	Z _{min}	-	-	-	-	20	20	25	25	30	-	-	30
d _{min}	flexure	d _{min} [mm]	-	-	-	-	50	50	60	60	60	-	-	60









- x available, standard lengths from 720 mm (see table) without minimum purchase amount
- o minimum purchase amount on request
- not available
- 1) 150 mm belt width available from 1500 mm up to 15000 mm
- 2) further materials on request3) only inner side can be coated

	lths b [mm /een belt v	n] widths on	request)		
25	32	50	75	100	150 ¹⁾


BFX A	AT10	Available le vers			
Standard length	ns	see table o	n the right		
Minimum purch	ase amount	up to 700 mm 1 sleeve (b= 100 m			
Any number of available from	teeth	720 mm up to 22000 mm			
Under 1500 mm	1	b _{max} =	100		
Intermediate le	ngths	from 720 mm o			
StandardPlus ve	ersion	720 mm up t	o 22000 mm		
Over 22000 mm		on request			
Standard mater	ial	up to 700 mm	TPUST3		
Stariuaru mater	ıaı	from 700 mm	TPUST1 ²⁾		
Steel tension me	mber (Standard)	>	(
E tension memb	oer	C)		
Stainless steel te	nsion member	C)		
PAZ		Х			
DL / DL-PAZ	b _{max} =100	from 900 mm 0 ³⁾			
DR / DR-PAZ	b _{max} =100	from 900 mm	0		
T / T-PAZ	b _{max} =100	from 1080 mm	0		


Standar	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
400	40	1010	101	3000	300						
500	50	1080	108	3150	315						
530	53	1150	115	3350	335						
560	56	1210	121	3550	355						
610	61	1240	124	3750	375						
630	63	1250	125	4000	400						
660	66	1320	132	4250	425						
700	70	1400	140	4500	450						
720	72	1500	150	4750	475						
780	78	1600	160	5000	500						
800	80	1700	170	5300	530						
810	81	1800	180	5600	560						
840	84	1900	190	6000	600						
850	85	2000	200	6300	630						
880	88	2120	212	6700	670						
890	89	2240	224	7100	710						
920	92	2360	236	7500	750						
960	96	2500	250	8000	800						
970	97	2650	265	9000	900						
980	98	2800	280								

BRECOFLEX®	AT10	Tooth sl	near strength (s	pecific belt too	th load bearing)	
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ^{.1}]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]
0	73,5	11,70	0,000	2000	40,3	6,42	13,44
20	72,4	11,53	0,241	2200	39,0	6,20	14,30
40	71,4	11,37	0,476	2400	37,8	6,01	15,10
60	70,5	11,21	0,705	2600	36,6	5,83	15,86
80	69,6	11,07	0,928	2800	35,5	5,66	16,58
100	68,7	10,94	1,145	3000	34,5	5,50	17,27
200	65,0	10,35	2,170	3200	33,6	5,35	17,92
300	62,1	9,88	3,100	3400	32,7	5,20	18,53
400	59,5	9,48	3,970	3600	31,9	5,07	19,11
500	57,4	9,13	4,780	3800	31,1	4,94	19,67
600	55,5	8,83	5,550	4000	30,3	4,82	20,20
700	53,7	8,55	6,270	4500	28,5	4,54	21,40
800	52,2	8,31	6,960	5000	26,9	4,29	22,50
900	50,8	8,08	7,620	5500	25,5	4,06	23,40
1000	49,5	7,88	8,250	6000	24,2	3,85	24,20
1100	48,3	7,69	8,860	6500	23,0	3,65	24,90
1200	47,2	7,51	9,440	7000	21,8	3,47	25,50
1300	46,2	7,35	10,000	7500	20,8	3,30	26,00
1400	45,2	7,19	10,540	8000	19,77	3,15	26,40
1500	44,3	7,04	11,070	8500	18,84	3,00	26,70
1600	43,4	6,91	11,570	9000	17,95	2,86	26,90
1700	42,6	6,78	12,060	9500	17,12	2,72	27,10
1800	41,8	6,65	12,540	10000	16,32	2,60	27,20
1900	41,0	6,53	13,000				

BRECOFLEX® AT10 Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width		b [mm]	25	32	50	75	100	150
E / Steel tension me	ember	F _{adm} [N]	3500	4750	7750	12000	16000	24500
Stainless steel tens	ion member	F _{adm} [N]	2520	3420	5580	8640	11520	17640
	Standard	[kg/m]	0,138	0,180	0,290	0,436	0,581	0,839
Dolt woight	DL	[kg/m]	0,184	0,233	0,375	0,566	0,755	-
Belt weight	DR	[kg/m]	0,213	0,275	0,433	0,653	0,871	-
	Т	[kg/m]	0,198	0,256	0,404	0,609	0,812	-

BRECOFLEX® AT10		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n mem	ber	E t∈	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	15	25	25	25	12	20	-	-	25	40	-	-
d _{min}	contra- flexure	d _{min} [mm]	50	80	80	80	50	80	-	-	80	120	-	-
Z _{min}	With contra-	Z _{min}	25	25	25	25	20	20	-	-	40	40	-	-
d _{min}	flexure	d _{min} [mm]	120	120	120	120	80	80	-	-	120	120	-	-





Belt width (in-betwee	s b [mm] en belt widt	hs on reque	st)	
25	32	50	75	100

BFX ATS15	Available length and versions
Standard lengths	-
Any number of teeth available from	1500 mm up to 22000 mm
StandardPlus version	1500 mm up to 22000 mm
Over 22000 mm	on request
Minimum purchase amount	1 sleeve (b=100mm)
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	X
DL / DL-PAZ ²⁾	O ²⁾
DR / DR-PAZ	-
T / T-PAZ	-


- x available, minimum purchase amount 1 sleeve
- o minimum purchase amount on request not available

- further materials on request
 only inner side can be coated

RECOFLEX®	ATS15	Tooth sh	near strength (s	pecific belt too	th load bearing))	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	140,00	33,439	0,000	1600	77,29	18,461	30,929
20	138,80	33,153	0,694	1700	75,56	18,048	32,127
40	136,60	32,627	1,367	1800	73,93	17,658	33,283
60	134,50	32,126	2,018	1900	72,36	17,283	34,386
80	132,60	31,672	2,653	2000	70,87	16,928	35,450
100	130,80	31,242	3,271	2200	68,08	16,261	37,460
200	122,90	29,355	6,148	2400	65,50	15,645	39,317
300	116,50	27,826	8,741	2600	63,11	15,074	41,039
400	111,20	26,561	11,125	2800	60,88	14,541	42,634
500	106,60	25,462	13,331	3000	58,79	14,042	44,112
600	102,60	24,506	15,397	3200	56,82	13,572	45,476
700	99,00	23,646	17,333	3400	54,97	13,130	46,745
800	95,75	22,870	19,158	3600	53,21	12,709	47,910
900	92,80	22,166	20,889	3800	51,54	12,311	48,984
1000	90,09	21,518	22,532	4000	49,95	11,931	49,972
1100	87,58	20,919	24,095	4500	46,28	11,054	52,088
1200	85,25	20,362	25,586	5000	42,98	10,266	53,748
1300	83,07	19,842	27,009	5500	39,98	9,549	54,996
1400	81,03	19,354	28,373	6000	37,22	8,890	55,854
1500	79,11	18,896	29,679	6500	34,68	8,283	56,379

BRECOFLEX® AT	S15	Admissil	ole tensile force	of the belt F _{adr}	ກ / Belt weight		
Belt width		b [mm]	25	32	50	75	100
E / Steel tension member		F _{adm} [N]	6150	7995	12915	19680	26445
Stainless steel tension member		F _{adm} [N]	4900	6370	10290	15680	21070
	Standard	[kg/m]	0,219	0,280	0,438	0,656	0,875
Doltwoight	DL	[kg/m]	0,294	0,377	0,589	0,883	1,178
Belt weight DR		[kg/m]	-	-	-	-	-
	Т	[kg/m]	=	-	-	=	=

BRECOFLEX® ATS15		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n meml	ber	E t∈	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	40	-	-	-	-	-	-	30	60	-	-
d _{min}	flexure	d _{min} [mm]	120	250	-	-	-	-	-	-	180	300	-	-
Z _{min}	With contra-	Z _{min}	40	40	-	-	-	-	-	-	60	60	-	-
d _{min}	flexure	d _{min} [mm]	250	250	-	-	-	-	-	-	300	300	-	-



Belt width (in-between	s b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150 ¹⁾

Double-sided	
50° LG	
AT20-DL	

BFX /	AT20	Available lengths and versions				
Standard lengtl	ns	see table on the right				
Any number of available from	teeth	1100 mm up to 22000 mm				
Under 1100 mm	ı	=	-			
Intermediate le	ngths	from 1100 mm	0			
StandardPlus ve	ersion	1500 mm up to 22000 mm				
Over 22000 mm	1	on request				
Standard mater	ial ·	TPUST1 ²⁾				
Steel tension m (Standard)	ember	х				
E tension memb	oer	0				
Stainless steel t member	ension	C)			
PAZ		Х				
DL / DL-PAZ	b _{max} =100	O ³⁾				
DR / DR-PAZ	b _{max} =100	-				
T / T-PAZ	b _{max} =100	()			

Reinforced back of the belt
50° 60 70 70 70 70 70 70 70 70 70 70 70 70 70
AT20-T

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1500	75	2800	140	5300	265				
1600	80	3000	150	5600	280				
1700	85	3160	158	6000	300				
1800	90	3360	168	6300	315				
1900	95	3560	178	6700	335				
2000	100	3760	188	7100	355				
2120	106	4000	200	7500	375				
2240	112	4260	213	8000	400				
2360	118	4500	225	8500	425				
2500	125	4760	238	9000	450				
2660	133	5000	250						

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request


- not available
 1) 150 mm belt width available from 1500 mm up to 15000 mm
 2) further materials on request
 3) only inner side can be coated


member			<u> </u>					
PAZ			Х					
DL / DL-PA	AZ b _r	=100	O ³⁾					
DR / DR-P	AZ b _r	=100		-				
T / T-PAZ	b _r			0				
Standar	d lengths	[mm] / Nu	mber of te	eeth				
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
1500	75	2800	140	5300	265			
1600	80	3000	150	5600	280			
1700	85	3160	158	6000	300			
1800	90	3360	168	6300	315			
1900	95	3560	178	6700	335			
2000	100	3760	188	7100	355			
2120	106	4000	200	7500	375			
2240	112	4260	213	8000	400			
2360	118	4500	225	8500	425			

BRECOFLEX®	AT20	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ^{.1}]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ^{.1}]	[N/cm]	[Ncm/cm]	[W/cm]
0	147,0	46,80	0,000	1600	73,9	23,50	39,400
20	144,2	45,90	0,962	1700	72,0	22,90	40,800
40	141,7	45,10	1,889	1800	70,1	22,30	42,100
60	139,3	44,30	2,790	1900	68,4	21,80	43,300
80	137,0	43,60	3,650	2000	66,7	21,20	44,5
100	134,9	42,90	4,500	2200	63,6	20,20	46,6
200	125,8	40,00	8,390	2400	60,7	19,31	48,5
300	118,5	37,70	11,850	2600	58,0	18,45	50,2
400	112,4	35,80	14,990	2800	55,5	17,65	51,8
500	107,2	34,10	17,860	3000	53,1	16,90	53,1
600	102,6	32,70	20,500	3200	50,9	16,20	54,3
700	98,5	31,40	23,000	3400	48,8	15,53	55,3
800	94,8	30,20	25,300	3600	46,8	14,91	56,2
900	91,5	29,10	27,400	3800	45,0	14,31	56,9
1000	88,4	28,10	29,500	4000	43,2	13,74	57,6
1100	85,6	27,20	31,400	4500	39,0	12,43	58,6
1200	82,9	26,40	33,200	5000	35,3	11,25	58,8
1300	80,5	25,60	34,900	5500	32,0	10,17	60,6
1400	78,2	24,90	36,500	6000	28,9	9,19	61,7
1500	76,0	24,20	38,000	6500	26,0	8,28	62,4

BRECOFLEX® AT	20	Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width	t width b [mm] 32 50 75 100					150				
E / Steel tension m	ember	F _{adm} [N]	6000	10000	15600 21200 3240					
Stainless steel tens	ion member	F _{adm} [N]	[N] 4800 8000 12480 16960 25920				25920			
	Standard	[kg/m]	0,307	0,480	0,720	0,960	1,423			
Dalkassalak	DL	[kg/m]	0,365	0,570	0,855	1,140	-			
Belt weight	DR	[kg/m]	-	-	-	-	-			
	Т	[kg/m]	0,372	0,588	0,888	1,187	-			

BRECOFLEX® AT20		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n meml	ber	E te	ension	membe		Stainless	steel tei	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18	25	-	25	15	-	-	-	32	60	1	32
d _{min}	flexure	d _{min} [mm]	120	180	-	120	100	-	-	-	200	380	-	200
Z _{min}	With contra-	Z _{min}	25	25	-	25	22	-	-	-	40	40	-	60
d _{min}	flexure	d _{min} [mm]	180	180	-	180	150	-	-	-	300	300	-	380





BRECOFLEX® ATP10

	ths b [mm een belt v	-	request)		
16	25	32	50	75	100

BFX ATP10	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1100 mm up to 12000 mm				
Intermediate lengths	from 1100 mm o				
StandardPlus version	1100 mm up to 12000 mm				
Over 12000 mm	on request				
Standard material	TPUST11)				
Steel tension member (Standard)	>	(
E tension member	c)			
Stainless steel tension member	-	-			
DL	0				
DR / DR-PAZ	-				
T / T-PAZ	-	-			

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	4500	450
1600	160	2800	280	4750	475
1700	170	3000	300	5000	500
1900	190	3150	315	5300	530
2000	200	3350	335	5600	560
2120	212	3550	355	6000	600
2240	224	3750	375	6300	630
2360	236	4000	400		
2500	250	4250	425		

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not availablefurther materials on request


Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	4500	450
1600	160	2800	280	4750	475
1700	170	3000	300	5000	500
1900	190	3150	315	5300	530
2000	200	3350	335	5600	560
2120	212	3550	355	6000	600
2240	224	3750	375	6300	630
2360	236	4000	400		
2500	250	4250	425		


BRECOFLEX®	ATP10	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	95,500	15,199	0,000	1900	53,323	8,487	16,884
20	94,098	14,976	0,314	2000	52,396	8,339	17,464
40	92,785	14,767	0,619	2200	50,656	8,062	18,572
60	91,551	14,571	0,915	2400	49,052	7,807	19,619
80	90,385	14,385	1,205	2600	47,562	7,570	20,609
100	89,282	14,210	1,488	2800	46,173	7,349	21,546
150	86,756	13,808	2,169	2880	45,642	7,264	21,907
200	84,505	13,449	2,817	3000	44,871	7,141	22,434
300	80,642	12,835	4,032	3200	43,645	6,946	23,276
400	77,357	12,312	5,157	3400	42,488	6,762	24,075
500	74,535	11,863	6,211	3600	41,393	6,588	24,834
600	72,052	11,467	7,205	3800	40,352	6,422	25,554
700	69,834	11,114	8,147	4000	39,361	6,264	26,239
730	69,212	11,015	8,420	4500	37,073	5,900	27,803
800	67,831	10,796	9,043	5000	35,012	5,572	29,175
900	66,004	10,505	9,900	5500	33,138	5,274	30,374
1000	64,325	10,238	10,720	6000	31,419	5,000	31,417
1100	62,772	9,990	11,507	6500	29,832	4,748	32,316
1200	61,328	9,761	12,265	7000	28,358	4,513	33,082
1300	59,977	9,546	12,994	7500	26,981	4,294	33,724
1400	58,709	9,344	13,698	8000	25,691	4,089	34,252
1460	57,984	9,228	14,108	8500	24,475	3,895	34,670
1500	57,514	9,154	14,377	9000	23,328	3,713	34,989
1600	56,348	8,968	15,025	9500	22,240	3,540	35,211
1700	55,313	8,803	15,671	10000	21,207	3,375	35,342
1800	54,294	8,641	16,287		•	•	

BRECOFLEX® AT	P10	Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width	b [mm]	16	25	32	50	75	100			
E / Steel tension me	ember	F _{adm} [N]	2000	3500	4750	7750	12000	16000		
Stainless steel tens	Stainless steel tension member		-	٠	-	٠	-	=		
Doltwoight	Standard	[kg/m]	0,096	0,150	0,192	0,300	0,450	0,600		
Belt weight	DL	[kg/m]	0,097	0,154	0,200	0,316	0,477	0,636		

BRECOFLEX® ATP10		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n meml	ber	E t€	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	15	25	-	-	12	20	-	-	-	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	50	80	-	-	50	60	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	25	25	1	-	20	20	-	1	-	-	-	-
d _{min}	flexure	d _{min} [mm]	120	120	-	-	80	100	-	-	-	-	-	-

BRECOFLEX® ATP15





	ths b [mm reen belt v	•	request)		
25	32	50	75	100	150

BFX ATP15	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1500 mm up	to 12000 mm			
Intermediate lengths	from 1500 mm o				
StandardPlus version	1500 mm up	to 12000 mm			
Over 12000 mm	on re	quest			
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	>	(
E tension member	C)			
Stainless steel tension member	-	-			
DL	0				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1740	116	2805	187	4500	300
1965	131	3000	200	4875	325
2100	140	3225	215	5250	350
2250	150	3450	230	5625	375
2385	159	3675	245	6000	400
2520	168	3900	260		
2670	178	4125	275		

- x available, standard lengths (see table) without
- minimum purchase
 o minimum purchase amount on request
- not available
- 1) further materials on request

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1740	116	2805	187	4500	300
1965	131	3000	200	4875	325
2100	140	3225	215	5250	350
2250	150	3450	230	5625	375
2385	159	3675	245	6000	400
2520	168	3900	260		
2670	178	4125	275		

R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	143,325	34,216	0,000	1900	73,494	17,545	34,910
20	140,945	33,648	0,705	2000	71,980	17,184	35,990
40	138,722	33,117	1,387	2200	69,141	16,506	38,027
60	136,637	32,620	2,050	2400	66,523	15,881	39,914
80	134,674	32,151	2,693	2600	64,094	15,301	41,661
100	132,818	31,708	3,320	2800	61,828	14,760	43,280
150	128,584	30,697	4,822	3000	59,706	14,254	44,779
200	124,832	29,799	6,241	3200	57,709	13,777	46,167
300	118,367	28,258	8,877	3400	55,824	13,327	47,451
400	112,952	26,965	11,295	3600	54,040	12,901	48,636
500	108,288	25,852	13,536	3800	52,345	12,496	49,727
600	104,193	24,874	15,629	4000	50,731	12,111	50,731
700	100,542	24,003	17,595	4500	47,006	11,222	52,881
800	97,249	23,216	19,450	5000	43,652	10,421	54,565
900	94,249	22,500	21,206	5500	40,602	9,693	55,828
1000	91,495	21,843	22,874	6000	37,806	9,026	56,709
1100	88,949	21,235	24,461	6500	35,225	8,409	57,240
1200	86,583	20,670	25,975	7000	32,827	7,837	57,447
1300	84,372	20,142	27,421	7500	30,589	7,303	57,354
1400	82,297	19,647	28,804	8000	28,490	6,802	56,980
1500	80,343	19,180	30,128	8500	26,515	6,330	56,344
1600	78,495	18,739	31,398	9000	24,649	5,884	55,460
1700	76,745	18,321	32,616	9500	22,881	5,462	54,342
1800	75,080	17,924	33,786	10000	21,201	5,061	53,003

Tooth shear strength (specific belt tooth load bearing)

BRECOFLEX® AT	FLEX® ATP15 Admissible tensile force of the belt F _{adm} / Belt weight									
Belt width	25	32	50	75	100	150				
E / Steel tension member F _{adr}			4950	6750	11250	17550	23850	36450		
Stainless steel tension member		F _{adm} [N]	-	-	-	-	-	-		
Doltwoight	Standard	[kg/m]	0,200	0,256	0,400	0,600	0,800	1,200		
Belt weight	DL	[kg/m]	0,210	0,272	0,432	0,654	0,876	-		

BRECOFLEX® ATP15		Flexibil	ity (mini	mum	numbe	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	oer	E te	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
² min	Without	Z _{min}	20	25	-	-	18	20	-	-	-	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	100	120	-	-	80	100	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	30	30	-	-	25	25	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	160	160	-	-	120	140	-	-	-	-	-	-

Belt widths b [mm]									
32	50	75	100						

BFX BAT10	Available lengths and versions					
Standard lengths	see table or	the right				
Any number of teeth	b= 50 mm: fro	om 720 mm				
available from	1100 mm up t	o 22000 mm				
Intermediate lengths	from 1100 mm ¹⁾	0				
StandardPlus version	1100 mm up to	22000 mm ¹⁾				
Over 22000 mm	on request					
Standard material	TPUS	T1 ²⁾				
Steel tension member (Standard)	х					
E tension member	0					
Stainless steel tension member	0					
PAZ	х					
DL / DL-PAZ	-					
DR / DR-PAZ	-					
T / T-PAZ	-					

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1100	110	1700	170	4000	400
1150	115	1800	180	4500	450
1210	121	1900	190	5000	500
1240	124	2000	200	5600	560
1250	125	2240	224	6000	600
1320	132	2500	250	6700	670
1400	140	2800	280	7100	710
1500	150	3000	300	7500	750
1600	160	3550	355		

BRECOFLEX® BAT10

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request not available 1) b= 50 mm: from 720 mm


- 2) further materials on request

Standar	d lengths	[mm] / Nu	mber of te	eet h	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1100	110	1700	170	4000	400
1150	115	1800	180	4500	450
1210	121	1900	190	5000	500
1240	124	2000	200	5600	560
1250	125	2240	224	6000	600
1320	132	2500	250	6700	670
1400	140	2800	280	7100	710
1500	150	3000	300	7500	750
1600	160	3550	355		

BRECOFLEX®	BAT10	Tooth sh	near strength (s	pecific belt too	th load bearing)			
R.p.m. n [min ^{.1}]	F _{Uspec} [N/cm]	M _{spec}	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]		
0	77,91	12,40	0,00	2000	42,72	6,81	14,25		
20	76,74	12,22	0,26	2200	41,34	6,57	15,16		
40	75,68	12,05	0,50	2400	40,07	6,37	16,01		
60	74,73	11,88	0,75	2600	38,80	6,18	16,81		
80	73,78	11,73	0,98	2800	37,63	6,00	17,57		
100	72,82	11,60	1,21	3000	36,57	5,83	18,31		
200	68,90	10,97	2,30	3200	35,62	5,67	19,00		
300	65,83	10,47	3,29	3400	34,66	5,51	19,64		
400	63,07	10,05	4,21	3600	33,81	5,37	20,26		
500	60,84	9,68	5,07	3800	32,97	5,24	20,85		
600	58,83	9,36	5,88	4000	32,12	5,11	21,41		
700	56,92	9,06	6,65	4500	30,53	4,81	22,68		
800	55,33 53,85	8,81 8,56	· ·		7,38	5000	28,51	4,55	23,85
900					8,56	8,08	5500	27,03	4,30
1000	52,47	8,35	8,75	6000	25,65	4,08	25,65		
1100	51,20	8,15	9,39	6500	24,38	3,87	26,39		
1200	50,03	7,96	10,01	7000	23,11	3,68	27,03		
1300	48,97	7,79	10,60	7500	22,05	3,50	27,56		
1400	47,91	7,62	11,17	8000	20,96	3,34	27,98		
1500	46,96	7,46	11,73	8500	19,97	3,18	28,30		
1600	46,00	7,32	12,26	9000	19,03	3,03	28,51		
1700	45,16	7,19	12,78	9500	18,15	2,88	28,73		
1800	44,31	7,05	13,29	10000	17,30	2,76	28,83		
1900	43,46	6,92	13,78						

BRECOFLEX® BA	AT10	Admiss	ible tensile force of	the belt F _{adm} / Belt	weight			
Belt width		b [mm] 32 50 75						
E / Steel tension m	ember	F _{adm} [N] 4750 7750 12000			16000			
Stainless steel tens	ion member	F _{adm} [N]	3420	5580	8640	11520		
	Standard	[kg/m]	0,180	0,290	0,436	0,581		
Dolt woight	DL	[kg/m]	-	-	-	-		
Belt weight	DR	[kg/m]	-	-	-	-		
	Т	[kg/m]	-	-	-	-		

BRECOFLEX® BAT10	BRECOFLEX® BAT10 Flexibility (minimum number of teeth / minimum diameter)													
			Steel	Steel tension member		E t∈	E tension member			Stainless steel tension member				
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	18	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	50	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-



Belt widths b [mm	1]	
50	75	100

BFX BAT15	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1500 mm up to 21990 mm				
Intermediate lengths	from 1500 mm o				
StandardPlus version	1500 mm up to 21990 mm				
Over 21990 mm	on request				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	х				
E tension member	0				
Stainless steel tension member	O				
PAZ	Х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standar	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
1500	100	2790	186	5595	373						
1590	106	3000	200	6000	400						
1710	114	3495	233	6300	420						
1800	120	3750	250	6705	447						
1905	127	4005	267	7095	473						
1995	133	4500	300	7500	500						
2250	150	4995	333								
2505	167	5295	353								

BRECOFLEX® BAT15

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request not available
- 1) further materials on request

Standar	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
1500	100	2790	186	5595	373						
1590	106	3000	200	6000	400						
1710	114	3495	233	6300	420						
1800	120	3750	250	6705	447						
1905	127	4005	267	7095	473						
1995	133	4500	300	7500	500						
2250	150	4995	333								
2505	167	5295	353								


BRECOFLEX®	BAT15	Tooth sh	ear strength (s	pecific belt toot	th load bearing))	
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]
0	116,87	31,01	0	1600	63,76	16,12	27,03
20	116,87	30,44	0,64	1700	62,17	15,73	28,02
40	114,80	29,93	1,25	1800	60,74	15,35	28,95
60	112,94	29,43	1,86	1900	59,57	15,02	29,84
80	111,19	28,98	2,43	2000	58,51	14,64	30,70
100	110,13	28,54	2,99	2200	56,71	13,99	32,28
200	105,42	26,69	5,60	2400	54,38	13,42	33,72
300	101,12	25,22	7,93	2600	52,21	12,85	35,03
400	95,72	24,00	10,05	2800	50,14	12,38	36,22
500	91,11	22,92	12,00	3000	48,55	11,87	37,30
600	87,24	22,02	13,81	3200	46,43	11,43	38,27
700	83,79	21,18	15,51	3400	44,79	10,97	39,14
800	80,93	20,42	17,09	3600	43,20	10,59	39,91
900	77,91	19,71	18,58	3800	41,71	10,20	40,60
1000	75,42	19,07	19,99	4000	40,81	9,82	41,21
1100	73,09	18,50	21,33	4500	38,96	8,98	42,38
1200	70,97	17,98	22,59	5000	37,58	8,22	43,12
1300	68,95	17,47	23,79	5500	36,20	7,27	43,96
1400	67,15	17,01	24,92	6000	34,93	6,51	44,86
1500	65,40	16,56	26,00	6500	33,66	5,55	45,59

BRECOFLEX® BA	AT15	Admissi	ble tensile force of the be	elt F _{adm} / Belt weight	
Belt width		b [mm]	50	75	100
E / Steel tension member		F _{adm} [N]	10400	16000	21600
Stainless steel tension member		F _{adm} [N]	8300	12800	17300
	Standard	[kg/m]	0,420	0,629	0,836
Dalkanaiahk	DL	[kg/m]	-	-	-
Belt weight	DR	[kg/m]	-	-	-
	Т	[kg/m]	-	-	-

BRECOFLEX® BAT15	X® BAT15 Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tension	memb	er	E te	nsion i	membe	r	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
Z _{min} With	Z _{min}	30	-	-	-	25	-	-	-	35	-	-	-	
d _{min}	contra- flexure	d _{min} [mm]	150	-	-	-	120	-	-	-	180	-	-	-

BRECOFLEX® BATK10





Belt widths b	[mm]		
32	50	75	100

BFX BATK10	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1100 mm up to 22000 mm				
Intermediate lengths	from 1100 mm	0			
StandardPlus version	1100 mm up	to 22000 mm			
Over 22000 mm	on request				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	×	(
E tension member	C)			
Stainless steel tension member	c)			
PAZ	Х	(
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-	-			

Standar	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
1100	110	1700	170	4000	400						
1150	115	1800	180	4500	450						
1210	121	1900	190	5000	500						
1240	124	2000	200	5600	560						
1250	125	2240	224	6000	600						
1320	132	2500	250	6700	670						
1400	140	2800	280	7100	710						
1500	150	3000	300	7500	750						
1600	160	3550	355								

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
- not available
- 1) further materials on request


Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth					
1100	110	1700	170	4000	400					
1150	115	1800	180	4500	450					
1210	121	1900	190	5000	500					
1240	124	2000	200	5600	560					
1250	125	2240	224	6000	600					
1320	132	2500	250	6700	670					
1400	140	2800	280	7100	710					
1500	150	3000	300	7500	750					
1600	160	3550	355							

BRECOFLEX® BATK10 Tooth shear strength (specific belt tooth load bearing)							
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]
0	77,91	12,40	0,00	2000	42,72	6,81	14,25
20	76,74	12,22	0,26	2200	41,34	6,57	15,16
40	75,68	12,05	0,50	2400	40,07	6,37	16,01
60	74,73	11,88	0,75	2600	38,80	6,18	16,81
80	73,78	11,73	0,98	2800	37,63	6,00	17,57
100	72,82	11,60	1,21	3000	36,57	5,83	18,31
200	68,90	10,97	2,30	3200	35,62	5,67	19,00
300	65,83	10,47	3,29	3400	34,66	5,51	19,64
400	63,07	10,05	4,21	3600	33,81	5,37	20,26
500	60,84	9,68	5,07	3800	32,97	5,24	20,85
600	58,83	9,36	5,88	4000	32,12	5,11	21,41
700	56,92	9,06	6,65	4500	30,53	4,81	22,68
800	55,33	8,81	7,38	5000	28,51	4,55	23,85
900	53,85	8,56	8,08	5500	27,03	4,30	24,80
1000	52,47	8,35	8,75	6000	25,65	4,08	25,65
1100	51,20	8,15	9,39	6500	24,38	3,87	26,39
1200	50,03	7,96	10,01	7000	23,11	3,68	27,03
1300	48,97	7,79	10,60	7500	22,05	3,50	27,56
1400	47,91	7,62	11,17	8000	20,96	3,34	27,98
1500	46,96	7,46	11,73	8500	19,97	3,18	28,30
1600	46,00	7,32	12,26	9000	19,03	3,03	28,51
1700	45,16	7,19	12,78	9500	18,15	2,88	28,73
1800	44,31	7,05	13,29	10000	17,30	2,76	28,83
1900	43,46	6,92	13,78				

BRECOFLEX® B	ATK10	Admissib	le tensile force of	the belt F _{adm} / Belt v	weight	
Belt width		b [mm]	32	50	75	100
E / Steel tension member		F _{adm} [N]	4750	7750	12000	16000
Stainless steel ten	sion member	F _{adm} [N]	3420	5580	8640	11520
	Standard	[kg/m]	0,192	0,300	0,450	0,600
Daltanaialat	DL	[kg/m]	-	-	-	-
Belt weight	DR	[kg/m]	-	-	-	-
	Т	[kg/m]	-	-	-	-

BRECOFLEX® BATK1	0	Flexibil	ity (mini	mum	numbe	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	oer	E te	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	20	-	-	-	18	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	60	-	-	-	50	-	-	-	80	-	-	-
Z _{min} With contra-		Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-

BRECOFLEX® BATK15



Belt widths b [mm	1]	
50	75	100

BFX BATK15	Available le vers				
Standard lengths	see table on the right				
Any number of teeth available from	1500 mm up to 21990 mm				
Intermediate lengths	from 1500 mm	О			
StandardPlus version	1500 mm up to 21990 mm				
Over 21990 mm	on re	quest			
Standard material	TPUST11)				
Steel tension member (Standard)	х				
E tension member	C)			
Stainless steel tension member	C)			
PAZ	>	(
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
1500	100	2790	186	5595	373			
1590	106	3000	200	6000	400			
1710	114	3495	233	6300	420			
1800	120	3750	250	6705	447			
1905	127	4005	267	7095	473			
1995	133	4500	300	7500	500			
2250	150	4995	333					
2505	167	5295	353					

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request


Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
1500	100	2790	186	5595	373			
1590	106	3000	200	6000	400			
1710	114	3495	233	6300	420			
1800	120	3750	250	6705	447			
1905	127	4005	267	7095	473			
1995	133	4500	300	7500	500			
2250	150	4995	333	·				
2505	167	5295	353					

BRECOFLEX®	BATK15	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	116,87	31,01	0	1600	63,76	16,12	27,03
20	116,87	30,44	0,64	1700	62,17	15,73	28,02
40	114,80	29,93	1,25	1800	60,74	15,35	28,95
60	112,94	29,43	1,86	1900	59,57	15,02	29,84
80	111,19	28,98	2,43	2000	58,51	14,64	30,70
100	110,13	28,54	2,99	2200	56,71	13,99	32,28
200	105,42	26,69	5,60	2400	54,38	13,42	33,72
300	101,12	25,22	7,93	2600	52,21	12,85	35,03
400	95,72	24,00	10,05	2800	50,14	12,38	36,22
500	91,11	22,92	12,00	3000	48,55	11,87	37,30
600	87,24	22,02	13,81	3200	46,43	11,43	38,27
700	83,79	21,18	15,51	3400	44,79	10,97	39,14
800	80,93	20,42	17,09	3600	43,20	10,59	39,91
900	77,91	19,71	18,58	3800	41,71	10,20	40,60
1000	75,42	19,07	19,99	4000	40,81	9,82	41,21
1100	73,09	18,50	21,33	4500	38,96	8,98	42,38
1200	70,97	17,98	22,59	5000	37,58	8,22	43,12
1300	68,95	17,47	23,79	5500	36,20	7,27	43,96
1400	67,15	17,01	24,92	6000	34,93	6,51	44,86
1500	65,40	16,56	26,00	6500	33,66	5,55	45,59

BRECOFLEX® BA	TK15	Admissik	ole tensile force of the be	lt F _{adm} / Belt weight	
Belt width		b [mm]	50	75	100
E / Steel tension m	E / Steel tension member		10400	16000	21600
Stainless steel tens	ion member	F _{adm} [N]	8300	12800	17300
	Standard	[kg/m]	0,420	0,629	0,836
Dolt woight	DL	[kg/m]	-	-	-
Belt weight	DR	[kg/m]	-	-	-
	Т	[kg/m]	-	-	-

BRECOFLEX® BATK1	5	Flexibil	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	oer	E te	ension	membe	er	Stainless	steel te	nsion m	ember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
7	Without contra-	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
Z _{min} With contra-	Z _{min}	30	-	-	-	25	-	-	-	35	-	-	-	
d _{min}	flexure	d _{min} [mm]	150	-	-	-	120	-	-	-	180	-	-	-

BRECOFLEX® SFAT10



Belt widths b [mm	1]	
50	75	100

BFX SFAT10	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1100 mm up to 22000 mm				
Intermediate lengths	from 1100 mm	О			
StandardPlus version	1100 mm up	to 22000 mm			
Over 22000 mm	on request				
Standard material	TPUST11)				
Steel tension member (Standard)	>	(
E tension member	C)			
Stainless steel tension member	C)			
PAZ	>	(
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standar	Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth	Number of teeth						
1100	110	1900	190	4500	450					
1200	120	2000	200	5000	500					
1300	130	2240	224	5600	560					
1400	140	2500	250	6000	600					
1500	150	2800	280	6700	670					
1600	160	3000	300	7100	710					
1700	170	3550	355	7500	750					
1800	180	4000	400							

available, standard lengths (see table) without minimum purchase
 minimum purchase amount on request

not available

1) further materials on request

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Length	Number of teeth					
1100	110	1900	190	4500	450				
1200	120	2000	200	5000	500				
1300	130	2240	224	5600	560				
1400	140	2500	250	6000	600				
1500	150	2800	280	6700	670				
1600	160	3000	300	7100	710				
1700	170	3550	355	7500	750				
1800	180	4000	400						

BRECOFLEX®	SFAT10	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	73,5	11,70	0,000	2000	40,3	6,42	13,44
20	72,4	11,53	0,241	2200	39,0	6,20	14,30
40	71,4	11,37	0,476	2400	37,8	6,01	15,10
60	70,5	11,21	0,705	2600	36,6	5,83	15,86
80	69,6	11,07	0,928	2800	35,5	5,66	16,58
100	68,7	10,94	1,145	3000	34,5	5,50	17,27
200	65,0	10,35	2,170	3200	33,6	5,35	17,92
300	62,1	9,88	3,100	3400	32,7	5,20	18,53
400	59,5	9,48	3,970	3600	31,9	5,07	19,11
500	57,4	9,13	4,780	3800	31,1	4,94	19,67
600	55,5	8,83	5,550	4000	30,3	4,82	20,20
700	53,7	8,55	6,270	4500	28,5	4,54	21,40
800	52,2	8,31	6,960	5000	26,9	4,29	22,50
900	50,8	8,08	7,620	5500	25,5	4,06	23,40
1000	49,5	7,88	8,250	6000	24,2	3,85	24,20
1100	48,3	7,69	8,860	6500	23,0	3,65	24,90
1200	47,2	7,51	9,440	7000	21,8	3,47	25,50
1300	46,2	7,35	10,000	7500	20,8	3,30	26,00
1400	45,2	7,19	10,540	8000	19,77	3,15	26,40
1500	44,3	7,04	11,070	8500	18,84	3,00	26,70
1600	43,4	6,91	11,570	9000	17,95	2,86	26,90
1700	42,6	6,78	12,060	9500	17,12	2,72	27,10
1800	41,8	6,65	12,540	10000	16,32	2,60	27,20
1900	41,0	6,53	13,000				


BRECOFLEX® SF	AT10	Admissible tensile force of the belt F _{adm} / Belt weight				
Belt width		b [mm]	50	75	100	
E / Steel tension member		F _{adm} [N]	7750	12000	16000	
Stainless steel tension member		F _{adm} [N]	5580	8640	11520	
	Standard	[kg/m]	0,290	0,436	0,581	
Dolt woight	DL	[kg/m]	-	-	-	
Belt weight	DR	[kg/m]	-	-	-	
	Т	[kg/m]	-	-	-	

BRECOFLEX® SFAT10 Flexibility (minimum number of teeth / minimum diameter)														
		Steel	tensior	n memb	oer	E tension member			Stainless steel tension member					
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	15	-	-	-	12	-	-	-	25	-	-	-
d _{min}	d _{min} contra- flexure	d _{min} [mm]	50	-	-	-	50	-	-	=	80	-	-	-
Z _{min} With z _{mir}	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-	
d _{min}	flexure	d _{min} [mm]	120	=	-	-	80	-	-	-	130	-	-	-

Self-guiding timing belts

(endless)

BRECOFLEX® SFAT15



Belt widths b [mm	1]	
50	75	100

BFX SFAT15	Available lengths and versions			
Standard lengths	see table on the right			
Any number of teeth available from	1500 mm up to 21990 mm			
Intermediate lengths	from 1500 mm	0		
StandardPlus version	1500 mm up to 21990 mm			
Over 21990 mm	on request			
Standard material	TPUST1 ¹⁾			
Steel tension member (Standard)	х			
E tension member	0			
Stainless steel tension member	0			
PAZ	х			
DL / DL-PAZ	-			
DR / DR-PAZ	-			
T / T-PAZ	-			

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1500	100	2790	186	5595	373				
1590	106	3000	200	6000	400				
1710	114	3495	233	6300	420				
1800	120	3750	250	6705	447				
1905	127	4005	267	7095	473				
1995	133	4500	300	7500	500				
2250	150	4995	333						
2505	167	5295	353						

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request

40	108,30	28,235	1,182	1800	57,30	14,475	27,311
60	106,55	27,755	1,745	1900	55,95	14,165	28,153
80	104,90	27,335	2,291	2000	54,70	13,810	28,955
100	103,30	26,920	2,821	2200	53,50	13,200	30,450
150	101,80	26,015	4,086	2400	51,30	12,655	31,810
200	98,45	25,175	5,278	2500	49,25	12,410	32,445
300	95,40	23,790	7,477	2600	48,25	12,115	33,045
400	90,30	22,640	9,478	2800	47,30	11,680	34,165
500	85,95	21,615	11,321	2880	45,50	11,445	34,585
600	82,30	20,765	13,030	3000	44,80	11,200	35,185
700	79,05	19,975	14,626	3200	43,80	10,775	36,100
730	76,10	19,740	15,085	3400	42,25	10,350	36,920
800	75,35	19,255	16,122	3600	40,75	9,985	37,650
900	73,50	18,590	17,530	3800	39,35	9,620	38,300
1000	71,15	17,990	18,858	4000	38,05	9,260	38,875
1100	68,95	17,445	20,115	4500	36,75	8,470	39,980
1200	66,95	16,955	21,305	5000	35,45	7,745	40,675
1300	65,05	16,475	22,435	5500	34,15	6,855	41,470
1400	63,35	16,045	23,509	6000	32,95	6,135	42,315
1460	61,70	15,800	24,128	6500	31,75	5,235	43,010
1500	60,70	15,620	24,530				

Tooth shear strength (specific belt tooth load bearing)

 $\mathsf{M}_{\mathsf{spec}}$

[Ncm/cm]

15,205

14,840

[W/cm]

25,502

26,429

[N/cm]

60,15

58,65

BRECOFLEX® SFAT15

[W/cm]

0,000

0,601

 M_{spec}

[Ncm/cm]

29,250

28,715

BRECOFLEX® SFAT15

[N/cm]


110,25

110,25

BRECOFLEX® S	FAT15	Admissible tensile force of the belt F _{adm} / Belt weight				
Belt width b [m		b [mm]	b [mm] 50 75		100	
E / Steel tension member		F _{adm} [N]	10000	15600	21200	
Stainless steel tension member		F _{adm} [N]	8000	12480	16960	
	Standard		0,440	0,660	0,875	
Dollarrainha	DL	[kg/m]	-	-	-	
Belt weight	DR	[kg/m]	-	-	-	
	Т	[kg/m]	-	-	-	

BRECOFLEX® SFAT15 Flexibility (minimum number of teeth / minimum diameter)														
		-	Steel	tensior	n meml	oer	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
min — —	With contra-	Z _{min}	25	-	-	-	25	-	-	-	35	-	-	-
d _{min}	flexure	d _{min} [mm]	150	-	-	1	120	1	1	1	180	-	-	-

BRECOFLEX® SFAT20



Belt widths b [mm	n]	
50	75	100

BFX SFAT20	Available lengths and versions			
Standard lengths	see table on the right			
Any number of teeth available from	1500 mm up to 22000 mm			
Intermediate lengths	from 1500 mm	0		
StandardPlus version	1500 mm up to 22000 mm			
Over 22000 mm	on request			
Standard material	TPUST1 ¹⁾			
Steel tension member (Standard)	х			
E tension member	()		
Stainless steel tension member	C)		
PAZ		(
DL / DL-PAZ		-		
DR / DR-PAZ		-		
T / T-PAZ		-		

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Length	Number of teeth					
1500	75	2500	125	5000	250				
1600	80	2800	140	5600	280				
1700	85	3000	150	6000	300				
1800	90	3560	178	6700	335				
1900	95	3760	188	7100	355				
2000	100	4000	200	7500	375				
2240	112	4500	225						

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
 - not available

- 1) further materials on request

Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth					
1500	75	2500	125	5000	250					
1600	80	2800	140	5600	280					
1700	85	3000	150	6000	300					
1800	90	3560	178	6700	335					
1900	95	3760	188	7100	355					
2000	100	4000	200	7500	375					
2240	112	4500	225							

BRECOFLEX®	BRECOFLEX® SFAT15 Tooth shear strength (specific belt tooth load bearing)									
R.p.m.	F _{Uspec}	M_{spec}	P _{spec}	R.p.m.	F_{Uspec}	M_{spec}	P_{spec}			
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]			
0	147,0	46,80	0,000	1600	73,9	23,50	39,400			
20	144,2	45,90	0,962	1700	72,0	22,90	40,800			
40	141,7	45,10	1,889	1800	70,1	22,30	42,100			
60	139,3	44,30	2,790	1900	68,4	21,80	43,300			
80	137,0	43,60	3,650	2000	66,7	21,20	44,50			
100	134,9	42,90	4,500	2200	63,6	20,20	46,60			
200	125,8	40,00	8,390	2400	60,7	19,31	48,50			
300	118,5	37,70	11,850	2600	58,0	18,45	50,20			
400	112,4	35,80	14,990	2800	55,5	17,65	51,80			
500	107,2	34,10	17,860	3000	53,1	16,90	53,10			
600	102,6	32,70	20,500	3200	50,9	16,20	54,30			
700	98,5	31,40	23,000	3400	48,8	15,53	55,30			
800	94,8	30,20	25,300	3600	46,8	14,91	56,20			
900	91,5	29,10	27,400	3800	45,0	14,31	56,90			
1000	88,4	28,10	29,500	4000	43,2	13,74	57,60			
1100	85,6	27,20	31,400	4500	39,0	12,43	58,60			
1200	82,9	26,40	33,200	5000	35,3	11,25	58,80			
1300	80,5	25,60	34,900	5500	32,0	10,17	60,60			
1400	78,2	24,90	36,500	6000	28,9	9,19	61,70			
1500	76,0	24,20	38,000	6500	26,0	8,28	62,40			

BRECOFLEX® SFAT20

BRECOFLEX® SF	AT20	Admissil	Admissible tensile force of the belt F _{adm} / Belt weight							
Belt width		b [mm]	50	100						
E / Steel tension member		F _{adm} [N]	10000	15600	21200					
Stainless steel tension member		F _{adm} [N]	8000	12480	16960					
	Standard	[kg/m]	0,480	0,720	0,960					
Dalkanaiahk	DL	[kg/m]	-	-	-					
Belt weight	DR	[kg/m]	-	-	-					
	Т	[kg/m]	-	-	-					

BRECOFLEX® SFAT20)	Flexibil	ity (mini	mum	numbe	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	oer	E te	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
min —	Without contra-	Z _{min}	18	-	-	-	15	-	-	-	32	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	100	-	-	-	200	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	22	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	180	=	-	-	150	-	=	=	300	-	-	-

[N/cm]

21,90

21,30

20,80

20,30

19,84

19,42

19,01

18,64

18.28

17,93

17,61

16,86

16,18

15,56

15,00

14,48

13,99

13,54

13,11

12,71

12,33

11,97

11,63

 M_{spec}

[Ncm/cm]

1,740

1,695

1,654

1,615

1,579

1,545

1,513

1,483

1,454

1,427

1,401

1,342

1,288

1,239

1,194

1,152

1,113

1,077

1,043

1,011

0,981

0,953

0,925

100

8610

5597

0,334

-

[W/cm]

3,650

3,910

4,160

4,400

4,630

4,850

5,070

5,280

5,480

5,680

5,870

6,320

6,740

7,130

7,500

7,840

8,160

8,460

8,740

9,000

9,240

9,470

9,690

Tooth shear strength (specific belt tooth load bearing)

n [min⁻¹]

[W/cm]

0,000

0,058

0,115

0,171

0,225

0,279

0,534

0,771

0,995

1,207

1,409

1,603

1,789

1,969

2,140

2,310

2,480

2,640

2,790


2,940


3,090

3,230

3,370

3,510





Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX ATK5K6	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1075 mm up to 15000 mm				
Intermediate lengths	from 1075 mm o				
StandardPlus version	1075 mm up to 15000 mm				
Over 15000 mm	on request				
Standard material	TPUST1 ¹⁾				
Steel tension member	-				
E tension member (Standard)	х				
Stainless steel tension member	0				
PAZ	х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standar	Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth Length		Number of teeth					
1075	215	2240	448	4500	900					
1100	220	2360	472	4750	950					
1215	243	2500	500	5000	1000					
1380	276	2650	530	5300	1060					
1400	280	2800	560	5600	1120					
1500	300	3000	600	6000	1200					
1600	320	3150	630	6300	1260					
1700	340	3350	670	6700	1340					
1800	360	3550	710	7100	1420					
1900	380	3750	750	7500	1500					
2000	400	4000	800							
2120	424	4250	850							

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request

Standar	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Length Number of teeth		Number of teeth						
1075	215	2240	448	4500	900						
1100	220	2360	472	4750	950						
1215	243	2500	500	5000	1000						
1380	276	2650	530	5300	1060						
1400	280	2800	560	5600	1120						
1500	300	3000	600	6000	1200						
1600	320	3150	630	6300	1260						
1700	340	3350	670	6700	1340						
1800	360	3550	710	7100	1420						
1900	380	3750	750	7500	1500						
2000	400	4000	800								
2120	424	4250	850								

	T	[kg/m]			-						-			
BRECOFLEX® ATK5	BRECOFLEX® ATK5K6 Flexibility (minimum number of teeth / minimum diameter)													
			Steel tension member			E tension member				Stainless steel tension member (E)				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	1	1	25	1	-	1	25	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	1	40	1	-	1	40	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	1	25	1	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	80	-	-	-	80	-	-	-

Admissible tensile force of the belt F_{adm} / Belt weight 50

4200

2730

0,167

-

48 49

BRECOFLEX® ATK5K6

[N/cm]

35,3

34,9

34,5

34,1

33,8

33,5

32,0

30,9

29.8

29,0

28,2

27,5

26,8

26,3

25,7

25,2

24,8

24,3

23,9

23,5

23,2

22,8

22,5

22,2

BRECOFLEX® ATK5K6

Belt weight

 M_{spec}

[Ncm/cm]

2,810

2,780

2,750

2,720

2,690

2,660

2,550

2,460

2,370

2,300

2,240

2,190

2,140

2,090

2,050

2,010

1,970

1,936

1,903

1,872

1,843

1,816

1,789


1,764


F_{adm} [N]


[kg/m]


[kg/m]

BRECOFLEX® ATK10K6









Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX ATK10K6	Available lengths and versions					
Standard lengths	see table on the right					
Any number of teeth	b= 50 mm	from 720 mi	m			
available from	1080 mm	up to 22000 n	nm			
Intermediate lengths	b= 50 mm	from 720 mm	0			
Intermediate lengths	b= 100 mm	up to 1080 mm	U			
StandardPlus version	b=50 mn	n: from 720 mm				
StandardPlus version	1080 mm up to 22000 mm					
Over 22000 mm	on request					
Standard material	7	TPUST1 ¹⁾				
Steel tension member (Standard)		х				
E tension member		0				
Stainless steel tension member		0				
PAZ	from 1	1500 mm	Х			
DL / DL-PAZ		0				
DR / DR-PAZ		0				
T / T-PAZ		-				

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length Number of teeth Length		Number of teeth					
1500	150	2650	265	4750	475				
1600	160	2800	280	5000	500				
1700	170	3000	300	5300	530				
1800	180	3150	315	5600	560				
1900	190	3350	335	6000	600				
2000	200	3550	355	6300	630				
2120	212	3750	375	6700	670				
2240	224	4000	400	7100	710				
2360	236	4250	425	7500	750				
2500	250	4500	450	8000	800				

Х	available, standard lengths (see table) without	
	minimum purchase	

- o minimum purchase amount on request
- not availablefurther materials on request


Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth					
1500	150	2650	265	4750	475					
1600	160	2800	280	5000	500					
1700	170	3000	300	5300	530					
1800	180	3150	315	5600	560					
1900	190	3350	335	6000	600					
2000	200	3550	355	6300	630					
2120	212	3750	375	6700	670					
2240	224	4000	400	7100	710					
2360	236	4250	425	7500	750					
2500	250	4500	450	8000	800					


BRECOFLEX®	® ATK10K6	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	73,5	11,70	0,000	2000	40,30	6,42	13,440
20	72,4	11,53	0,241	2200	39,00	6,20	14,300
40	71,4	11,37	0,476	2400	37,80	6,01	15,100
60	70,5	11,21	0,705	2600	36,60	5,83	15,860
80	69,6	11,07	0,928	2800	35,50	5,66	16,580
100	68,7	10,94	1,145	3000	34,50	5,50	17,270
200	65,0	10,35	2,170	3200	33,60	5,35	17,920
300	62,1	9,88	3,100	3400	32,70	5,20	18,530
400	59,5	9,48	3,970	3600	31,90	5,07	19,110
500	57,4	9,13	4,780	3800	31,10	4,94	19,670
600	55,5	8,83	5,550	4000	30,30	4,82	20,200
700	53,7	8,55	6,270	4500	28,50	4,54	21,400
800	52,2	8,31	6,960	5000	26,90	4,29	22,500
900	50,8	8,08	7,620	5500	25,50	4,06	23,400
1000	49,5	7,88	8,250	6000	24,20	3,85	24,200
1100	48,3	7,69	8,860	6500	23,00	3,65	24,900
1200	47,2	7,51	9,440	7000	21,80	3,47	25,500
1300	46,2	7,35	10,000	7500	20,80	3,30	26,000
1400	45,2	7,19	10,540	8000	19,77	3,15	26,400
1500	44,3	7,04	11,070	8500	18,84	3,00	26,700
1600	43,4	6,91	11,570	9000	17,95	2,86	26,900
1700	42,6	6,78	12,060	9500	17,12	2,72	27,100
1800	41,8	6,65	12,540	10000	16,32	2,60	27,200
1900	41,0	6,53	13,000		•	1	L

BRECOFLEX® AT	K10K6	Admissible tensile force of the belt F _{adm} / Belt weight					
Belt width		b [mm]	50	100			
E / Steel tension member		F _{adm} [N]	7750	16000			
Stainless steel tension member		F _{adm} [N]	5600	11200			
	Standard	[kg/m]	0,290	0,581			
DL		[kg/m]	0,386	0,766			
Belt weight	DR	[kg/m]	0,445	0,886			
	Т	[kg/m]	-	-			

BRECOFLEX® ATK10	DK6 Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	n meml	oer	E t∈	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	25	25*	-	18	20	-	-	25	40	25	-
d _{min}	flexure	d _{min} [mm]	80	80	80	-	60	80	-	-	80	120	80	-
Z _{min}	With contra-	Z _{min}	25	25	25	-	20	22	-	-	40	40	40	-
d _{min}	flexure	d _{min} [mm]	120	120	120	=	80	100	=	=	120	120	120	=

*Speed limitation





Belt widths b [mm] (in-between belt widths on	request)		
50 100			

BFX TK5K6	Available lengths and versions				
Standard lengths	see tab	le on the right			
Any number of teeth	b= 50 mm	from 720 mr	n		
available from	1075 mm	up to 15000 mn	n		
Intermediate lengths	b= 50 mm	from 720 mm			
Intermediate lengths	b= 100 mm	from 1075 mm	0		
StandardPlus version	b= 50 mr	n: from 720 mm			
StandardPlus version	1075 mm	up to 15000 mn	n		
Over 15000 mm	on request				
Standard material	7	TPUST1 ¹⁾			
Steel tension member (Standard)		х			
E tension member		0			
Stainless steel tension member	0				
PAZ	from 1075 mm x				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ		-			

Standard	Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
1075	215	2240	448	4500	900						
1100	220	2360	472	4750	950						
1215	243	2500	500	5000	1000						
1380	276	2650	530	5300	1060						
1400	280	2800	560	5600	1120						
1500	300	3000	600	6000	1200						
1600	320	3150	630	6300	1260						
1700	340	3350	670	6700	1340						
1800	360	3550	710	7100	1420						
1900	380	3750	750	7500	1500						
2000	400	4000	800								
2120	424	4250	850								

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request


- not availablefurther materials on request


Standard lengths [mm] / Number of teeth										
Length	Number of teeth	Length Number of teeth		Length	Number of teeth					
1075	215	2240	448	4500	900					
1100	220	2360	472	4750	950					
1215	243	2500	500	5000	1000					
1380	276	2650	530	5300	1060					
1400	280	2800	560	5600	1120					
1500	300	3000	600	6000	1200					
1600	320	3150	630	6300	1260					
1700	340	3350	670	6700	1340					
1800	360	3550	710	7100	1420					
1900	380	3750	750	7500	1500					
2000	400	4000	800							
2120	424	4250	850							

BRECOFLEX®	TK5K6	Tooth sh	near strength (s	pecific belt toot	h load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	24,00	1,910	0,000	2000	13,69	1,089	2,280
20	23,40	1,861	0,039	2200	13,38	1,065	2,450
40	22,90	1,819	0,076	2400	13,10	1,042	2,620
60	22,40	1,783	0,112	2600	12,84	1,021	2,780
80	22,00	1,751	0,147	2800	12,59	1,002	2,940
100	21,70	1,723	0,180	3000	12,37	0,984	3,090
200	20,30	1,614	0,338	3200	12,16	0,967	3,240
300	19,30	1,536	0,483	3400	11,96	0,951	3,390
400	18,55	1,476	0,618	3600	11,77	0,936	3,530
500	17,93	1,427	0,747	3800	11,59	0,922	3,670
600	17,41	1,385	0,870	4000	11,42	0,909	3,810
700	16,96	1,349	0,989	4500	11,03	0,878	4,140
800	16,56	1,318	1,104	5000	10,68	0,850	4,450
900	16,20	1,289	1,215	5500	10,36	0,825	4,750
1000	15,88	1,263	1,323	6000	10,07	0,802	5,040
1100	15,58	1,240	1,428	6500	9,81	0,780	5,310
1200	15,31	1,218	1,531	7000	9,56	0,761	5,580
1300	15,06	1,198	1,632	7500	9,33	0,742	5,830
1400	14,83	1,180	1,730	8000	9,11	0,725	6,080
1500	14,61	1,162	1,826	8500	8,91	0,709	6,310
1600	14,40	1,146	1,920	9000	8,72	0,694	6,540
1700	14,21	1,131	2,010	9500	8,54	0,679	6,760
1800	14,03	1,116	2,100	10000	8,37	0,666	6,970
1900	13,85	1,102	2,190				

BRECOFLEX® TK	(5K6	Admiss	Admissible tensile force of the belt F _{adm} / Belt weight					
Belt width		b [mm]	50	100				
E / Steel tension m	E / Steel tension member F _{adm} [N		1920	3930				
Stainless steel tension member		F _{adm} [N]	1460	2990				
	Standard	[kg/m]	0,123	0,232				
Dalkanaiahk	DL	[kg/m]	-	-				
Belt weight	DR	[kg/m]	-	-				
	Т	[kg/m]	-	-				

BRECOFLEX® TK5K6		Flexibil	ity (mini	mum	numbe	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	oer	E t∈	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	25	-	-	-	25	_	-	-
d _{min}	flexure	d _{min} [mm]	40	-	-	-	40	-	-	-	40	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	36	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	1	-	60	-	-	-	60	-	-	-





Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX TK10K6	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth available from	720 mm up to 22000 mm
Intermediate lengths	from 720 mm o
StandardPlus version	720 mm up to 22000 mm
Over 22000 mm	on request
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	0
Stainless steel tension member	o
PAZ	from 1080 mm x
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1080	108	1750	175	4000	400
1150	115	1780	178	4250	425
1210	121	1880	188	4500	450
1240	124	1960	196	4750	475
1250	125	2250	225	5000	500
1320	132	2360	236	5300	530
1350	135	2500	250	5600	560
1390	139	2650	265	6000	600
1400	140	2800	280	6300	630
1420	142	3000	300	6700	670
1460	146	3100	310	7100	710
1500	150	3150	315	7500	750
1560	156	3350	335	8000	800
1610	161	3750	375	9000	900

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request

Standar	a lengths	lmmj / inu	mber of te	eetn	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1080	108	1750	175	4000	400
1150	115	1780	178	4250	425
1210	121	1880	188	4500	450
1240	124	1960	196	4750	475
1250	125	2250	225	5000	500
1320	132	2360	236	5300	530
1350	135	2500	250	5600	560
1390	139	2650	265	6000	600
1400	140	2800	280	6300	630
1420	142	3000	300	6700	670
1460	146	3100	310	7100	710
1500	150	3150	315	7500	750
1560	156	3350	335	8000	800
1610	161	3750	375	9000	900

BRECOFLEX®	TK10K6	Tooth sh	near strength (s	pecific belt toot	th load bearing)	
R.p.m.	F _{Uspec}	M_{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	50,50	8,040	0,000	2000	25,40	4,040	8,460
20	49,00	7,800	0,163	2200	24,60	3,920	9,030
40	47,70	7,600	0,318	2400	23,90	3,810	9,580
60	46,60	7,420	0,466	2600	23,30	3,710	10,100
80	45,70	7,270	0,609	2800	22,70	3,620	10,600
100	44,80	7,130	0,746	3000	22,20	3,530	11,080
200	41,40	6,600	1,381	3200	21,70	3,450	11,550
300	39,10	6,220	1,953	3400	21,20	3,360	11,990
400	37,20	5,920	2,480	3600	20,70	3,300	12,420
500	35,70	5,680	2,980	3800	20,30	3,230	12,840
600	34,40	5,480	3,440	4000	19,86	3,160	13,240
700	33,30	5,310	3,890	4500	18,91	3,010	14,180
800	32,40	5,150	4,320	5000	18,06	2,870	15,050
900	31,50	5,010	4,730	5500	17,28	2,750	15,840
1000	30,70	4,890	5,120	6000	16,58	2,640	16,580
1100	30,00	4,770	5,500	6500	15,93	2,540	17,260
1200	29,30	4,670	5,870	7000	15,33	2,440	17,880
1300	28,70	4,570	6,220	7500	14,76	2,350	18,460
1400	28,20	4,480	6,570	8000	14,24	2,270	18,990
1500	27,60	4,400	6,910	8500	13,74	2,180	19,470
1600	27,10	4,320	7,230	9000	13,28	2,110	19,920
1700	26,70	4,240	7,550	9500	12,84	2,040	20,300
1800	26,20	4,170	7,860	10000	12,42	1,976	20,700
1900	25,80	4,100	8,160				

BRECOFLEX® TK	(10K6	Admissib	ble tensile force of the belt ${\sf F}_{\sf adm}$ / Belt ${\sf V}$	weight	
Belt width		b [mm]	50	100	
E / Steel tension m	E / Steel tension member		3800	7800	
Stainless steel tens	ion member	F _{adm} [N]	3040	6240	
	Standard	[kg/m]	0,235	0,458	
Doltwoight	DL	[kg/m]	-	-	
Beit weight	Belt weight DR		-	-	
	Т	[kg/m]	-	-	

BRECOFLEX® TK10K	Flexibil	ity (minimum number of teeth / minimum diameter)													
			Steel	tensior	n meml	oer	E t∈	ension	membe		Stainless	steel te	eel tension member		
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	
Z _{min}	Without contra-	Z _{min}	20	-	-	-	20	-	-	-	25	-	-	-	
d _{min}	flexure	d _{min} [mm]	60	-	-	-	60	-	-	-	80	-	-	-	
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	40	-	-	-	
d _{min}	flexure	d _{min} [mm]	80	=	-	=	80	=	=	=	130	=	-	=	

[W/cm]

0,000

0,163

0,318

0,466

0,609

0,746

1,381

1,953

2,480

2,980

3,440

3,890

4,320

4,730

5,120

5,500

5,870

6,220

6,570

6,910

7,230

7,550

7,860

8,160

 M_{spec}

[Ncm/cm]

8,04

7,80

7,60

7,42

7,27

7,13

6,60

6,22

5,92

5,68

5,48

5,31

5,15

5,01

4,89

4,77

4,67

4,57

4,48

4,40

4,32

4,24

4,17

4,10

BRECOFLEX® TK10K13

[N/cm]

50,50

49,00

47,70

46,60

45,70

44,80

41,40

39,10

37,20

35,70

34,40

33,30

32,40

31,50

30,70

30,00

29,30

28,70

28,20

27,60

27,10

26,70

26,20

25,80

BRECOFLEX® TK10K13

Belt width

Tooth shear strength (specific belt tooth load bearing)

n [min⁻¹]

[W/cm]

8,460

9,030

9,580

10,100

10,600

11,080

11,550

11,990

12,420

12,840

13,240

14,180

15,050

15,840

16,580

17,260

17,880

18,460

18,990

19,470

19,920

20,300

20,700

 M_{spec}

[Ncm/cm]

4,040

3,920

3,810

3,710

3,620

3,530

3,450

3,360

3,300

3,230

3,160

3,010

2,870

2,750

2,640

2,540

2,440

2,350

2,270

2,180

2,110

2,040

1,976

[N/cm]

25,40

24,60

23,90

23,30

22,70

22,20

21,70

21,20

20,70

20,30

19,86

18,91

18,06

17,28

16,58

15,93

15,33

14,76

14,24


13,74


13,28

12,84

12,42

50 3800





Belt widths b [mm] (in-between belt widths on request)

50

BFX TK10K13	Available lengths and versions			
Standard lengths	see table on the right			
Any number of teeth available from	1200 mm up to 22000 mm			
Intermediate lengths	from 1200 mm o			
StandardPlus version	1200 mm up to 22000 mm			
Over 22000 mm	on request			
Standard material	TPUST1 ¹⁾			
Steel tension member (Standard)	х			
E tension member	0			
Stainless steel tension member	0			
PAZ	х			
DL / DL-PAZ	-			
DR / DR-PAZ	-			
T / T-PAZ	-			

Standar	d lengths	[mm] / Nu	mber of to	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	5300	530
1560	156	3000	300	5600	560
1610	161	3100	310	6000	600
1750	175	3150	315	6300	630
1780	178	3350	335	6700	670
1880	188	3750	375	7100	710
1960	196	4000	400	7500	750
2250	225	4250	425	8000	800
2360	236	4500	450	9000	900
2500	250	4750	475		·
2800	280	5000	500		


- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request


Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	5300	530
1560	156	3000	300	5600	560
1610	161	3100	310	6000	600
1750	175	3150	315	6300	630
1780	178	3350	335	6700	670
1880	188	3750	375	7100	710
1960	196	4000	400	7500	750
2250	225	4250	425	8000	800
2360	236	4500	450	9000	900
2500	250	4750	475		
2800	280	5000	500		

		duiii														
Stainless steel tens	ion member	F _{adm} [N	1]					30	040							
	Standard	[kg/m]	0,283												
Dalkuusisslak	DL	[kg/m]						-							
Belt weight	DR	[kg/m]	-												
	Т	[kg/m]						-							
BRECOFLEX® TK	BRECOFLEX® TK10K13 Flexibility						teeth / n	ninim	um dia	mete	r)					
			Steel	tension	n mem	ber	E t∈	ension	membe	er	Stainless	steel te	el tension member			
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR		Stan- dard	DL	DR	Т		
Z _{min}	Without contra-	Z _{min}	25	-	-	-	25	-	-	-	25	-	-	-		
d _{min}	flexure	d _{min} [mm]	80	-	-	-	80	-	-	-	80	-	-	-		
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	=	40	=	=	-		
d _{min}	flexure	d . [mm]	120	-	_	-	120	_	-	-	130	-	_	-		


Admissible tensile force of the belt F_{adm} / Belt weight


BRECOFLEX® T5





BFX T5	Available lengths and versions						
Standard lengths	see t	able					
Minimum purchase amount	up to 690 mm	1 sle (b= 100					
Any number of teeth available from	720 mm up t	720 mm up to 15000 mm					
Intermediate lengths	from 720 mm						
StandardPlus version	720 mm up t	o 15000 i	mm				
Over 15000 mm	on re	quest					
Ctandard material	up to 690 mm	TPU:	ST3				
Standard material	from 720 mm	TPUS	T1 ¹⁾				
Steel tension member (Standard)	,	<					
E tension member	()					
Stainless steel tension member	()					
PAZ	x						
DL / DL-PAZ	from 900 mm o						
DR / DR-PAZ	from 900 mm	0					
T / T-PAZ	()					





	dths b [r ween be	_	on requ	est)		
10	16	25	32	50	75	100

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
- not available
- further materials on request

Standard	l lengths [m	ım] / Numb	er of teeth		
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
200	40	560	112	1800	360
215	43	575	115	1900	380
220	44	610	122	2000	400
225	45	620	124	2120	424
240	48	630	126	2240	448
245	49	660	132	2360	472
255	51	690	138	2500	500
260	52	720	144	2650	530
270	54	750	150	2800	560
280	56	755	151	3000	600
295	59	780	156	3150	630
305	61 800		160	3350	670
330	66	815	163	3550	710
340	68	840	168	3750	750
355	71	850	170	4000	800
365	73	860	172	4250	850
370	74	900	180	4500	900
390	78	945	189	4750	950
400	80	990	198	5000	1000
410	82	1040	208	5300	1060
420	84	1075	215	5600	1120
435	87	1100	220	6000	1200
455	91	1215	243	6300	1260
480	96	1380	276	6700	1340
500	100	1400	280	7100	1420
510	102	1500	300	7500	1500
525	105	1600	320		
545	109	1700	340		


BRECOFLEX®	T5	Tooth sl	near strength (s	specific belt too	th load bearing	ı)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ^{.1}]	[N/cm]	[Ncm/cm]	[W/cm]
0	24,00	1,910	0,000	2000	13,69	1,089	2,280
20	23,40	1,861	0,039	2200	13,38	1,065	2,450
40	22,90	1,819	0,076	2400	13,10	1,042	2,620
60	22,40	1,783	0,112	2600	12,84	1,021	2,780
80	22,00	1,751	0,147	2800	12,59	1,002	2,940
100	21,70	1,723	0,180	3000	12,37	0,984	3,090
200	20,30	1,614	0,338	3200	12,16	0,967	3,240
300	19,30	1,536	0,483	3400	11,96	0,951	3,390
400	400 18,55 1,47		0,618	3600	11,77	0,936	3,530
500	17,93	1,427	0,747	3800	11,59	0,922	3,670
600	17,41	1,385	0,870	4000	11,42	0,909	3,810
700	16,96	1,349	0,989	4500	11,03	0,878	4,140
800	16,56	1,318	1,104	5000	10,68	0,850	4,450
900	16,20	1,289	1,215	5500	10,36	0,825	4,750
1000	15,88	1,263	1,323	6000	10,07	0,802	5,040
1100	15,58	1,240	1,428	6500	9,81	0,780	5,310
1200	15,31	1,218	1,531	7000	9,56	0,761	5,580
1300	15,06	1,198	1,632	7500	9,33	0,742	5,830
1400	14,83	1,180	1,730	8000	9,11	0,725	6,080
1500	14,61	1,162	1,826	8500	8,91	0,709	6,310
1600	14,40	1,146	1,920	9000	8,72	0,694	6,540
1700	14,21	1,131	2,010	9500	8,54	0,679	6,760
1800	14,03	1,116	2,100	10000	8,37	0,666	6,970
1900	13,85	1,102	2,190			•	


BRECOFLEX® T5 Admissible tensile force of the belt F _{adm} / Belt weight									
Belt width b			10	16	25	32	50	75	100
E / Steel tension member		F _{adm} [N]	330	570	930	1200	1920	2940	3930
Stainless steel tension member		F _{adm} [N]	250	435	710	910	1460	2235	2990
	Standard	[kg/m]	0,022	0,034	0,052	0,067	0,105	0,163	0,210
Dalkarraiahk	DL	[kg/m]	0,028	0,045	0,072	0,099	0,141	0,212	0,283
Belt weight	DR	[kg/m]	0,036	0,057	0,090	0,115	0,180	0,271	0,362
	Т	[kg/m]	0,041	0,065	0,101	0,130	0,203	0,304	0,405


BRECOFLEX® T5	ECOFLEX® T5 Flexibility (minimum number of teeth / minimum diameter)													
				tensior	n meml	oer	E te	ension	membe		Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
-min - CC	ithout ontra-	Z _{min}	10	15	20*	20	10	12	-	-	18	36	20	20
	exure	d _{min} [mm]	30	30	30	30	18	30	-	-	30	60	30	30
min (a)	With ontra-	Z _{min}	15	15	20*	20	12	12	-	-	36	36	36	36
U	exure	d _{min} [mm]	30	30	60	60	18	30	-	ı	60	60	60	60


*Speed limitation

BRECOFLEX® T10 BRECOFLEX® T10









- x available, standard lengths (see table) without
- minimum purchase
 o minimum purchase amount on request
 not available
- 1) further materials on request

	lths b [mm /een belt v	•	request)		
16	25	32	50	75	100

BFX T10 Available lengths and versions							
Standard lengths	see t	able					
Minimum purchase amount	up to 700 mm	1 sleeve (b= 100 mm					
Any number of teeth available from	720 mm up to 22000 mm						
Intermediate lengths	ite lengths from 720 mm						
StandardPlus version	720 mm up to 22000 mm						
Over 22000 mm	on re	quest					
Standard material	up to 700 mm	TPU	ST3				
Standard material	from 720 mm	TPUS	T1 ¹⁾				
Steel tension member (Standard)	,	<					
E tension member	()					
Stainless steel tension member	()					
PAZ	х						
DL / DL-PAZ	from 900 mm o						
DR / DR-PAZ	from 900 mm	0					
T / T-PAZ	()					

Standar	Standard lengths [mm] / Number of teeth												
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth								
500	50	1080	108	2650	265								
530	53	1150	115	2800	280								
560	56	1210	121	3000	300								
600	60	1240	124	3100	310								
610	61	1250	125	3150	315								
630	63	1320	132	3350	335								
660	66	1350	135	3750	375								
690	69	1390	139	4000	400								
700	70	1400	140	4250	425								
720	72	1420	142	4500	450								
780	78	1460	146	4750	475								
810	81	1500	150	5000	500								
840	84	1560	156	5300	530								
880	88	1610	161	5600	560								
890	89	1750	175	6000	600								
920	92	1780	178	6300	630								
960	96	1880	188	6700	670								
970	97	1960	196	7100	710								
980	98	2250	225	7500	750								
990	99	2360	236	8000	800								
1010	101	2500	250	9000	900								


RECOFLEX®	T10	Tooth sh	near strength (s	specific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	50,50	8,040	0,000	2000	25,40	4,040	8,460
20	49,00	7,800	0,163	2200	24,60	3,920	9,030
40	47,70	7,600	0,318	2400	23,90	3,810	9,580
60	46,60	7,420	0,466	2600	23,30	3,710	10,100
80	45,70	7,270	0,609	2800	22,70	3,620	10,600
100	44,80	7,130	0,746	3000	22,20	3,530	11,080
200	41,40	6,600	1,381	3200	21,70	3,450	11,550
300	39,10	6,220	1,953	3400	21,20	3,360	11,990
400	37,20 5,920		2,480	3600	20,70	3,300	12,420
500	35,70	5,680	2,980	3800	20,30	3,230	12,840
600	34,40	5,480	3,440	4000	19,86	3,160	13,240
700	33,30	5,310	3,890	4500	18,91	3,010	14,180
800	32,40	5,150	4,320	5000	18,06	2,870	15,050
900	31,50	5,010	4,730	5500	17,28	2,750	15,840
1000	30,70	4,890	5,120	6000	16,58	2,640	16,580
1100	30,00	4,770	5,500	6500	15,93	2,540	17,260
1200	29,30	4,670	5,870	7000	15,33	2,440	17,880
1300	28,70	4,570	6,220	7500	14,76	2,350	18,460
1400	28,20	4,480	6,570	8000	14,24	2,270	18,990
1500	27,60	4,400	6,910	8500	13,74	2,180	19,470
1600	27,10	4,320	7,230	9000	13,28	2,110	19,920
1700	26,70	4,240	7,550	9500	12,84	2,040	20,300
1800	26,20	4,170	7,860	10000	12,42	1,976	20,700
1900	25,80	4,100	8,160			I	I


BRECOFLEX® T1	BRECOFLEX® T10 Admissible tensile force of the belt F _{adm} / Belt weight										
Belt width		b [mm]	16	25	32	50	75	100			
E / Steel tension member		F _{adm} [N]	1000	1800	2300	3800	5800	7800			
Stainless steel tension member		F _{adm} [N]	800	1440	1840	3040	4640	6240			
	Standard	[kg/m]	0,068	0,14	0,145	0,227	0,341	0,454			
Dalkunaiahk	DL	[kg/m]	0,090	0,143	0,183	0,228	0,432	0,577			
Belt weight	DR	[kg/m]	0,119	0,185	0,237	0,372	0,558	0,795			
	Т	[kg/m]	0,107	0,170	0,217	0,342	0,513	0,685			

BRECOFLEX® T10 Flexibility (minimum number of teeth / minimum diameter)														
			Steel	tensior	n meml	oer	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	12	20	20	20*	10	15	20	20	25	40	25	25
d _{min}	flexure	d _{min} [mm]	60	60	60	60	50	50	60	60	80	130	80	80
Z _{min}	With contra-	Z _{min}	20	20	20	20	15	15	20	20	40	40	40	40
d _{min}	flexure	d _{min} [mm]	60	60	80	80	50	50	80	80	130	130	130	130


*Speed limitation


BRECOFLEX® T20





Double-sided
40° LS
T20-DL





Belt width (in-betwe	ns b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150

BFX	T20	Available lengths and versions			
Standard length		see table o	n the right		
Any number of available from	teeth	1100 mm up	to 22000 mm		
Width b=150 m	m	1500 mm up	to 15000 mm		
Intermediate le	ngths	from 1100 r	mm o		
StandardPlus ve	ersion	1500 mm up	to 22000 mm		
Over 22000 mm		on request			
Standard mater	ial	TPUST1 ¹⁾			
Steel tension m (Standard)	ember	х			
E tension memb	per	C)		
Stainless steel to member	ension	0			
PAZ		>	(
DL / DL-PAZ	b _{max} =100 mm	from 1100 mm	0		
DR / DR-PAZ	b _{max} =100 mm	from 1100 mm	0		
T / T-PAZ	b _{max} =100 mm	0			

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1500	75	2800	140	5300	265				
1600	80	3000	150	5600	280				
1700	85	3160	158	6000	300				
1800	90	3360	168	6300	315				
1900	95	3560	178	6700	335				
2000	100	3760	188	7100	355				
2120	106	4000	200	7500	375				
2240	12	4260	213	8000	400				
2360	118	4500	225	8500	425				
2500	125	4760	238	9000	450				
2660	133	5000	250						


- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request not available
- 1) further materials on request

54,20	17,24	21,700	5000	28,90	9,21	48,200
52,80	16,80	22,900	5500	27,20	8,66	49,900
51,50	16,40	24,000	6000	25,60	8,16	51,200
50,30	16,02	25,200	6500	24,20	7,69	52,400
20	Admiss	ible tensile for	e of the belt F _{ac}	_{ım} / Belt weight		
	b [mm]	32	50	75	100	150
nember	F _{adm} [N]	4750	7750	12000	16000	24500
sion member	F _{adm} [N]	3420	5580	8640	11520	17640
Standard	[kg/m]	0,236	0,368	0,552	0,736	1,095
DL	[kg/m]	0,319	0,499	0,753	1,004	-
DR	[kg/m]	0,430	0,675	1,016	1,354	-
	52,80 51,50 50,30 20 nember	52,80 16,80 51,50 16,40 50,30 16,02 20 Admiss b [mm]	52,80 16,80 22,900 51,50 16,40 24,000 50,30 16,02 25,200 20 Admissible tensile force being force and bein	52,80 16,80 22,900 5500 51,50 16,40 24,000 6000 50,30 16,02 25,200 6500 Admissible tensile force of the belt Factorial in the second se	52,80 16,80 22,900 5500 27,20 51,50 16,40 24,000 6000 25,60 50,30 16,02 25,200 6500 24,20 Admissible tensile force of the belt F _{adm} / Belt weight b [mm] 32 50 75 nember F _{adm} [N] 4750 7750 12000 sion member F _{adm} [N] 3420 5580 8640	52,80 16,80 22,900 5500 27,20 8,66 51,50 16,40 24,000 6000 25,60 8,16 50,30 16,02 25,200 6500 24,20 7,69 Admissible tensile force of the belt F _{adm} / Belt weight b [mm] 32 50 75 100 nember F _{adm} [N] 4750 7750 12000 16000 sion member F _{adm} [N] 3420 5580 8640 11520

BRECOFLEX®	ECOFLEX® T20 Tooth shear strength (specific belt tooth load bearing)						
R.p.m.	F _{Uspec}	M_{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	101,50	32,30	0,000	1600	49,20	15,66	26,200
20	98,10	31,20	0,654	1700	48,20	15,33	27,300
40	95,30	30,30	1,271	1800	47,20	15,01	28,300
60	92,80	29,50	1,856	1900	46,20	14,71	29,300
80	90,70	28,90	2,420	2000	45,30	14,42	30,200
100	88,70	28,20	2,960	2200	43,60	13,89	32,000
200	81,20	25,90	5,420	2400	42,10	13,40	33,700
300	75,90	24,20	7,590	2600	40,70	12,95	35,200
400	71,80	22,90	9,570	2800	39,40	12,53	36,700
500	68,40	21,80	11,410	3000	38,10	12,13	38,100
600	65,60	20,90	13,110	3200	37,00	11,77	39,400
700	63,10	20,10	14,730	3400	35,90	11,42	40,700
800	60,90	19,40	16,250	3600	34,90	11,09	41,800
900	59,00	18,78	17,700	3800	33,90	10,78	42,900
1000	57,20	18,22	19,080	4000	33,00	10,49	43,900
1100	55,60	17,71	20,400	4500	30,80	9,81	46,200
1200	54,20	17,24	21,700	5000	28,90	9,21	48,200
1300	52,80	16,80	22,900	5500	27,20	8,66	49,900
1400	51,50	16,40	24,000	6000	25,60	8,16	51,200
1500	50,30	16,02	25,200	6500	24,20	7,69	52,400

BRECOFLEX® T20	Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	n meml	oer	E te	nsion	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	25	25	25	12	25	25	25	20	30	25	25
d _{min}	flexure	d _{min} [mm]	120	120	150	120	100	120	150	120	130	180	150	130
Z _{min} d _{min}	With contra-	Z _{min}	25	25	25	25	22	25	25	25	30	30	30	30
	flexure	d _{min} [mm]	120	120	180	120	120	120	180	120	180	180	180	180

BRECOFLEX® XL



	Belt widths b [mm] (in-between belt widths on request)											
6,35	6,35 7,94 9,53 12,7 19,1 25,4											
Imperial	Imperial code											
025	025 031 037 050 075 100											

1/5" = 5,08 mm

BFX XL	Available lengths and versions
Standard lengths	see table on the right
Minimum purchase amount	1 sleeve (b= 101,6 mm)
Further lengths	on request
Standard material	TPUST3
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	-
PAZ	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Length	Length code / Standard lengths [mm] / Number of teeth											
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth							
60	152,40	30	170	431,80	85							
70	177,80	35	180	457,20	90							
80	203,20	40	190	482,60	95							
90	228,60	45	200	508,00	100							
100	254,00	50	210	533,40	105							
110	279,40	55	220	558,80	110							
120	304,80	60	230	584,20	15							
130	330,20	65	240	609,60	120							
140	355,60	70	250	635,00	125							
150	381,00	75	260	660,40	130							
160	406,40	80			_							

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request not available
- 1) further materials on request

	-										
Length code / Standard lengths [mm] / Number of teeth											
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth						
60	152,40	30	170	431,80	85						
70	177,80	35	180	457,20	90						
80	203,20	40	190	482,60	95						
90	228,60	45	200	508,00	100						
100	254,00	50	210	533,40	105						
110	279,40	55	220	558,80	110						
120	304,80	60	230	584,20	15						
130	330,20	65	240	609,60	120						
140	355,60	70	250	635,00	125						
150	381,00	75	260	660,40	130						
160	406,40	80		_	_						

BRECOFLEX®	BRECOFLEX® XL Tooth shear strength (specific belt tooth load bearing)									
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]			
0	24,40	1,973	0,000	2000	13,91	1,125	2,360			
20	23,80	1,922	0,040	2200	13,60	1,100	2,530			
40	23,20	1,879	0,079	2400	13,31	1,076	2,710			
60	22,80	1,842	0,116	2600	13,05	1,055	2,870			
80	22,40	1,809	0,152	2800	12,80	1,035	3,060			
100	22,00	1,780	0,186	3000	12,57	1,017	3,190			
200	20,60	1,667	0,349	3200	12,36	0,999	3,350			
300	19,63	1,587	0,498	3400	12,16	0,983	3,500			
400	18,86	1,525	0,639	3600	11,96	0,967	3,650			
500	18,23	1,474	0,772	3800	11,78	0,953	3,790			
600	17,70	1,431	0,899	4000	11,61	0,939	3,930			
700	17,24	1,394	1,022	4500	11,21	0,907	4,270			
800	16,83	1,361	1,140	5000	10,86	0,878	4,600			
900	16,47	1,332	1,255	5500	10,54	0,852	4,910			
1000	16,14	1,305	1,367	6000	10,24	0,828	5,200			
1100	15,84	1,281	1,475	6500	9,97	0,806	5,490			
1200	15,57	1,259	1,582	7000	9,72	0,786	5,760			
1300	15,31	1,238	1,685	7500	9,49	0,767	6,020			

9,27

9,06

8,86

8,68

8,51

0,749

0,732

0,717

0,702

0,688

6,280

6,520

6,760

6,980

7,200

BRECOFLEX® XL

15,07

14,85

14,64

14,45

14,26

14,08

1,219

1,201

1,184

1,168

1,153

1,139

1,787

1,886

1,984

2,080


2,170

2,270

BRECOFLEX® XL		Admiss	Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width		b [mm]	6,35	7,94	9,53	12,7	19,1	25,4			
E / Steel tension member		F _{adm} [N]	180	240	300	420	690	930			
Stainless steel tension member		F _{adm} [N]	-	-	-	-	-	-			
	Standard	[kg/m]	0,016	0,020	0,024	0,030	0,038	0,061			
Dalkanaiahk	DL	[kg/m]	-	-	-	-	-	-			
Belt weight	DR	[kg/m]	-	-	-	-	-	-			
	Т	[kg/m]	-	-	-	-	-	-			

BRECOFLEX® XL		Flexibil	ity (mini	mum ı	numbe	er of t	eeth / m	ninimu	um dia	mete	r)			
			Steel	tensior	n meml	oer	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	10	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30	-	-	-	-	-	-	-	-	-	-	-

BRECOFLEX® L



	dths b [mn veen belt		request)						
9,53	12,7 19,1 25,4 50,8 101,6								
Imperial	code								
037	050	075	100	200	400				

3/8" = 9,525 mm

BFX L	Available lengths and versions				
Standard lengths	see table o	n the righ	nt		
Minimum purchase amount	up to 685,8 mm	1 sleeve (b= 101,6 mm			
Any number of teeth available from	723,9 mm up to 14992,35 mm				
Intermediate lengths	from 723,9 mm c				
StandardPlus version	723,9 mm up to 14992,35				
Over 14992,35 mm	on request				
Standard material	up to 685,8 mm	ST3			
Standard material	from 723,9 mm	TPUS	T1 ¹⁾		
Steel tension member (Standard))	(
E tension member	-	-			
Stainless steel tension member	-				
PAZ	х				
DL / DL-PAZ	-	-			
DR / DR-PAZ	-				
T / T-PAZ	-	-			

Length o	code / Stai	ndard lenç	gths [mm]	/ Number	of teeth
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth
124	314,33	33	367	933,45	98
150	381,00	40	390	990,60	104
187	476,25	50	420	1066,80	112
202	514,35	54	450	1143,00	120
210	533,40	56	480	1219,20	128
225	571,50	60	540	1371,60	144
240	609,60	64	570	1447,80	152
255	647,70	68	600	1524,00	160
270	685,80	72	630	1600,20	168
285	723,90	76	660	1676,40	176
300	762,00	80	705	1790,70	188
322	819,15	86	750	1905,00	200
345	876,30	92			-

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
 not available
 further materials on request

Length (code / Sta	ndard lenç	gths [mm]	/ Number	of teeth
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth
124	314,33	33	367	933,45	98
150	381,00	40	390	990,60	104
187	476,25	50	420	1066,80	112
202	514,35	54	450	1143,00	120
210	533,40	56	480	1219,20	128
225	571,50	60	540	1371,60	144
240	609,60	64	570	1447,80	152
255	647,70	68	600	1524,00	160
270	685,80	72	630	1600,20	168
285	723,90	76	660	1676,40	176
300	762,00	80	705	1790,70	188
322	819,15	86	750	1905,00	200
345	876.30	92			

BRECOFLEX® L


RECOFLEX®	L	Tooth sh	near strength (s	specific belt too	th load bearing)	
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]
0	37,40	5,670	0,000	2000	18,78	2,850	5,960
20	36,30	5,500	0,115	2200	18,22	2,760	6,370
40	35,30	5,350	0,224	2400	17,71	2,690	6,750
60	34,50	5,230	0,329	2600	17,25	2,610	7,120
80	33,80	5,120	0,429	2800	16,81	2,550	7,470
100	33,10	5,020	0,526	3000	16,40	2,490	7,810
200	30,70	4,650	0,974	3200	16,02	2,430	8,140
300	28,90	4,380	1,377	3400	15,66	2,370	8,450
400	27,50	4,180	1,749	3600	15,32	2,320	8,760
500	26,40	4,010	2,100	3800	15,00	2,270	9,050
600	25,50	3,860	2,430	4000	14,69	2,230	9,330
700	24,70	3,740	2,740	4500	13,99	2,120	9,990
800	24,00	3,630	3,040	5000	13,36	2,030	10,610
900	23,30	3,530	3,330	5500	12,79	1,939	11,170
1000	22,70	3,450	3,610	6000	12,27	1,860	11,690
1100	22,20	3,370	3,880	6500	11,79	1,787	12,160
1200	21,70	3,290	4,140	7000	11,34	1,719	12,600
1300	21,30	3,220	4,390	7500	10,93	1,656	13,010
1400	20,80	3,160	4,630	8000	10,54	1,597	13,380
1500	20,40	3,100	4,870	8500	10,17	1,542	13,720
1600	20,10	3,040	5,100	9000	9,83	1,490	14,040
1700	19,72	2,990	5,320	9500	9,50	1,440	14,330
1800	19,39	2,940	5,540	10000	9,19	1,393	14,590
1900	19,08	2,890	5,750		_		

BRECOFLEX® L		Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width		b [mm]	9,53	12,7	19,1	25,4	50,8	101,6		
E / Steel tension member		F _{adm} [N]	630	910	1470	2030	4270	8750		
Stainless steel tension member		F _{adm} [N]	=	=	=	=	=	=		
	Standard	[kg/m]	0,038	0,044	0,066	0,088	0,178	0,356		
Dalkanaiahk	DL	[kg/m]	-	-	-	-	-	-		
Belt weight	DR	[kg/m]	-	-	-	-	-	-		
	Т	[kg/m]	-	-	-	-	-	-		

BRECOFLEX® L		Flexibil	ity (mini	mum ı	numbe	er of t	eeth / m	ninimu	ım dia	mete	r)			
			Steel	tensior	n memb	oer	E te	nsion	membe	r	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	T	Stan- dard	DL	DR	T	Stan- dard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	20	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-

Imperial timing belts (endless)

BRECOFLEX® H



[N/cm]

22,10

21,50

20,90

20,30

19,81

19,33

18,88

18,45

18.05

17,68

17,32

16,49

15,74

15,07

14,46

13,89

13,36

12,87

12,42

11,99

11,58

11,19

10,83

/ Belt weight

38,1

2800

 M_{spec}

[Ncm/cm]

4,47

4,34

4,22

4,11

4,00

3,91

3,82

3,73

3,65

3,57

3,50

3,33

3,18

3,05

2,92

2,81

2,70

2,60

2,51

2,42

2,34

2,26

2,19

76,2

5800

50,8

3800

[W/cm]

9,370

10,000

10,600

11,180

11,740

12,270

12,790

13,280

13,760

14,220

14,660

15,700

16,660

17,550

18,360

19,110

19,800

20,400

21,000

21,600

22,100

22,500

22,900

101,6

7900

Tooth shear strength (specific belt tooth load bearing)

n [min⁻¹]

[W/cm]

0,000

0,181

0,352

0,516

0,674

0,827

1,530

2,160

2,750

3,300

3,810

4,310

4,780

5,230

5,670

6,090

6,500

6,890

7,280

7,650

8,010

8,360

8,710

9,040

12,7

800

Admissible tensile force of the belt Factorial

19,1

1300

25,4

1800

 M_{spec}

[Ncm/cm]

8,90

8,64

8,41

8,22

8,05

7,89

7,30

6,89

6,56

6,30

6,07

5,88

5,71

5,55

5,41

5,29

5,17

5,06

4,96

4,87


4,78

4,70

4,62

4,54

F_{adm} [N]



	idths b [r ween be	•	s on requ	ıest)						
12,7	19,1	,1 25,4 38,1 50,8 76,2 101,6								
Imperia	al code									
050	075	100	150	200	300	400				

1/2"	= 1	12.7	mn

Double-sided
12.7 12.7
H-DL

BFX H	Available lengths and versions						
Standard lengths	see table or	n the right					
Any number of teeth available from	723,9 mm up	to 16002 mm					
Intermediate lengths	from 723,9 mm o						
StandardPlus version	723,9 mm up to 16002 mm						
Over 16002 mm	on request						
Standard material	from 723,9 mm TPUST1 ¹⁾						
Steel tension member (Standard)	х						
E tension member	-						
Stainless steel tension member	-						
PAZ	х						
DL / DL-PAZ	from 901,7 mm	О					
DR / DR-PAZ	from 901,7 mm	0					
T / T-PAZ	0						

Reir	nforced back of the belt
	40°
	H-DR

Length	Length code / Standard lengths [mm] / Number of teeth														
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth										
420	1066,80	84	850	2159,00	170										
450	1143,00	90	900	2286,00	180										
480	1219,20	96	1000	2540,00	200										
510	1295,40	102	1100	2794,00	220										
540	1371,60	108	1250	3175,00	250										
570	1447,80	114	1400	3556,00	280										
600	1524,00	120	1700	4318,00	340										
630	1600,20	126	2000	5080,00	400										
660	1676,40	132	2300	5842,00	460										
700	1778,00	140	2600	6604,00	520										
750	1905,00	150	3000	7620,00	600										
800	2032,00	160													

Version T
40° 2 2 2 12,7
H-T

- x available, standard lengths (see table) without minimum purchase
- o minimum purchase amount on request
- not available
- 1) further materials on request

1250	3175,00	250		Standard	[kg/m]	0,053	(0,079	0	,108	0,16	1	0,216	5 0	,324	0,	432				
1400	3556,00	280	Dolt woight	DL	[kg/m]	0,064	(0,097	0	,130	0,19	6	0,262	2 0	394	0,!	527				
1700	4318,00	340	Beit weight	DR	[kg/m]	0,085	(),128	0	,171	0,25	8	0,345	5 0	,518	0,0	692				
2000	5080,00	400		Т	[kg/m]	0,082	(),124	0,	,165	0,24	9	0,333	3 0	499	0,0	668				
2300	5842,00	460		'			-		<u> </u>	I						1					
2600	6604,00	520	BRECOFLEX® H		Flexibil	ity (mini	mum i	numbe	r of t	eeth / n	ninimu	ım dia	mete	r)							
3000	7620,00	600							Steel tension member					ember E tension member Stainless steel tension						nsion m	nember
						Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т				
			Z _{min}	Without	Z _{min}	14	20	20	20	-	-	-	-	-	-	-	-				
			d _{min}	contra- flexure	d _{min} [mm]	60	60	80	80	-	-	-	-	-	-	-	-				
			Z _{min}	With contra-	Z _{min}	20	20	20	20	-	-	-	-	-	-	-	-				
			Z _{min}	flexure	d _{min} [mm]	80	80	80	80	-	-	-	-	-	-	-	-				

68

BRECOFLEX® H

[N/cm]

44,00

42,70

41,60

40,70

39,80

39,10

36,10

34,10

32,50

31,10

30,00

29,10

28,20

27,50

26,80

26,20

25,60

25,10

24,60

24,10

23,70

23,20


22,90

22,50

BRECOFLEX® H

Imperial timing belts
(endless)

BRECOFLEX® XH



_	Belt widths b [mm] (in-between belt widths on request)											
50,8 76,2 101,6												
Imperial code	Imperial code											
200	300	400										

7/8" = 22,225 mm

BFX XH	Available lengths and versions						
Standard lengths	see table on the right						
Any number of teeth available from	1422,4 mm up to 16002 mm						
Intermediate lengths	from 1422,4 mm o						
StandardPlus version	1422,4 mm up to 16002 mm						
Over 16002 mm	on request						
Standard material	TPUST1 ¹⁾						
Steel tension member (Standard)	х						
E tension member	-						
Stainless steel tension member	-						
PAZ	Х						
DL / DL-PAZ	-						
DR / DR-PAZ	-						
T / T-PAZ	-						

Length (code / Star	ndard leng	Length code / Standard lengths [mm] / Number of teeth													
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth											
560	1422,40	64	1400	3556,00	160											
630	1600,20	72	1540	3911,60	176											
700	1778,00	80	1750	4445,00	200											
770	1955,80	88	1960	4978,40	224											
840	2133,60	96	2275	5778,50	260											
980	2489,20	112	2450	6223,00	280											
1120	2844,80	128	3500	8890,00	400											
1260	3200,40	144														

- x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
- o minimum purchase amount on requestnot available
- 1) further materials on request

0	91,35	29,070	0,000	1400	46,35	14,760	21,600
20	88,29	28,080	0,589	1500	45,27	14,418	22,680
40	85,77	27,270	1,144	1600	44,28	14,094	23,580
60	83,52	26,550	1,670	1700	43,38	13,797	24,570
80	81,63	26,010	2,178	1800	42,48	13,509	25,470
100	79,83	25,380	2,664	1900	41,58	13,239	26,370
200	73,08	23,310	4,878	2000	40,77	12,978	27,180
300	68,31	21,780	6,831	2200	39,24	12,501	28,800
400	64,62	20,610	8,613	2400	37,89	12,060	30,330
500	61,56	19,620	10,269	2600	36,63	11,665	31,680
600	59,04	18,810	11,799	2800	35,46	11,277	33,030
700	56,79	18,090	13,257	3000	34,29	10,917	34,290
800	54,81	17,460	14,625	3200	33,30	10,593	35,460
900	53,10	16,902	15,930	3400	32,31	10,278	36,630
1000	51,48	16,398	17,172	3600	31,41	9,981	37,620
1100	50,04	15,939	18,360	3800	30,51	9,702	38,610
1200	48,78	15,516	19,530	4000	29,70	9,441	39,510
1300	47,52	15,120	20,610	4500	27,72	8,829	41,580

Tooth shear strength (specific belt tooth load bearing)

 $\mathsf{M}_{\mathsf{spec}}$

[Ncm/cm]

[W/cm]

[N/cm]

BRECOFLEX® XH

[W/cm]

 M_{spec}

[Ncm/cm]

BRECOFLEX® XH

[N/cm]

BRECOFLEX® XH Admissible tensile force of the belt F _{adm} / Belt weight									
Belt width		b [mm]	50,8	76,2	101,6				
E / Steel tension member		F _{adm} [N]	7750	12000	16250				
Stainless steel tension member		F _{adm} [N]	-	-	-				
	Standard	[kg/m]	0,530	0,795	1,059				
Daltanaiaht	DL	[kg/m]	-	-	-				
Belt weight	DR	[kg/m]	-	-	-				
	Т	[kg/m]	-	-	-				

BRECOFLEX® XH	Flexibility (minimum number of teeth / minimum diameter)														
			Steel	Steel tension member			E te	ension	membe	er	Stainless steel tension member				
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	
Z _{min}	Without	Z _{min}	18	-	-	-	-	-	-	-	-	-	-	-	
d _{min}	contra- flexure	d _{min} [mm]	150	-	-	-	-	-	-	-	-	-	-	-	
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	-	-	-	-	
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	-	-	-	-	

BRECO® timing belts (BRECO M: Open length / BRECO V: Joined belts)






BRECO M: The BRECO® timing belt is manufactured in open length. The tension members are always arranged with parallel edges. Open length is required e.g. in linear transmissions. All tension members assume part of the load.

BRECO V: BRECO® timing belts are manufactured from open length material welded to endless belts. In the join area the half number of tension members assume part of the load. The use of endless joined BRECO® timing belts is preferred in the conveying technology to handle any centre distance.

Application areas

Open length for linear transmissions

Rotary movements are converted into linear movements by linear transmissions. The BRECO® timing belt in its open length delivery form is preferably fitted to the machine part to be moved.




Endless joined timing belts without length limitation are available. The minimum length for various belt profiles, however, is to be taken into consideration. For special requirements in transportation timing belts are coated or manufactured with flights/profiles.




Joined BRECO® timing belt





BRECO® timing belt with welded-on profiles



Belt widths b [mm] (in-between belt widths on request)									
8	8 10 20 25								


AT3 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST11)
Steel tension member	-
E tension member (Standard)	Х
Stainless steel tension member	0
PAZ	Х
DL / DL-PAZ	=
DR / DR-PAZ	-
T / T-PAZ	-

- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® AT3	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	32,34	800	25,07	2000	20,70	5000	15,67
20	32,00	900	24,56	2200	20,20	5500	15,12
40	31,68	1000	24,09	2400	19,73	6000	14,62
60	31,37	1100	23,65	2600	19,52	6500	14,15
80	31,08	1200	23,24	2800	19,31	7000	13,27
100	30,80	1300	22,86	3000	18,90	7500	13,32
200	29,58	1400	22,50	3200	18,17	8000	12,94
300	28,55	1500	22,16	3400	17,84	8500	12,59
400	27,68	1600	21,84	3600	17,52	9000	12,25
500	26,91	1700	21,53	3800	17,22	9500	11,93
600	26,23	1800	21,24	4000	16,93	10000	11,63
700	25,62	1900	20,96	4500	16,27		

BRE	CO® AT3	(M/V) Admissi	ble tensi	on cord strength	F _{Tadm} / Specific ela	sticity / Belt weig	ght
Belt	t width		b [mm]	8	10	20	25
	E / Steel t	ension member	F _{Tadm} [N]	320	400	800	1000
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	8,0.104	10,0⋅10⁴	20,0.104	25,0⋅10⁴
IVI	Stainless	Stainless steel tension member (E)		240	300	600	750
	Specific elasticity (stainless steel tension member (E))		C _{spec} [N]	8,0.104	10,0⋅10⁴	20,0.104	25,0⋅10⁴
V	E / Steel t	ension member	F _{Tadm} [N]	160	200	400	500
V	Stainless	steel tension member (E)	F _{Tadm} [N]	120	150	300	375
		Standard	[kg/m]	0,018	0,022	0,044	0,054
Pol	Belt weight DR		[kg/m]	-	-	-	-
Беі			[kg/m]	-	-	-	-
		Т	[kg/m]	-	-	-	-

BRECO® AT3 (M/V)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E tension member			r	Stainless steel tension member (E)			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	15	-	-	-	20	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	30 (20)	-	-	-	30	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	25 (20)	-	-	-	30	-	-	-
d	flexure	d _{min} [mm]	-	-	-	-	30 (20)	-	-	-	40	-	-	-



	idths b [r ween be	-	s on requ	ıest)		
10	16	25	32	50	75	100


AT5 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member	-
E tension member (Standard)	Х
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	=
T / T-PAZ	-


- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® AT5	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	35,30	800	26,80	2000	21,90	5000	16,18
20	34,90	900	26,30	2200	21,30	5500	15,56
40	34,50	1000	25,80	2400	20,80	6000	15,00
60	34,10	1100	25,20	2600	20,30	6500	14,49
80	33,80	1200	24,80	2800	19,84	7000	13,99
100	33,50	1300	24,30	3000	19,42	7500	13,54
200	32,00	1400	23,90	3200	19,01	8000	13,11
300	30,90	1500	23,50	3400	18,64	8500	12,71
400	29,80	1600	23,20	3600	18,28	9000	12,33
500	29,00	1700	22,80	3800	17,93	9500	11,97
600	28,30	1800	22,50	4000	17,61	10000	11,63
700	27,50	1900	22,20	4500	16,87		

BRE	BRECO® AT5 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Bel	t width		b [mm]	10	16	25	32	50	75	100
	E / Steel tension member			700	1120	1750	2240	3500	5250	7000
М	Specific elasticity (E / Steel tension member)			0,175.106	0,280.106	0,440.106	0,560·106	0,875.106	1,310·10 ⁶	1,75·10 ⁶
IVI	Stainless steel tension member (E)			455	730	1140	1460	2280	3420	4500
	Specific elasticity (stainless steel tension member (E))			0,175·10 ⁶	0,280.106	0,440.106	0,560.106	0,875.106	1,310·10 ⁶	1,75·10 ⁶
V	E / Steel t	ension member	F _{Tadm} [N]	350	560	910	1120	1750	2380	3500
V	Stainless	steel tension member (E)	F _{Tadm} [N]	230	365	570	730	1140	1710	2250
		Standard	[kg/m]	0,033	0,052	0,082	0,105	0,164	0,245	0,327
D	DL DR		[kg/m]	-	-	-	-	-	-	-
Be			[kg/m]	-	-	-	-	-	-	-
		Т	[kg/m]	-	-	-	-	-	-	-

BRECO® AT5 (M/V)		Flexibility (minimum number of teeth / minimum diameter)												
	Steel tension member E tension member		r	Stainless steel tension member (E)										
			Standard	DL	DR	T	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	15 (12)	-	-	-	22 (18)	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	25 (18)	-	-	-	35 (30)	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	20	-	-	-	30 (25)	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	50	-	-	-	60 (50)	-	-	-





	ths b [mm een belt v	-	request)		
25	32	50	75	100	150

AT10 (M/V)	Available lengths and versions				
Standard delivery lengths (M)	rolls of 50	or 100 m			
Cut to lengths / lengths > 100 m	on re	quest			
Minimum length joined (V)	b≤100	880 mm			
wiiriirium length joined (v)	b>100	1000 mm			
Standard material	TPU:	ST1 ¹⁾			
Steel tension member (Standard)	х				
E tension member	0				
Stainless steel tension member	О				
PAZ)	(
PAR)	(
PAZ-PAR)	(
DL / DL-PAZ		-			
DR / DR-PAZ	-				
T / T-PAZ b _{max} =100	0				


- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® AT1	0 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	73,50	800	52,20	2000	40,30	5000	26,90
20	72,40	900	50,80	2200	39,00	5500	25,50
40	71,40	1000	49,50	2400	37,80	6000	24,20
60	70,50	1100	48,30	2600	36,60	6500	23,00
80	69,60	1200	47,20	2800	35,50	7000	21,80
100	68,70	1300	46,20	3000	34,50	7500	20,80
200	65,00	1400	45,20	3200	33,60	8000	19,77
300	62,10	1500	44,30	3400	32,70	8500	18,84
400	59,50	1600	43,40	3600	31,90	9000	17,95
500	57,40	1700	42,60	3800	31,10	9500	17,12
600	55,50	1800	41,80	4000	30,30	10000	16,32
700	53,70	1900	41,00	4500	28,50		

BRI	BRECO® AT10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Ве	lt width		b [mm]	25	32	50	75	100	150			
	E / Steel t	ension member	F _{Tadm} [N]	4250	5500	8500	12750	17000	22000			
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ⁶	4,25·10 ⁶	5,5·10 ⁶			
IVI	Stainless	steel tension member	F _{Tadm} [N]	3190	4125	6375	9560	12750	19125			
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·106	3,18.106	4,25·10 ⁶	5,5.106			
V	E / Steel t	ension member	F _{Tadm} [N]	2125	2750	4250	6375	8500	11000			
V	Stainless	steel tension member	F _{Tadm} [N]	1595	2065	3190	4780	6375	9565			
		Standard	[kg/m]	0,158	0,186	0,290	0,436	0,581	0,839			
D.	. 4	DL	[kg/m]	-	-	-	-	-	-			
_ B(elt weight	DR	[kg/m]	-	-	-	-	-	-			
		Т	[kg/m]	0,205	0,263	0,410	0,616	0,821	-			

BRECO® AT10 (M/V)	BRECO® AT10 (M/V) Flexibility (minimum number of teeth / minimum diameter)													
		-	Steel te	ension	meml	oer	E ter	nsion n	nembe	r	Stainless st	eel tens	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	-	-	25	12	-	-	25	25 (20)	-	-	25
d _{min}	flexure	d _{min} [mm]	50	-	-	80	50	-	-	80	80 (70)	-	-	80
Z _{min}	With contra-	Z _{min}	25	-	-	25	20	-	-	25	40 (30)	-	-	40
d _{min}	flexure	d _{min} [mm]	120	=	=	120	80	=	=	120	130 (100)	-	-	130

BRECO® ATS15 BRECO® ATS15



Belt widths b [mm] (in-between belt widths on request)										
25 50 75 100 150										


ATS15 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	=
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	
DR / DR-PAZ	-
T / T-PAZ	-


- x available
 o minimum purchase amount on request
 not available
- 1) further materials on request

BRECO® ATS	15 (M)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	140,00	800	95,75	2000	70,87	5000	42,98
20	138,80	900	92,80	2200	68,08	5500	39,98
40	136,60	1000	90,09	2400	65,50	6000	37,22
60	134,50	1100	87,58	2600	63,11	6500	34,68
80	132,60	1200	85,25	2800	60,88		
100	130,80	1300	83,07	3000	58,79		
200	122,90	1400	81,03	3200	56,82		
300	116,50	1500	79,11	3400	54,97		
400	111,20	1600	77,29	3600	53,21		
500	106,60	1700	75,56	3800	51,54		
600	102,60	1800	73,93	4000	49,95		
700	99,00	1900	72,36	4500	46,28		

BRE	BRECO® ATS15 (M) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight												
Belt	t width		b [mm]	25	50	75	100	150					
	E / Steel t	ension member	F _{Tadm} [N]	6765	13530	20295	27080	40590					
М	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	1,72·106	3,43.106	5,15.106	6,86·10 ⁶	1,03·10 ⁷					
IVI	Stainless	steel tension member	F _{Tadm} [N]	5390	10780	16170	21560	32340					
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,72.106	3,43.106	5,15.106	6,86·10 ⁶	1,03·10 ⁷					
V	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-	-					
V	Stainless steel tension member		F _{Tadm} [N]	=	1	=	-	-					
		Standard DL		0,250	0,500	0,750	1,000	1,500					
Do	lt woight			-	-	-	-	-					
Be	It weight	DR	[kg/m]	-	-	-	-	-					
		Т	[kg/m]	-	-	-	-	-					

BRECO® ATS15 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	T	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	25	-	-	-	-	-	-	-	30	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	180	-	-	-
Z _{min}	With	Z _{min}	40	-	-	-	-	-	-	-	60	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	250	-	-	-	-	-	-	-	300	-	-	-





Belt widths b [mm] (in-between belt widths on request)										
32 50 75 100 150										

AT20 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	O
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	0


- x available
- o minimum purchase amount on request not available
- 1) further materials on request

	BRECO® AT20) (M/V)	Specific	tooth force				
	R.p.m.	F _{tspec}						
	n [min ⁻¹]	[N/cm]						
	0	147,00	800	94,80	2000	66,70	5000	35,30
	20	144,20	900	91,50	2200	63,60	5500	32,00
	40	141,70	1000	88,40	2400	60,70	6000	28,90
	60	139,30	1100	85,60	2600	58,00	6500	26,00
	80	137,00	1200	82,90	2800	55,50		
	100	134,90	1300	80,50	3000	53,10		
	200	125,80	1400	78,20	3200	50,90		
	300	118,50	1500	76,00	3400	48,80		
	400	112,40	1600	73,90	3600	46,80		
	500	107,20	1700	72,00	3800	45,00		
ĺ	600	102,60	1800	70,10	4000	43,20		
Ī	700	98,50	1900	68,40	4500	39,00		

В	RE	CO® AT2	0 (M/V) Admissi	c elasticity /	Belt weight				
B	Belt	width		b [mm]	32	50	75	100	150
		E / Steel t	ension member	F _{Tadm} [N]	7200	11200	16800	22400	32000
N	,	Specific elasticity (E / Steel tension member)			1,80-106	2,80⋅106	4,20.106	5,60·10 ⁶	8,00·10 ⁷
1	′1	Stainless	steel tension member	F _{Tadm} [N]	5760	8960	13440	17920	25600
		Specific elasticity (stainless steel tension member)			1,80·10 ⁶	2,80⋅106	4,20·10 ⁶	5,60·10 ⁶	8,00·10 ⁷
\	,	E / Steel t	ension member	F _{Tadm} [N]	3600	5600	8400	11200	16000
,		Stainless	steel tension member	F _{Tadm} [N]	2880	4480	6720	8960	12800
			Standard	[kg/m]	0,307	0,480	0,720	0,960	1,423
	Dal	t waiaht	DL	[kg/m]	-	-	-	-	-
	реі	t weight	DR	[kg/m]	-	-	-	-	-
			Т	[kg/m]	0,384	0,600	0,900	1,200	-

BRECO® AT20 (M/V))	Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	meml	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18	-	-	25	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	-	-	-	200	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	180	=.	-	180	-	-	-	-	380	=	-	-

BRECO® ATL5 BRECO® ATL5



Belt widths b [mm] (in-between belt widths on request)								
16 25 32 50								

ATL5 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST11)
Steel tension member	-
E tension member (Standard)	Х
Stainless steel tension member	-
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
 o minimum purchase amount on request
 not available
- 1) further materials on request

BRECO® ATL	5 (M)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ^{.1}]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	35,30	800	26,80	2000	21,90	5000	16,18
20	34,90	900	26,30	2200	21,30	5500	15,56
40	34,50	1000	25,80	2400	20,80	6000	15,00
60	34,10	1100	25,20	2600	20,30	6500	14,49
80	33,80	1200	24,80	2800	19,84	7000	13,99
100	33,50	1300	24,30	3000	19,42	7500	13,54
200	32,00	1400	23,90	3200	19,01	8000	13,11
300	30,90	1500	23,50	3400	18,64	8500	12,71
400	29,80	1600	23,20	3600	18,28	9000	12,33
500	29,00	1700	22,80	3800	17,93	9500	11,97
600	28,30	1800	22,50	4000	17,61	10000	11,63
700	27,50	1900	22,20	4500	16,87		

BRE	CO® ATL	5 (M) Admissil	ble tensio	on cord strength	F _{Tadm} / Specific ela	sticity / Belt wei	ght
Bel	t width		b [mm]	16	25	32	50
	E / Steel t	ension member	F _{Tadm} [N]	1300	2000	2800	4200
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,33.106	0,50.106	0,65·106	1,05·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	-	-	-	-
V	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-
		Standard	[kg/m]	0,059	0,090	0,119	0,187
Da	la a lada a	DL	[kg/m]	-	-	-	-
Be	It weight	DR	[kg/m]	-	-	-	-
		Т	[kg/m]	-	-	-	-

BRECO® ATL5 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	Steel tension member E te			E ter	E tension member			Stainless steel tension member			
			Standard	DL	DR	T	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	25	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	40	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	25	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	60	-	-	-	-	-	-	-

BRECO® ATL10 BRECO® ATL10



Belt width (in-betwee	s b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150

ATL10 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	o
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
 not available
- 1) further materials on request

BRECO® ATL1	I0 (M)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	73,50	800	52,20	2000	40,30	5000	26,90
20	72,40	900	50,80	2200	39,00	5500	25,50
40	71,40	1000	49,50	2400	37,80	6000	24,20
60	70,50	1100	48,30	2600	36,60	6500	23,00
80	69,60	1200	47,20	2800	35,50	7000	21,80
100	68,70	1300	46,20	3000	34,50	7500	20,80
200	65,00	1400	45,20	3200	33,60	8000	19,77
300	62,10	1500	44,30	3400	32,70	8500	18,84
400	59,50	1600	43,40	3600	31,90	9000	17,95
500	57,40	1700	42,60	3800	31,10	9500	17,12
600	55,50	1800	41,80	4000	30,30	10000	16,32
700	53,70	1900	41,00	4500	28,50		

BR	ECO® ATL	10 (M) Admissil	ble tensio	on cord streng	gth F _{Tadm} / Spec	cific elasticity	/ Belt weight	
Ве	lt width		b [mm]	32	50	75	100	150
	E / Steel t	tension member	F _{Tadm} [N]	7200	11200	16800	22400	36000
D. //	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	1,8.106	2,8.106	4,2.106	5,6.106	9,0.106
M	Stainless	steel tension member	F _{Tadm} [N]	5760	8960	13440	17920	28800
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	1,8.106	2,8·106	4,2.106	5,6.106	9,0.106
V	E / Steel t	tension member	F _{Tadm} [N]	1	-	-	-	1
V	Stainless	steel tension member	F _{Tadm} [N]	=	=	-	=	Ī
		Standard	[kg/m]	0,220	0,340	0,510	0,680	1,020
D	ult vuoi albt	DL	[kg/m]	-	-	-	-	-
_ ₽€	elt weight	DR	[kg/m]	-	-	-	-	-
		Т	[kg/m]	-	-	-	-	-

BRECO® ATL10 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	-	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	50	-	-	-
d _{min}	flexure	d _{min} [mm]	150	-	-	-	-	-	-	-	180	-	-	-

BRECO® ATL20 BRECO® ATL20



Belt widths b [mm] (in-between belt widths on request)									
32	32 50 75 100								


ATL20 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	O
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

- x available
- o minimum purchase amount on request
 not available
- 1) further materials on request

BRECO® ATL2	20 (M)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	147,00	800	94,80	2000	66,70	5000	35,30
20	144,20	900	91,50	2200	63,60	5500	32,00
40	141,70	1000	88,40	2400	60,70	6000	28,90
60	139,30	1100	85,60	2600	58,00	6500	26,00
80	137,00	1200	82,90	2800	55,50		
100	134,90	1300	80,50	3000	53,10		
200	125,80	1400	78,20	3200	50,90		
300	118,50	1500	76,00	3400	48,80		
400	112,40	1600	73,90	3600	46,80		
500	107,20	1700	72,00	3800	45,00		
600	102,60	1800	70,10	4000	43,20		
700	98,50	1900	68,40	4500	39,00		

BRE	BRECO® ATL20 (M) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Belt	t width		b [mm]	32	50	75	100					
	E / Steel t	ension member	F _{Tadm} [N]	9800	15400	23800	31500					
М	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	2,45.106	3,85⋅106	5,95·10 ⁶	7,88·10 ⁶					
IVI	Stainless	steel tension member	F _{Tadm} [N]	7840	12320	19040	25200					
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	2,45·10 ⁶	3,85⋅106	5,95·10 ⁶	7,88·10 ⁶					
V	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-					
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-					
		Standard	[kg/m]	0,350	0,550	0,840	1,110					
Dal	14	DL	[kg/m]	-	-	-	-					
Be	It weight	DR	[kg/m]	-	-	-	-					
		Т	[kg/m]	-	-	-	-					

BRECO® ATL20 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel tension member		E tension member			Stainless steel tension member						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	160	-	-	-	-	-	-	-	180	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	250	-	-	-	-	-	-	-	300	ı	ı	-



BRECO® BAT10

Belt width	ıs b [mm]			
25	32	50	75	100

BAT10 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® BAT	10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	77,91	800	55,33	2000	42,72	5000	28,51
20	76,74	900	53,85	2200	41,34	5500	27,03
40	75,68	1000	52,47	2400	40,07	6000	25,65
60	74,73	1100	51,20	2600	38,80	6500	24,38
80	73,78	1200	50,03	2800	37,63	7000	23,11
100	72,82	1300	48,97	3000	36,57	7500	22,05
200	68,90	1400	47,91	3200	35,62	8000	20,96
300	65,83	1500	46,96	3400	34,66	8500	19,97
400	63,07	1600	46,00	3600	33,81	9000	19,03
500	60,84	1700	45,16	3800	32,97	9500	18,15
600	58,83	1800	44,31	4000	32,12	10000	17,30
700	56,92	1900	43,46	4500	30,53		

BRE	BRECO® BAT10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Belt	t width		b [mm]	25	32	50	75	100				
	E / Steel t	ension member	F _{Tadm} [N]	3750	5000	7500	12000	17000				
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,06·106	1,37·10 ⁶	2,12·106	3,18.106	4,25·10 ⁶				
IVI	Stainless	steel tension member	F _{Tadm} [N]	3000	4000	6000	9000	12000				
	Specific el	asticity (stainless steel tension member)	C _{spec} [N]	1,06·106	1,37·106	2,12·106	3,18.106	4,25·10 ⁶				
V	E / Steel t	ension member	F _{Tadm} [N]	1875	2500	3750	6000	8500				
V	Stainless	steel tension member	F _{Tadm} [N]	1500	2000	3000	4500	6000				
		Standard	[kg/m]	0,158	0,180	0,290	0,436	0,581				
Do	lt woight	DL	[kg/m]	-	-	-	-	-				
Бе	It weight	DR	[kg/m]	-	-	-	-	-				
		Т	[kg/m]	=	=	=	=	=				

BRECO® BAT10 (M/	ity (minim	num r	umbe	er of	teeth / mi	inimu	m dia	meter	-)					
			Steel te	ension	memb	oer	E tension member Stainless steel te				eel ten	ension member		
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	130	-	-	-

(Deviate values in brackets apply to joined timing belts.)



Belt widths b [mm]								
50	75	100						


BAT15 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	960 mm
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® BAT	15 (M/V)	Specific t	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	116,87	800	80,93	2000	58,51	5000	37,58
20	116,87	900	77,91	2200	56,71	5500	36,20
40	114,80	1000	75,42	2400	54,38	6000	34,93
60	112,94	1100	73,09	2600	52,21	6500	33,66
80	111,19	1200	70,97	2800	50,14		
100	110,13	1300	68,95	3000	48,55		
200	105,42	1400	67,15	3200	46,43		
300	101,12	1500	65,40	3400	44,79		
400	95,72	1600	63,76	3600	43,20		
500	91,11	1700	62,17	3800	41,71		
600	87,24	1800	60,74	4000	40,81		
700	83,79	1900	59,57	4500	38,96		

BRI	ECO® BAT	15 (M/V) Admissi	ble tensi	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
Bel	t width		b [mm]	50	75	100
	E / Steel t	tension member	F _{Tadm} [N]	11200	16800	22400
М	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	9000	13500	18000
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	2,80·106	4,20·10 ⁶	5,60.106
V	E / Steel t	tension member	F _{Tadm} [N]	5600	8400	11200
V	Stainless	steel tension member	F _{Tadm} [N]	4500	6750	9000
		Standard	[kg/m]	0,428	0,642	0,856
Da	14	DL	[kg/m]	-	-	-
— ве	It weight	DR	[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® BAT15 (M/	BRECO® BAT15 (M/V) Flexibili					er of	teeth / mi	inimu	m dia	meter)			
				Steel tension member			E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	100 (120)	-	-	-	-	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	30 (35)	-	-	-	-	-	-	-	35 (40)	-	-	-
d _{min}	flexure	d _{min} [mm]	150 (180)	-	-	ı	-	-	-	-	180 (190)	-	-	-



BRECO® BATK10

Belt widths b [mm]										
32	50	75	100							

BA	ΓΚ10 (M/V)	Available lengths and versions
Standard d	elivery lengths (M)	rolls of 50 or 100 m
Cut to leng	ths / lengths > 100 m	on request
Minimum I	ength joined (V)	880 mm
Standard m	naterial	TPUST11)
Steel tension (Standard)	on member	х
E tension n	nember	-
Stainless st member	eel tension	0
PAZ	Color: white	Х
PAR	Color: green	Х
PAZ-PAR	Color: white-green	Х
DL / DL-PAZ	7	-
DR / DR-PA	Z	-
T / T-PAZ		-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® BAT	K10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m. F _{tspec} F		R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	77,91	800	55,33	2000	42,72	5000	28,51
20	76,74	900	53,85	2200	41,34	5500	27,03
40	75,68	1000	52,47	2400	40,07	6000	25,65
60	74,73	1100	51,20	2600	38,80	6500	24,38
80	73,78	1200	50,03	2800	37,63	7000	23,11
100	72,82	1300	48,97	3000	36,57	7500	22,05
200	68,90	1400	47,91	3200	35,62	8000	20,96
300	65,83	1500	46,96	3400	34,66	8500	19,97
400	63,07	1600	46,00	3600	33,81	9000	19,03
500	60,84	1700	45,16	3800	32,97	9500	18,15
600	58,83	1800	44,31	4000	32,12	10000	17,30
700	56.92	1900	43.46	4500	30.53		•

BRI	ECO® BAT	K10 (M/V) Admissil	ole tensio	on cord strength	F _{Tadm} / Specific ela	sticity / Belt weig	ght
Ве	lt width		b [mm]	32	50	75	100
	E / Steel tension member		F _{Tadm} [N]	5000	7500	12000	17000
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,37·10 ⁶	2,12·10 ⁶	3,18·106	4,25·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	4000	6000	9000	12000
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,37·106	2,12·106	3,18·106	4,25·10 ⁶
V	E / Steel t	ension member	F _{Tadm} [N]	2500	3750	6000	8500
V	Stainless	steel tension member	F _{Tadm} [N]	2000	3000	4500	6000
		Standard	[kg/m]	0,192	0,300	0,450	0,600
Da	المعاددة والماد	DL	[kg/m]	-	-	-	-
B6	elt weight	DR	[kg/m]	-	-	-	-
		Т	[kg/m]	-	-	-	-

BRECO® BATK10 (M/V) Flexibili			ity (minin	num r	umbe	er of	teeth / mi	inimu	m dia	meter)			
				Steel tension member			E tension member				Stainless steel tension member			
	Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т		
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	130	-	-	-

(Deviate values in brackets apply to joined timing belts.)



Belt widths b [mm	1	
50	75	100


BA	ΓK15 (M/V)	Available lengths and versions					
Standard d	lelivery lengths (M)	rolls of 50 or 100 m					
Cut to leng	gths / lengths > 100 m	on request					
Minimum I	ength joined (V)	960 mm					
Standard n	naterial	TPUST1 ¹⁾					
Steel tension (Standard)	on member	х					
E tension r	nember	=					
Stainless st member	eel tension	0					
PAZ	Color: white	Х					
PAR	Color: green	Х					
PAZ-PAR	Color: white-green	Х					
DL / DL-PA	Z	-					
DR / DR-PA	.Z	-					
T / T-PAZ		-					

- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® BATI	K15 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	116,87	800	80,93	2000	58,51	5000	37,58
20	116,87	900	77,91	2200	56,71	5500	36,20
40	114,80	1000	75,42	2400	54,38	6000	34,93
60	112,94	1100	73,09	2600	52,21	6500	33,66
80	111,19	1200	70,97	2800	50,14		
100	110,13	1300	68,95	3000	48,55		
200	105,42	1400	67,15	3200	46,43		
300	101,12	1500	65,40	3400	44,79		
400	95,72	1600	63,76	3600	43,20		
500	91,11	1700	62,17	3800	41,71		
600	87,24	1800	60,74	4000	40,81		
700	83,79	1900	59,57	4500	38,96		

BRE	CO® BAT	K15 (M/V) Admissi	ble tensi	on cord strength $F_{\scriptscriptstyle{Tadm}}$ /	Specific elasticity / Bel	t weight
Belt	t width		b [mm]	50	75	100
	E / Steel t	ension member	F _{Tadm} [N]	11200	16800	22400
D/I	M Specific	lasticity (E / Steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	9000	13500	18000
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶
V	E / Steel t	ension member	F _{Tadm} [N]	5600	8400	11200
V	Stainless	steel tension member	F _{Tadm} [N]	4500	6750	9000
		Standard	[kg/m]	0,428	0,642	0,856
Dal	14	DL	[kg/m]	-	-	-
Вег	It weight	DR	[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® BATK15 (M/V) Flexibi		ility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	100 (120)	-	-	-	-	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	30 (35)	-	-	-	-	-	-	-	35 (40)	-	-	-
d _{min}	flexure	d _{min} [mm]	150 (180)	-	-	-	-	-	-	-	180 (190)	-	-	-



BRECO® SFAT10

Belt widths b [mm (in-between belt v	n] widths on request)					
50 75 100						

SFAT10 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	0
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® SFAT	Γ10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	73,50	800	52,20	2000	40,30	5000	26,90
20	72,40	900	50,80	2200	39,00	5500	25,50
40	71,40	1000	49,50	2400	37,80	6000	24,20
60	70,50	1100	48,30	2600	36,60	6500	23,00
80	69,60	1200	47,20	2800	35,50	7000	21,80
100	68,70	1300	46,20	3000	34,50	7500	20,80
200	65,00	1400	45,20	3200	33,60	8000	19,77
300	62,10	1500	44,30	3400	32,70	8500	18,84
400	59,50	1600	43,40	3600	31,90	9000	17,95
500	57,40	1700	42,60	3800	31,10	9500	17,12
600	55,50	1800	41,80	4000	30,30	10000	16,32
700	53,70	1900	41,00	4500	28,50		

BRE	BRECO® SFAT10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight										
Bel	Belt width			50	75	100					
	E / Steel t	tension member	F _{Tadm} [N]	7500	10500	16000					
М	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	1,87·10 ⁶	2,62·10 ⁶	4,00·10 ⁶					
IVI	Stainless	steel tension member	F _{Tadm} [N]	5625	7875	12000					
	Specific elasticity (stainless steel tension member)			1,87·10 ⁶	2,62·10 ⁶	4,00.106					
V	E / Steel t	tension member	F _{Tadm} [N]	3750	5250	8000					
V	Stainless	steel tension member	F _{Tadm} [N]	2810	3940	6000					
		Standard	[kg/m]	0,290	0,436	0,581					
Do	DL		[kg/m]	-	-	-					
Ве	It weight	DR		-	-	-					
		Т	[kg/m]	-	-	-					

BRECO® SFAT10 (M/V) Flexibility (minimum number of teeth / minimum diameter)														
		Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember	
		Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т	
Z _{min}	Without contra-	Z _{min}	15 (25)	-	-	-	12	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	50 (80)	-	-	-	50	-	-	-	80	-	-	-
Z _{min} With contra-		Z _{min}	25	1	-	1	20	1	-	ı	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	1	1	-	80	1	-	-	130	1	-	-

(Deviate values in brackets apply to joined timing belts.)



BRECO® SFAT20

Belt widths b [mm (in-between belt v	n] widths on request)					
50 75 100						

SFAT20 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	1500 mm
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request not available
- 1) further materials on request


BRECO® SFAT	Γ20 (M/V)	Specific t	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	147,00	800	94,80	2000	66,70	5000	35,30
20	144,20	900	91,50	2200	63,60	5500	32,00
40	141,70	1000	88,40	2400	60,70	6000	28,90
60	139,30	1100	85,60	2600	58,00	6500	26,00
80	137,00	1200	82,90	2800	55,50		
100	134,90	1300	80,50	3000	53,10		
200	125,80	1400	78,20	3200	50,90		
300	118,50	1500	76,00	3400	48,80		
400	112,40	1600	73,90	3600	46,80		
500	107,20	1700	72,00	3800	45,00		
600	102,60	1800	70,10	4000	43,20		
700	98,50	1900	68,40	4500	39,00		

BRE	BRECO® SFAT20 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Belt	Belt width			50	75	100				
	E / Steel t	ension member	F _{Tadm} [N]	11200	16800	22400				
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	2,80·106	4,20·10 ⁶	5,60·10 ⁶				
IVI	Stainless	inless steel tension member		8960	13440	17920				
	Specific e	Specific elasticity (stainless steel tension member)		2,80·106	4,20·10 ⁶	5,60·10 ⁶				
V	E / Steel t	ension member	F _{Tadm} [N]	5600	8400	11200				
V	Stainless	steel tension member	F _{Tadm} [N]	4480	6720	8960				
		Standard	[kg/m]	0,480	0,720	0,960				
Dal	l	DL		-	-	-				
Ве	lt weight	DR	[kg/m]	-	-	-				
		Т	[kg/m]	-	-	-				

BRECO® SFAT20 (M/V) Flexibilit			ity (minim	num r	numbe	er of	teeth / mi	inimu	m dia	meter)			
		Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember	
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18 (20)	-	-	-	-	-	-	-	32	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	200	-	-	-
Z _{min}	With contra-		25	-	-	-	-	-	-	-	60	-	-	-
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	380	-	-	-

(Deviate values in brackets apply to joined timing belts.)





BRECO® ATK5K6

Belt widths b [mm] (in-between belt widths on	request)					
32 50						


ATK5K6 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member	-
E tension member (Standard)	Х
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® ATK	5K6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	35,30	800	26,80	2000	21,90	5000	16,18
20	34,90	900	26,30	2200	21,30	5500	15,56
40	34,50	1000	25,80	2400	20,80	6000	15,00
60	34,10	1100	25,20	2600	20,30	6500	14,49
80	33,80	1200	24,80	2800	19,84	7000	13,99
100	33,50	1300	24,30	3000	19,42	7500	13,54
200	32,00	1400	23,90	3200	19,01	8000	13,11
300	30,90	1500	23,50	3400	18,64	8500	12,71
400	29,80	1600	23,20	3600	18,28	9000	12,33
500	29,00	1700	22,80	3800	17,93	9500	11,97
600	28,30	1800	22,50	4000	17,61	10000	11,63
700	27,50	1900	22,20	4500	16,87		

BRI	ECO® ATK	5K6 (M/V) Admissik	ole tensic	on cord strength F _{Tadm} / Specific elastic	ity / Belt weight
Ве	Belt width			32	50
	E / Steel t	ension member	F _{Tadm} [N]	2240	3500
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,560·106	0,875·10 ⁶
IVI	Stainless	steel tension member (E)	F _{Tadm} [N]	1460	2280
	Specific e	lasticity (stainless steel tension member (E))	C _{spec} [N]	0,560·106	0,875·106
V	E / Steel t	ension member	F _{Tadm} [N]	1120	1750
V	Stainless	steel tension member (E)	F _{Tadm} [N]	730	1140
		Standard	[kg/m]	0,118	0,117
D	Belt weight DL DR T		[kg/m]	-	-
_ B€			[kg/m]	-	-
			[kg/m]	-	-

BRECO® ATK5K6 (N	1/V)	Flexibil	ity (minim	num r	umbe	er of	teeth / mi	inimu	m dia	meter	-)			
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless ste	el tensio	on mem	nber (E
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	-	-	-	-	25	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	-	-	-	-	60	-	-	-	60	-	-	-
Z _{min}	With	Z _{min}	-	-	-	-	25	-	-	-	30	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	-	-	-	-	60	-	-	-	60	-	-	-





Belt widths b [mm] (further belt widths on request)

ATK10K6 (M/V)	Available lengths and versions				
Standard delivery lengths (M)	rolls of 50 or 100 m				
Cut to lengths / lengths > 100 m	on request				
Minimum length joined (V)	1000 mm				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	х				
E tension member	-				
Stainless steel tension member	0				
PAZ	Х				
PAR	Х				
PAZ-PAR	Х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Y	availahle	

o minimum purchase amount on request

not available

further materials on request


BRECO® ATK	10K6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ^{.1}]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	73,50	800	52,20	2000	40,30	5000	26,90
20	72,40	900	50,80	2200	39,00	5500	25,50
40	71,40	1000	49,50	2400	37,80	6000	24,20
60	70,50	1100	48,30	2600	36,60	6500	23,00
80	69,60	1200	47,20	2800	35,50	7000	21,80
100	68,70	1300	46,20	3000	34,50	7500	20,80
200	65,00	1400	45,20	3200	33,60	8000	19,77
300	62,10	1500	44,30	3400	32,70	8500	18,84
400	59,50	1600	43,40	3600	31,90	9000	17,95
500	57,40	1700	42,60	3800	31,10	9500	17,12
600	55,50	1800	41,80	4000	30,30	10000	16,32
700	53.70	1900	41.00	4500	28.50		

BF	RECO	® ATK1	10K6 (M/V) Admissil	ole tensio	on cord strength F _{Tadm} / Specific elasticity / Belt weight			
В	Belt width			b [mm]	50			
	Е	/ Steel te	ension member	F _{Tadm} [N]	7500			
N	Sp	oecific el	asticity (E / Steel tension member)	C _{spec} [N]	1,87·106			
IV	St	Stainless steel tension member Specific elasticity (stainless steel tension member) E / Steel tension member		F _{Tadm} [N]	5625			
	Sp			C _{spec} [N]	1,87·106			
V	, E			F _{Tadm} [N]	3750			
V		tainless s	teel tension member	F _{Tadm} [N]	2815			
			Standard	[kg/m]	0,302			
	Belt weight DL DR T		DL	[kg/m]	-			
			DR	[kg/m]	-			
			[kg/m]	-				

BRECO® ATK10K6 (M/V)	Flexibil	ity (minin	num r	umbe	er of	teeth / mi	inimu	m dia	meter)			
	-		Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	1	-	-	-	1	-	i	130	-	-	-

Self-guiding timing belts
Open length (M) / joined (V)

BRECO® ATK10K13



Standard
38° 13
ATK10K13

Belt width (in-betwee	s b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150

ATK10K13 (M/V)	Available lengths and versions					
Standard delivery lengths (M)	rolls of 50 m					
Cut to lengths / lengths > 50 m	on request					
Minimum length joined (V)	1000 mm					
Standard material	TPUST1 ¹⁾					
Steel tension member (Standard)	х					
E tension member	-					
Stainless steel tension member	0					
PAZ	Х					
PAR	Х					
PAZ-PAR	Х					
DL / DL-PAZ	=					
DR / DR-PAZ	-					
T / T-PAZ b _{max} =100	0					


Version T
50° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2°
ATK10K13-T


BRECO® ATK	10K13 (M/V)	Specific	tooth force					
R.p.m.	R.p.m. F _{tspec} R.p.m. F _{tspec}		F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ^{.1}]	[N/cm]	
0	73,50	800	52,20	2000	40,30	5000	26,90	
20	72,40	900	50,80	2200	39,00	5500	25,50	
40	71,40	1000	49,50	2400	37,80	6000	24,20	
60	70,50	1100	48,30	2600	36,60	6500	23,00	
80	69,60	1200	47,20	2800	35,50	7000	21,80	
100	68,70	1300	46,20	3000	34,50	7500	20,80	
200	65,00	1400	45,20	3200	33,60	8000	19,77	
300	62,10	1500	44,30	3400	32,70	8500	18,84	
400	59,50	1600	43,40	3600	31,90	9000	17,95	
500	57,40	1700	42,60	3800	31,10	9500	17,12	
600	55,50	1800	41,80	4000	30,30	10000	16,32	
700	53,70	1900	41,00	4500	28,50		•	

BRE	CO® ATK	10K13 (M/V) Admissi	ble tensio	on cord strenç	gth F _{Tadm} / Spec	ific elasticity	/ Belt weight	
Bel	t width		b [mm]	32	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	4500	7500	10500	16000	22000
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,20.106	1,87·106	2,80.106	3,74.106	5,61.106
IVI	Stainless	steel tension member	F _{Tadm} [N]	3375	5625	7875	12000	16500
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,20.106	1,87·106	2,80.106	3,74.106	5,61.106
V	E / Steel t	ension member	F _{Tadm} [N]	2250	3750	5250	8000	11000
V	Stainless	steel tension member	F _{Tadm} [N]	1690	2815	3940	6000	8250
		Standard	[kg/m]	0,227	0,331	0,465	0,621	0,889
Do	lt waight	DL		-	-	-	-	-
Be	elt weight	DR	[kg/m]	-	-	-	-	-
		Т	[kg/m]	0,303	0,451	0,645	0,861	-

BRECO® ATK10K13 (M/V) Flexibility (minimum number of teeth / minimum diameter)														
		-	Steel tension member			E tension member				Stainless steel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	25	-	-	-	-	25	-	-	25
d _{min}	flexure	d _{min} [mm]	60	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With contra-	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	40
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	-	-	-	130	-	-	130

- x available
- o minimum purchase amount on request
- not available
- further materials on request





Belt widths b [mm] (in-between belt widths on request)								
75	100							


ATK20K13 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	=
Stainless steel tension member	0
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® ATK	20K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	147,00	800	94,80	2000	66,70	5000	35,30
20	144,20	900	91,50	2200	63,60	5500	32,00
40	141,70	1000	88,40	2400	60,70	6000	28,90
60	139,30	1100	85,60	2600	58,00	6500	26,00
80	137,00	1200	82,90	2800	55,50		
100	134,90	1300	80,50	3000	53,10		
200	125,80	1400	78,20	3200	50,90		
300	118,50	1500	76,00	3400	48,80		
400	112,40	1600	73,90	3600	46,80		
500	107,20	1700	72,00	3800	45,00		
600	102,60	1800	70,10	4000	43,20		
700	98,50	1900	68,40	4500	39,00		

BRE	BRECO $^{\circ}$ ATK20K13 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Bel	t width		b [mm]	75	100					
	E / Steel t	ension member	F _{Tadm} [N]	16800	22400					
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	4,20.106	5,60·106					
IVI	Stainless	steel tension member	F _{Tadm} [N]	13440	17920					
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	4,20.106	5,60·106					
V	E / Steel t	ension member	F _{Tadm} [N]	8400	11200					
V	Stainless	steel tension member	F _{Tadm} [N]	6720	8960					
		Standard	[kg/m]	0,730	0,995					
Do	lt waight	DL	[kg/m]	-	-					
Be	elt weight	DR	[kg/m]	-	-					
		Т	[kg/m]	-	-					

BRECO® ATK20K13	(M/V) Flexibility (minimum number of teeth / minimum diameter)													
			Steel tension member			E tension member				Stainless steel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	32	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	200	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	60	-	-	-
d _{min}	flexure	d _{min} [mm]	180	i	-	-	-	-	1	i	380	-	-	-





Belt widths b [mm] (in-between belt widths on request)									
25	32	50							

TK5K6 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	О
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® TK5	K6 (M/V)	Specific	Specific tooth force						
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}		
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]		
0	24,00	800	16,56	2000	13,69	5000	10,68		
20	23,40	900	16,20	2200	13,38	5500	10,36		
40	22,90	1000	15,88	2400	13,10	6000	10,07		
60	22,40	1100	15,58	2600	12,84	6500	9,81		
80	22,00	1200	15,31	2800	12,59	7000	9,56		
100	21,70	1300	15,06	3000	12,37	7500	9,33		
200	20,30	1400	14,83	3200	12,16	8000	9,11		
300	19,30	1500	14,61	3400	11,96	8500	8,91		
400	18,55	1600	14,40	3600	11,77	9000	8,72		
500	17,93	1700	14,21	3800	11,59	9500	8,54		
600	17,41	1800	14,03	4000	11,42	10000	8,37		
700	16,96	1900	13,85	4500	11,03				

BRE	CO® TK5	K6 (M/V) Admissil	ole tensic	on cord strength $F_{_{Tadm}}$ /	Specific elasticity / Bel	t weight
Bel	t width		b [mm]	25	32	50
	E / Steel t	tension member	F _{Tadm} [N]	840	1080	1680
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	21,0⋅10⁴	27,0⋅10⁴	42,0⋅10⁴
IVI	Stainless	steel tension member	F _{Tadm} [N]	640	820	1280
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	21,0.104	27,0⋅10⁴	42,0·10 ⁴
V	E / Steel t	tension member	F _{Tadm} [N]	420	540	840
V	Stainless	steel tension member	F _{Tadm} [N]	320	410	640
		Standard	[kg/m]	0,067	0,082	0,119
Do	14	DL	[kg/m]	-	-	-
Ве	It weight	DR	[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® TK5K6 (M/	lity (minimum number of teeth / minimum diameter)													
			Steel te	ension	memb	nber E tension member Stainless stee					eel ten:	eel tension member		
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	60	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	36	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	-	-	-	i	80	ı	ı	-





BRECO® TK10K6

Belt widths b [mm] (in-between belt widths on request)							
25	50						

TK10K6

Standard

TK10K6 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	=
DR / DR-PAZ	=
T / T-PAZ	-

- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® TK10)K6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		

BR	RECO® TK10K6 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight										
Ве	elt width		b [mm]	25	50						
	E / Steel t	tension member	F _{Tadm} [N]	2400	4200						
М	Specific elasticity (E / Steel tension member)		C _{spec} [N]	5,5·10⁵	11,0·10 ⁵						
IVI	Stainless	steel tension member	F _{Tadm} [N]	1920	3360						
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	5,5·10⁵	11,0⋅10⁵						
V	E / Steel 1	tension member	F _{Tadm} [N]	1200	2100						
V	Stainless	steel tension member	F _{Tadm} [N]	960	1680						
		Standard	[kg/m]	0,129	0,239						
D	olt woi ch t	DL	[kg/m]	-	-						
_ D(Belt weight	DR	[kg/m]	-	-						
		Т	[kg/m]	-	=						


BRECO® TK10K6 (M/V) Flexibili		oility (minimum number of teeth / minimum diameter)												
			Steel tension member			E tension member				Stainless steel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Ţ
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	80	-	-	-
Z _{min} d _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
	flexure	d _{min} [mm]	80	-	-	-	-	-	-	-	130	-	-	-

Self-guiding timing belts
Open length (M) / joined (V)

BRECO® TK10K13


Self-guiding timing belts
Open length (M) / joined (V)

100





TK10K13 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	0



Version T
40° 2 2 2 3 10
TK10K13-T


BRECO® TK10)K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ^{.1}]	[N/cm]
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		

BRI	ECO® TK1	OK13 (M/V) Admissil	ble tensio	on cord strength	F _{Tadm} / Specific ela	sticity / Belt wei	ght
Bel	lt width		b [mm]	32	50	75	100
	E / Steel tension member			2600	4200	5200	8400
М	Stainless steel tension men	lasticity (E / Steel tension member)	C _{spec} [N]	7,0⋅10⁵	11,0⋅10⁵	16,5·10 ⁵	22,0⋅10⁵
IVI		steel tension member	F _{Tadm} [N]	2080	3360	4160	6720
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	7,0⋅10⁵	11,0⋅10⁵	16,5·10⁵	22,0⋅10⁵
V	E / Steel t	ension member	F _{Tadm} [N]	1300	2100	2600	3300
V	Stainless	steel tension member	F _{Tadm} [N]	1040	1680	2080	3360
		Standard	[kg/m]	0,282	0,407	0,569	0,735
Da	المعاددة والمعاددة المعاددة ا	DL	[kg/m]	-	-	-	-
Be	Belt weight	DR	[kg/m]	-	-	-	-
		Т	[kg/m]	-	-	-	-

BRECO® TK10K13 (M/V) Flexibili		lity (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	T	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	25	-	-	25	-	-	-	-	25	-	-	25
d _{min}	contra- flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	40
d _{min}	contra- flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	130	-	-	130


- x available
- o minimum purchase amount on request
- not available
- further materials on request

BRECO® TK1/2" K13




	38,1	50,8	76,2				
	TK1/2"K	Available le vers	_				
٠.	Standard deliver	ry lengths (M)	rolls of 50	able leng version s of 50 or on reque			
	Cut to lengths /	lengths > 100 m	on re	que			
	Minimum length	n ioined (V)	1000) mr			

Belt widths b [mm] (in-between belt widths on request)



TK1/2"K13 (M/V)	Available lengths and versions				
Standard delivery lengths (M)	rolls of 50 or 100 m				
Cut to lengths / lengths > 100 m	on request				
Minimum length joined (V)	1000 mm				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	х				
E tension member	-				
Stainless steel tension member	0				
PAZ	Х				
PAR	Х				
PAZ-PAR	Х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	0				

101,6




BRECO® TK1	/2"K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	44,00	800	28,20	2000	22,10	5000	15,74
20	42,70	900	27,50	2200	21,50	5500	15,07
40	41,60	1000	26,80	2400	20,90	6000	14,46
60	40,70	1100	26,20	2600	20,30	6500	13,89
80	39,80	1200	25,60	2800	19,81	7000	13,36
100	39,10	1300	25,10	3000	19,33	7500	12,87
200	36,10	1400	24,60	3200	18,88	8000	12,42
300	34,10	1500	24,10	3400	18,45	8500	11,99
400	32,50	1600	23,70	3600	18,05	9000	11,58
500	31,10	1700	23,20	3800	17,68	9500	11,19
600	30,00	1800	22,90	4000	17,32	10000	10,83
700	29,10	1900	22,50	4500	16,49		

BRI	ECO® TK1/	/2"K13 (M/V) Admissil	ole tensio	on cord strength	F _{Tadm} / Specific ela	sticity / Belt weig	ght
Ве	It width		b [mm]	38,1	50,8	76,2	101,6
	E / Steel t	ension member	F _{Tadm} [N]	3200	4200	4800	6200
М	Specific e	lasticity (E- / Steel tension member)	C _{spec} [N]	0,80.106	1,10.106	1,65·10 ⁶	2,20.106
IVI	Stainless	steel tension member	F _{Tadm} [N]	2560	3360	3840	4960
	Specific elasticity (stainless steel tension member)			0,80-106	1,10.106	1,65.106	2,20.106
V	E / Steel t	ension member	F _{Tadm} [N]	1600	2100	2400	3100
V	Stainless	steel tension member	F _{Tadm} [N]	1280	1680	1920	2480
		Standard	[kg/m]	0,222	0,275	0,368	0,469
Do	lt weight	weight DL DR		-	-	-	-
Be	en weignt			-	-	-	-
		Т	[kg/m]	0,253	0,338	0,507	0,676

BRECO® TK1/2"K13	(M/V) Flexibility (minimum number of teeth / minimum diameter)													
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel tens	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	18	-	-	20	-	-	-	-	22	-	-	22
d _{min}	contra- flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With contra-	Z _{min}	20	-	-	20	-	-	-	-	32	-	-	32
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	1	-	-	130	1	-	130

- x available
- o minimum purchase amount on request
- not available
- 1) further materials on request



Belt widths b [mm (in-between belt v						
8	8 10 20					


T2,5 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	350 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	-
PAZ	-
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request not available
- 1) further materials on request


BRECO® T2,5	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	9,03	800	5,97	2000	4,91	5000	4,09
20	8,72	900	5,83	2200	4,80	5500	3,95
40	8,48	1000	5,71	2400	4,70	6000	3,82
60	8,28	1100	5,61	2600	4,65	6500	3,71
80	8,10	1200	5,51	2800	4,60	7000	3,60
100	7,95	1300	5,41	3000	4,51	7500	3,51
200	7,39	1400	5,33	3200	4,48	8000	3,42
300	7,01	1500	5,25	3400	4,43	8500	3,33
400	6,71	1600	5,17	3600	4,36	9000	3,26
500	6,48	1700	5,10	3800	4,28	9500	3,18
600	6,28	1800	5,04	4000	4,22	10000	3,05
700	6,11	1900	4,97	4500	4,15		

BRE	CO® T2,5	(M/V) Admissib	ole tensic	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
Bel	Belt width			8	10	20
	E / Steel t	ension member	F _{Tadm} [N]	77	98	196
М	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,93⋅10⁴	2,45⋅10⁴	4,90⋅10⁴
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	-	-	•
V	E / Steel t	ension member	F _{Tadm} [N]	38	49	98
V	Stainless	steel tension member	F _{Tadm} [N]	=	-	=
		Standard	[kg/m]	0,010	0,015	0,030
Do	elt weight DR		[kg/m]	-	-	-
Ве			[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® T2,5 (M/V)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR		Standard	DL	DR	Т	Standard	DL	DR	Т
z _{min}	Without contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	15	-	-	-	-	-	-	-	-	-	-	-
Z _{min} With contra-		Z _{min}	18	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	18	1	-	1	-	-	1	-	-	1	-	-







Version T
40° 2' 1 1 5' 1 5' 1 5 5 5 5 5 5 5 5 5 5 5 5
T5-T

- x available
- o minimum purchase amount on request not available
- 1) further materials on request

	vidths b tween		iths on	request)			
6*	6* 10 16 25 32 50 75 100							
*only M								

T5 (M/V))	Available lengths and versions		
Standard delivery len	gths (M)	rolls of 50 or 100 m		
Cut to lengths / length	ns > 100 m	on request		
Minimum length	b _{min} =10	880 mm		
joined (V)	DL	1000 mm		
Standard material		TPUST1 ¹⁾		
Steel tension member (Standard)		х		
E tension member		0		
Stainless steel tension member	1	0		
PAZ		Х		
PAR		Х		
PAZ-PAR		Х		
DL / DL-PAZ		0		
DR / DR-PAZ		0		
T / T-PAZ		О		

BRECO® T5 (N	M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	24,00	800	16,56	2000	13,69	5000	10,68
20	23,40	900	16,20	2200	13,38	5500	10,36
40	22,90	1000	15,88	2400	13,10	6000	10,07
60	22,40	1100	15,58	2600	12,84	6500	9,81
80	22,00	1200	15,31	2800	12,59	7000	9,56
100	21,70	1300	15,06	3000	12,37	7500	9,33
200	20,30	1400	14,83	3200	12,16	8000	9,11
300	19,30	1500	14,61	3400	11,96	8500	8,91
400	18,55	1600	14,40	3600	11,77	9000	8,72
500	17,93	1700	14,21	3800	11,59	9500	8,54
600	17,41	1800	14,03	4000	11,42	10000	8,37
700	16,96	1900	13,85	4500	11,03		


BRE	BRECO® T5 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Bel	t width		b [mm]	6	10	16	25	32	50	75	100	
	E / Steel tension member			180	300	540	840	1080	1680	2520	3360	
М	Specific elasticity (E / Steel tension member)		C _{spec} [N]	4,5·10 ⁴	7,5·10 ⁴	13,5·10 ⁴	21,0·10 ⁴	27,0·10 ⁴	42,0·10 ⁴	63,0·10 ⁴	84,0.104	
IVI	Stainless	steel tension member	F _{Tadm} [N]	135	230	410	640	820	1280	1915	2580	
	Specific elasticity (stainless steel tension member)			4,5⋅10⁴	7,5⋅10⁴	13,5⋅10⁴	21,0.104	27,0.104	42,0·10 ⁴	63,0·10 ⁴	84,0.104	
V	E / Steel t	ension member	F _{Tadm} [N]	-	150	270	420	540	840	1260	1680	
V	Stainless	steel tension member	F _{Tadm} [N]	-	115	205	320	420	640	960	1290	
		Standard	[kg/m]	0,013	0,021	0,034	0,053	0,068	0,106	0,160	0,233	
D ₀	DL		[kg/m]	-	0,030	0,044	0,070	0,090	0,139	0,208	0,280	
Ве	It weight	DR	[kg/m]	-	0,039	0,063	0,098	0,126	0,196	0,294	0,378	
	Т		[kg/m]	=	0,039	0,063	0,098	0,126	0,196	0,294	0,392	


BRECO® T5 (M/V)	Flexibility (minimum number of teeth / minimum diameter)													
		Steel te	ension	memb	oer	E tension member				Stainless steel tension member				
			Standard	DL	DR	T	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	10	15	20	20	10	10	-	-	18	18	20	20
d _{min}	flexure	d _{min} [mm]	30	30	30	30	18	18	-	-	30	30	30	30
Z _{min}	With contra-	Z _{min}	15	15	20	20	12	12	-	-	36	36	36	36
d _{min}	flexure	d _{min} [mm]	30	30	60	60	18	18	-	i	60	60	60	60


Open length (M)


ioined (V)

BRECO® T10









- x available
- o minimum purchase amount on request
- not available
- further materials on request


	idths b [r ween be	-	s on requ	ıest)		
16	25	32	50	75	100	150

T10 (M/\	/)	Available lengths and versions
Standard delivery ler	ngths (M)	rolls of 50 or 100 m
Cut to lengths / leng	ths > 100 m	on request
Minimum langth	Standard	880 mm
Minimum length joined (V)	DL, DR, T, b=150	1000 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)	er	х
E tension member		0
Stainless steel tensio member	n	0
PAZ		Х
PAR		Х
PAZ-PAR		Х
DL / DL-PAZ b _{max}	=100	0
DR / DR-PAZ b _{max}	=100	0
T / T-PAZ b _{max}	=100	0

BRECO® T10	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		


BRI	BRECO® T10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Ве	lt width		b [mm]	16	25	32	50	75	100	150		
	E / Steel tension member			1400	2200	2800	4400	6600	8800	13200		
М	Specific elasticity (E / Steel tension member)			3,5⋅10⁵	5,5⋅10⁵	7,0·10 ⁵	11,0·10 ⁵	16,5·10 ⁵	22,0.105	33,0⋅10⁵		
IVI	Stainless steel tension member			1120	1760	2240	3520	5280	7040	10560		
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	3,5⋅10⁵	5,5⋅10⁵	7,0·10 ⁵	11,0·10 ⁵	16,5·10 ⁵	22,0.105	33,0⋅10⁵		
V	E / Steel t	tension member	F _{Tadm} [N]	700	1100	1400	2200	3300	4400	6600		
V	Stainless	steel tension member	F _{Tadm} [N]	560	880	1120	1760	2640	3520	5280		
		Standard	[kg/m]	0,073	0,114	0,145	0,227	0,341	0,454	0,681		
De	ult vuoimbt	DL	[kg/m]	0,094	0,147	0,188	0,293	0,440	0,586	=		
_ B€	Belt weight DR		[kg/m]	0,109	0,171	0,218	0,341	0,512	0,682	-		
		T	[kg/m]	0,109	0,171	0,218	0,341	0,512	0,682	-		

BRECO® T10 (M/V)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	oer	E ter	nsion m	nembe	r	Stainless st	eel tens	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	12	20	20	20	10	10	20	20	25	25	25	25
d _{min}	flexure	d _{min} [mm]	60	60	60	60	50	50	60	60	80	80	80	80
Z _{min}	With contra-	Z _{min}	20	20	20	20	15	15	20	20	40	40	40	40
d _{min}	flexure	d _{min} [mm]	60	60	80	80	50	50	80	80	130	130	130	130



Double eided
Double-sided
20

T20-DL



	ths b [mm reen belt v	•	request)		
25	32	50	75	100	150


T20 (M/\	/)	Available lengths and versions
Standard delivery len	igths (M)	rolls of 50 m
Cut to lengths / lengt	:hs > 50 m	on request
Minimum langth	Standard	1000 mm
Minimum length joined (V)	DL, T, b=150	1200 mm
Standard material		TPUST11)
Steel tension membe (Standard)	r	х
E tension member		0
Stainless steel tension member		0
PAZ		Х
PAR		Х
PAZ-PAR		Х
DL / DL-PAZ b _{max} =100		0
DR / DR-PAZ		-
T / T-PAZ b _{max}	=100	0

BRECO® T20	(M/V)	Specific t	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	101,50	800	60,90	2000	45,30	5000	28,90
20	98,10	900	59,00	2200	43,60	5500	27,20
40	95,30	1000	57,20	2400	42,10	6000	25,60
60	92,80	1100	55,60	2600	40,70	6500	24,20
80	90,70	1200	54,20	2800	39,40		
100	88,70	1300	52,80	3000	38,10		
200	81,20	1400	51,50	3200	37,00		
300	75,90	1500	50,30	3400	35,90		
400	71,80	1600	49,20	3600	34,90		
500	68,40	1700	48,20	3800	33,90		
600	65,60	1800	47,20	4000	33,00		
700	63,10	1900	46,20	4500	30,80		

BRE	CO® T20	(M/V) Admissib	ole tensio	n cord stre	ngth F _{Tadm} /	Specific ela	sticity / Bel	t weight	
Belt	t width		b [mm]	25	32	50	75	100	150
	E / Steel tension member			3500	4500	7000	10500	14000	20000
М	Specific elasticity (E / Steel tension member)		C _{spec} [N]	0,87·10 ⁶	1,13·10 ⁶	1,75·10 ⁶	2,63·10 ⁶	3,5⋅106	5,0·10 ⁶
IVI	Stainless steel tension member			2520	3240	5040	7560	10080	14400
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	0,87·10 ⁶	1,13·10 ⁶	1,75·10 ⁶	2,63·10 ⁶	3,5⋅106	5,0·10 ⁶
V	E / Steel t	ension member	F _{Tadm} [N]	1750	2250	3500	5250	7000	10000
V	Stainless	steel tension member	F _{Tadm} [N]	1260	1620	2520	3780	5040	7200
		Standard	[kg/m]	0,184	0,236	0,368	0,552	0,736	1,095
Po	Belt weight DR		[kg/m]	0,247	0,316	0,493	0,793	0,986	-
Бе			[kg/m]	-	-	-	-	-	-
		Т	[kg/m]	0,244	0,313	0,488	0,732	0,976	-

BRECO® T20 (M/V)	BRECO® T20 (M/V) Flexibility (minimum number of teeth / minimum diameter)													
				ension	meml	oer	E tension member Stainless s			Stainless st	teel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	25	-	25	12	25	1	25	20	30	-	30
d _{min}	flexure	d _{min} [mm]	120	150	-	120	100	150	-	120	130	150	-	150
Z _{min}	With contra-	Z _{min}	25	25	-	25	22	25	i	25	30	30	-	30
d _{min}	flexure	d _{min} [mm]	120	180	-	180	120	180	-	180	180	180	-	180

- x available
- o minimum purchase amount on request not available
- 1) further materials on request



Belt widths b [mm] (in-between belt widths on request)									
6,35*	7,94	9,53	12,7	19,1	25,4				

*only M

T1/5" (M/\	V)	Available lengths and versions
Standard delivery leng	gths (M)	rolls of 50 or 100 m
Cut to lengths / length	ns > 100 m	on request
Minimum length joined (V)	b _{min} =7,94	880 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)		х
E tension member		-
Stainless steel tension member		-
PAZ		Х
PAR		Х
PAZ-PAR		Х
DL / DL-PAZ		-
DR / DR-PAZ		-
T / T-PAZ		-


- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® T1/5	5" (M/V)	Specific	tooth force							
R.p.m.	F _{tspec}									
n [min ⁻¹]	[N/cm]									
0	24,40	800	16,83	2000	13,91	5000	10,86			
20	23,80	900	16,47	2200	13,60	5500	10,54			
40	23,20	1000	16,14	2400	13,31	6000	10,24			
60	22,80	1100	15,84	2600	13,05	6500	9,97			
80	22,40	1200	15,57	2800	12,80	7000	9,72			
100	22,00	1300	15,31	3000	12,57	7500	9,49			
200	20,60	1400	15,07	3200	12,36	8000	9,27			
300	19,63	1500	14,85	3400	12,16	8500	9,06			
400	18,86	1600	14,64	3600	11,96	9000	8,86			
500	18,23	1700	14,45	3800	11,78	9500	8,68			
600	17,70	1800	14,26	4000	11,61	10000	8,51			
700	17.24	1900	14.08	4500	11.21					

BRE	CO® T1/5	" (M/V) Admissik	ole tensio	n cord stre	ngth F _{Tadm} /	Specific ela	sticity / Bel	t weight	
Bel	t width		b [mm]	6,35	7,94	9,53	12,7	19,1	25,4
	E / Steel tension member			210	240	330	390	660	840
М	Specific elasticity (E / Steel tension member)		C _{spec} [N]	5,25⋅10⁴	6,0.104	8,25·10 ⁴	9,75⋅10⁴	16,5⋅10⁴	21,0.104
IVI	Stainless steel tension member			1	-	1	-	-	-
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	-	=	-	-	=	=
V	E / Steel t	ension member	F _{Tadm} [N]	-	120	165	195	330	420
V	Stainless	steel tension member	F _{Tadm} [N]	ı	-	ı	ı	-	-
		Standard	[kg/m]	0,015	0,019	0,023	0,03	0,046	0,061
Do	Belt weight DR		[kg/m]	-	-	-	-	-	-
Be			[kg/m]	-	-	-	-	-	-
		Т	[kg/m]	-	-	-	-	-	-

BRECO® T1/5" (M/V	ity (minin	num r	umbe	er of	teeth / m	inimu	m dia	meter	·)					
			Steel tension member			E tension member				Stainless st	Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	10 (25)	-	-	-	-	ı	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30 (60)	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	15 (25)	-	-	-	-	ı	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30 (60)	-	-	-	-	-	-	-	-	-	-	-

(Deviate values in brackets apply to joined timing belts.)



	idths b [r ween be		s on requ	ıest)		
9,53	12,7	19,1	25,4	38,1	50,8	76,2


T3/8" (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST11)
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	-
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-


- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® T3/8	3" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	37,40	800	24,00	2000	18,78	5000	13,36
20	36,30	900	23,30	2200	18,22	5500	12,79
40	35,50	1000	22,70	2400	17,71	6000	12,27
60	34,50	1100	22,20	2600	17,25	6500	11,79
80	33,80	1200	21,70	2800	16,81	7000	11,34
100	33,10	1300	21,30	3000	16,40	7500	10,93
200	30,70	1400	20,80	3200	16,02	8000	10,54
300	28,90	1500	20,40	3400	15,66	8500	10,17
400	27,50	1600	20,10	3600	15,32	9000	9,83
500	26,40	1700	19,72	3800	15,00	9500	9,50
600	25,50	1800	19,39	4000	14,69	10000	9,19
700	24,70	1900	19,08	4500	13,99		

BRE	CO® T3/8	" (M/V) Admissi	ble tensio	on cord st	rength F _{Tai}	dm / Specif	ic elasticit	y / Belt w	eight	
Bel ⁻	t width		b [mm]	9,53	12,7	19,1	25,4	38,1	50,8	76,2
	E / Steel tension member			630	840	1260	1680	2520	3500	5040
М	Specific elasticity (E / Steel tension member)			15,8·10 ⁴	21,0.104	31,5⋅10⁴	42,0.104	63,0·10 ⁴	87,0.104	1,26·10 ⁵
IVI	Stainless steel tension member			-	-	-	-	-	-	-
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	=	=	1	-	-	1	-
V	E / Steel t	ension member	F _{Tadm} [N]	315	420	630	840	1260	1750	
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-	-	-
		Standard	[kg/m]	0,033	0,044	0,066	0,08	0,133	0,178	0,266
Do	Belt weight DL DR		[kg/m]	-	-	-	-	-	-	-
Бе			[kg/m]	-	-	-	-	-	-	-
		Т	[kg/m]	-	-	-	-	-	-	-

BRECO® T3/8" (M/V	ity (minim	num n	umbe	er of t	teeth / mi	inimu	m dia	meter)					
			Steel te	ension	memb	oer	E ter	nsion n	nembe	r	Stainless steel tension memb			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15 (20)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	20 (25)	-	-	-	-	1	-	1	-	1	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	1	-	ı	-	1	-	-





Belt widths b [mm] (in-between belt widths on request)									
12,7	19,1	25,4	38,1	50,8	76,2	101,6	152,4		


T1/2" (M	/V)	Available lengths and versions				
Standard delivery le	ngths (M)	rolls of 50 or 100 m				
Cut to lengths / leng	ths > 100 m	on request				
Minimum length	Standard	880 mm				
joined (V)	b=152,4	1000 mm				
Standard material		TPUST1 ¹⁾				
Steel tension member (Standard)		х				
E tension member		-				
Stainless steel tension member	n	o				
PAZ		Х				
PAR		Х				
PAZ-PAR		Х				
DL / DL-PAZ		-				
DR / DR-PAZ		-				
T / T-PAZ	b _{max} =101,6	0				

- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® T1/2	2" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	44,00	800	28,20	2000	22,10	5000	15,74
20	42,70	900	27,50	2200	21,50	5500	15,07
40	41,60	1000	26,80	2400	20,90	6000	14,46
60	40,70	1100	26,20	2600	20,30	6500	13,89
80	39,80	1200	25,60	2800	19,81	7000	13,36
100	39,10	1300	25,10	3000	19,33	7500	12,87
200	36,10	1400	24,60	3200	18,88	8000	12,42
300	34,10	1500	24,10	3400	18,45	8500	11,99
400	32,50	1600	23,70	3600	18,05	9000	11,58
500	31,10	1700	23,20	3800	17,68	9500	11,19
600	30,00	1800	22,90	4000	17,32	10000	10,83
700	29.10	1900	22.50	4500	16.49		

BRE	CO® T1/2	" (M/V) Admissi	ble tensio	on cord s	trength	F _{Tadm} / Sp	ecific ela	sticity /	Belt weiç	ght	
Bel	t width		b [mm]	12,7	19,1	25,4	38,1	50,8	76,2	101,6	152,4
	E / Steel t	ension member	F _{Tadm} [N]	1000	1600	2200	3200	4400	6600	8800	13200
М	Specific elasticity (E / Steel tension member)			0,25.106	0,4.106	0,55.106	0,80.106	1,1.106	1,65·10 ⁶	2,2·10 ⁶	3,3.106
IVI	Stainless steel tension member			800	1280	1760	2560	3520	5280	7040	10560
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	0,25.106	0,4.106	0,55.106	0,80.106	1,1.106	1,65·10 ⁶	2,2·10 ⁶	3,3⋅106
V	E / Steel tension member		F _{Tadm} [N]	500	800	1100	1600	2200	3300	4400	6600
V	Stainless	steel tension member	F _{Tadm} [N]	400	640	880	1280	1760	2640	3520	5280
	Standard DL		[kg/m]	0,053	0,081	0,108	0,161	0,216	0,324	0,432	0,648
Do			[kg/m]	-	=	-	=	=	=	=	-
Бе	It weight	DR	[kg/m]	-	=	-	-	-	-	=	-
		Т	[kg/m]	0,084	0,127	0,169	0,253	0,338	0,507	0,676	-

BRECO® T1/2" (M/V) Flexibility (minimum number of							teeth / mi	inimu	m dia	meter)			
		Steel te	ension	memb	oer	E tension member Stainless ste			eel ten:	eel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	14	-	-	20	-	-	-	-	25	-	-	25
d _{min}	flexure	d _{min} [mm]	60	-	-	80	-	-	-	-	100	-	-	100
Z _{min}	With contra-	Z _{min}	20	-	-	20	-	-	-	-	40	-	-	40
d _{min}	flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	160	-	-	160



Belt widths b [mm] (in-between belt widths on request)								
50,8 76,2 101,6								

T7/8" (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	=
Stainless steel tension member	-
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

- x available
- o minimum purchase amount on request not available
- 1) further materials on request

BRECO® T7/8	" (M/V)	Specific t	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	91,35	800	54,81	2000	40,77	5000	26,01
20	88,29	900	53,10	2200	39,24	5500	24,48
40	85,77	1000	51,48	2400	37,89	6000	23,04
60	83,52	1100	50,04	2600	36,63	6500	21,78
80	81,63	1200	48,78	2800	35,46		
100	79,83	1300	47,52	3000	34,29		
200	73,08	1400	46,35	3200	33,30		
300	68,31	1500	45,27	3400	32,31		
400	64,62	1600	44,28	3600	31,41		
500	61,56	1700	43,38	3800	30,51		
600	59,04	1800	42,48	4000	29,70		
700	56,79	1900	41,58	4500	27,72		

BR	ECO® T7/8	B" (M/V) Admissil	ole tensic	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
В	elt width		b [mm]	50,8	76,2	101,6
	E / Steel t	tension member	F _{Tadm} [N]	7000	10500	14000
M	Specific e	elasticity (E / Steel tension member)	C _{spec} [N]	1,75·10 ⁶	2,63·106	3,5⋅106
IV	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
	Specific elasticity (stainless steel tension member)			-	•	-
V	E / Steel t	E / Steel tension member		3500	5250	7000
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
		Standard	[kg/m]	0,530	0,795	1,059
D	alt waight	DL	[kg/m]	-	-	-
_ B	Belt weight DR		[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® T7/8" (M/V) Flexibility (minimum number of teeth / minimum diameter)														
			Steel te	ension	memb	oer	E tension member			Stainless steel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	150	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	-	-	-	-

Timing belt lock BRECO® AT10 DC / T10 DC Timing belt lock BRECO® AT10 DC / T10 DC



AT10 DC / T10 DC timing belt lock (pictorial schematic)

Timing belt lock for BRECO® timing belt

The BRECO® timing belt lock for the timing belt types AT10 DC and T10 DC is mainly used for low load drives but extensive assembly work. The lock offers substantial savings in work and costs where, for design purposes, the timing belt can only be joint to an endless belt after being inserted in the machine. It can also be used as an "Emergency belt" to bridge downtimes as a result of malfunctions and belt failures. When using the lock for timing belts with flighted profiles, take a minimum profile spacing of 100 mm into account.

Technical data

134

Material of lock elements	Carbon fiber reinforced polyamide				
Length of the lock (tooth center to tooth center)	90 mm				
Number of connecting elements	10				
Width of connecting plates	8 mm				
Thickness of the timing belt (version DC)	5,5 mm				
Minimum number of teeth of the pulley (use only normal gap)	25				

Timing belt lock AT10 DC / T10 DC									
Available belt width [mm] 32 50 75 100									
Admissible tensile force [N]	550	750	1000	1500					

Ordering information

The lock elements on the belt rear are countersunk so that the elements are flush with the belt top edge. For this reason, the timing belt usedmust be thicker than the standard BRECO® AT10 or T10 timing belt. Ensure that you specify the version as "DC" when ordering an "AT10" or "T10" belt.

Ordering examples

Ordering example for timing belts prepared for belt lock (belt-lock isn't assembled)
75 AT10 / 8400 DC oder 100 T10 / 6000 DC

Ordering example for timing belt lock 75 AT10 DC oder 100 T10 DC

Ordering example for timing belt with lock (belt lock is preassembled) 50 AT10 / 5400 DC assembled 50 AT10 DC assembled

Annotation:

Specify the two respective designations when ordering the timing belt and the lock. If only the timing belt designation is specified, only the timing belt will be supplied with the respective preparation for the lock.





Appendix

Appendix



pendix	Page
Belt guidance, tooth gap shapes	
Angular drives	
Safty factors	
Tolerances	
Pre-tension force	
Bases of calculation	
List of formulae	
Calculation example power transmission	
Calculation example transport technology	
Information about linear technology	
Construction and properties	
Construction features	
Coars design	
List of formulae, definitions	
Ordering information	
Calculation online	
Index	

Timing belt guidance by flanges

Timing belts must be guiding to eliminate the lateral wandering-off effect. This is normally done by flanges.

Minimum lateral forces and low frictional losses can be resulted by the optimum arrangement of the belt guidance.

For this purpose, the following possibilities are available:

- Timing belt guidance downstream of a large free span length (infeed length (a) should not remain under 5 times belt width)
- Guidance at the drive pulley (to prefer for two shaft drives with short axis distance)
- Guidance of the pulleys with low power transmission (to prefer for multi shaft drives)
- Guidance on the tension rollers
- Tension roller arrangement in the slack span side
- With arrangement on the flush belt side: consider minimum diameter with contraflexure
- With arrangement on the meshed belt side: Length of angle of wrap, min. 3 teeth
- With changing rotational direction preferable in the span length centre
- Condition: Minimum span length (a) between tension roller and pulley should not remain under 5 times belt width
- Ensure high axis parallelity and flush alignment of all pulleys to achieve optimum guiding features.
- For cost reasons it is possible to fit flanges also to the smaller pulley taking the functional reliability into consideration.



The utilisation of BRECO® and BRECOFLEX® timing belts with bifilar tension member arrangements is the ideal prerequisite for an optimal belt guide.


Tooth gap shapes

Timing belts are positive fitted drive elements. They work slippage-free with the respective synchronising pulleys. BRECO® and BRECOFLEX® timing belt drives can be optimised additionally for a movement transmission with a low flank

For some profiles and pitches, the SE or zero gap can be used for especially high requirements on the precision of the movement transmission.

Please contact us for technical advice.

- Prerequisites for the application: Pitch matching between timing belts and pulley.
- · Influencing factors of the pitch matching:
 - Pre-tension force
 - Meshing distance (z_e)
 - Load rate (rotational speed, dynamic behaviour...)
 - Manufacturing tolerances





BRECOFLEX® timing belts can be applied as angular drives. Take into consideration that the timing belt can only be crossed (twisted). Eliminate the wandering-off effect.



I,/b 20 ≥

Belt width span length





: Admissible tensile force

: For the drive remaining circumferencial force

: Tensile force due to

crossing

No power reductions or constructive special means are necessary at a ratio of IT / b ≥ 20.


With crossed timing belt applications the outer tension

members suffer a higher elongation as the inner ones. Due to the larger elongation in the edge zone the permitted

proportional circumferencial force for the belt in the tension

members is reduced.

At a required ratio of IT / b < 20 please contact our technical department for advise.



Safety factors

Safety factors

The width of a timing belt is correct when the permissible values for tooth shear strength, tension cord strength and flexibility are not exceeded under unfavourable operating conditions. In our catalog, load limits are stated which have been reliably proven and confirmed by bench tests and results obtained in practice. A safety factor is only required for drives with transmission into higher speed.

It is important, that the unfavourable load types occurring in the drive are known resp. correctly estimated by the engineer. With a positive fit transmission, even short-period overloads act via the timing belt being the drive member. Some instructions to this issue:

Rated operation

Design timing belts for the operating condition of the rated load. The rated load is the operating condition at which the drive should transmit the torque or the power at rated speeds under normal conditions.

Start-up characteristics

- a) Drive side: The max. torque of the drive machine under start-up conditions is to be taken into consideration. The start-up torque, e.g. for three-phase squirrel cage motors amounts to 2 to 2.5 times the rated value.
- b) On the drive side: If necessary, "initial torques" affective to the drive part timing belt are to be taken into consideration under start-up characteristics.


Check load case a) or b) with rotational speed n=0.

Brakes

It might have to be defined whether braking leads to loads which fully act via the timing belt and possibly exceed the type of load produced by the rated operation or the start-up characteristics. In the braking operation the torque reversal is to be taken into consideration.

Unevennesses (variations, impact shocks)

In addition to the rated load, superimposed vibration and impact shocks could act on the timing belt as the transmission member. For the illustrated example, increase the calculated belt width by the factor of 1.3.




Moments of inertia

Moments of inertia and/or centrifugal masses in the drives generally create a uniform running behaviour. Depending on the acceleration and deceleration characteristic it has to be differentiated and checked whether the moments of inertia create an additional load on the timing belt.

Step-up transmission

The following safety factors are to be applied for step-up transmissions:



In the braking operation may occur a torque reversal and the reduction can change into a step-up transmission.

Tolerances

Length tolerances for BRECOFLEX® timing belts Stated dimensions in mm, referred to the belt length				
Belt length [mm]	Length tolerance [mm]	Belt length [mm]	Length tolerance [mm]	
300	± 0,41	3550	± 1,91	
500	± 0,53	3750	± 2,03	
700	± 0,64	4000	± 2,11	
900	± 0,75	4250	± 2,24	
1100	± 0,85	4500	± 2,32	
1300	± 0,95	4750	± 2,40	
1500	± 1,04	5000	± 2,52	
1900	± 1,13	5300	± 2,64	
2120	± 1,22	5600	± 2,72	
2240	± 1,31	6000	± 2,92	
2360	± 1,36	6300	± 3,04	
2500	± 1,44	6700	± 3,19	
2650	± 1,49	7100	± 3,35	
2800	± 1,57	7500	± 3,51	
3000	± 1,61	8000	± 3,70	
3150	± 1,74	9000	± 4,09	
3350	± 1,82			


Length tolerances for BRECO® timing belts* *except for ATL timing belts	± 0,8 mm/m

Width tolerance for BRECO® and BRECOFLEX® timing belts M/V				
Belt type Pitch	Tolerance	Belt type Pitch	Tolerance	
T2,5	± 0,5	ATS15 / SFAT15 / BAT15 / BATK15	± 1,0	
T5 / TK5	± 0,5	AT20 / ATK20 / ATL20 / ATN20 / SFAT20	± 1,0	
T10 / TK10	± 0,5	ATP10	± 0,5	
T20	± 1,0	ATP15	± 1,0	
AT3	± 0,5	XL	± 0,5	
AT5 / ATK5 / ATL5	± 0,5	L	± 0,5	
AT10 / ATK10 / ATL10 / ATN10 / SFAT10 / BAT10 / BATK10	± 0,5	Н	± 0,5	
ATN12,7	± 0,5	XH	± 1,0	

Pre-tension force

Pre-tension is intended to guarantee a minimum tensioning force at the slack span side to ensure smooth tooth meshing into the driven pulley.

Generally, the pre-tension should only be set as high as necessary. The necessary pretension force of the spans F_v depends on the max. circumferencial force F_u , the belt length $L_{\scriptscriptstyle D}$ (number of teeth $z_{\scriptscriptstyle D}$) and the drive configuration.



The recommendations shown in the table refer to the pre-tension force setting per span.

Drive configuration		Pre-tension force of each individual span
Two-shaft drive	$Z_{B} < 60$ $60 \le Z_{B} < 150$ $Z_{B} > 150$	F _v = 1/3 F _u F _v = 1/2 F _u F _v = 2/3
Multiple-shaft drive	$I_{Load \text{ span}} \le I_{Slack \text{ span}}$ $I_{Load \text{ span}} > I_{Slack \text{ span}}$	$F_{v} = F_{u}$ $F_{v} > F_{u}$
Linear drive		$F_{v} \geq F_{u}$

In every case, the tension cord strength is the top limit of the span load. Take into consideration that especially with multiple-shaft and linear drives, an addition of the pretension force and the circumferencial force in relation to the load span force is to be expected.

Influence variables

Stiffness of the belt

Friction forces created by the interaction of the tooth mesh (especially at the slack span) intensify the span forces, which in turn increase the degree of elongation. This influence may lead to the slack span tooth mesh butting against the driven pulley, thereby causing the belt to jump.

Elongation being directly depending on the belt stiffness, the high stiffness of the steel cord tension members permits a comparably low pre-tension.

Circumferential force

The circumferential force acts in proportion to the elongation of the load span, i.e. excessive slackening of the slack span can be counteracted by a pre-tension matched to the circumferential force.

Belt length

Belt elongation resulting from the effect of the circumferential force and the friction forces is also approximately in proportion to the belt length. Therefore, the tendency of running up or jumping is considerably influenced by the belt length. Even under high circumferential forces with the resulting friction forces, a very short timing belt will elongate to only a small degree, so that even when subject to low pre-tension forces there will be no danger of running up or jumping of teeth. On the contrary, with short timing belts circumferential deviations of the pulleys could cause heavy pre-tension fluctuations and, as a result, extreme peak values.

Proportion of the span lengths

Especially with multiple-shaft drives the load span is often markedly longer than the slack span side. For this reason, a slight elongation of the load span results in a very unfavourable slack on the span side. Therefore, the pre-tension force of spans of such gearings should be higher than the circumferencial force.

Precise transmission of movement

There is a high transmission accuracy possible in the reverse operation with BRECO® and BRECOFLEX® timing belts, when the span pre-tension forces are selected in the same size of the circumferencial force.

Consequences of faulty pre-tension setting:

Too low pre-tension

- The teeth of the slack span side run up on or override the teeth of the driven pulley
- Wear on the faces caused by the friction force during meshing
- Forced breakage by excessive elongation due to full overriding

Excessive pre-tension

- High bearing load of the shafts
- Reduction of the transmissionable power
- · Wear and tear at the belt tooth

General information

Design

- In the transmission configuration, design at least one adjustable axis, plan one adjustable tension roller (not spring-loaded) for fix centre distances
- The bearing has to be absolutely rigid
- Note the importance of a parallel run and flush alignment of the synchronising pulleys

Transport/storing


- Upon receipt, unpack the timing belt immediately and store in circular position in a dry place at room temperature
- Do not bend

Measuring with frequency measuring meter

The intrinsic frequency of a vibrating belt span can be measured by means of various Mulco belt tension measuring meters. The pre-tension force of the span can be calculated from the measured intrinsic frequency:

$$F_{V} = 4 \cdot m \cdot I_{T}^{2} \cdot f^{2}$$

The corresponding intrinsic frequency can be calculated, if the pre-tension is preset:



- f: Frequency of the variations in hertz:
- m: Mass of the belt per meter length in kg/m
- I: Drum span length subject to vibration in m
- FV: Span force in N


Please contact our distribution partner for the various measuring meters. (e.g. BRECO® TSM alpha 1)

Mounting

- Fit timing belts on the pulleys when slack without exerting any force
- Exert no force when fitting with fix centre distances if necessary, fit together with synchronising pulleys
- Apply pre-tensioning force according to the chapter "Pre-tension"
- Secure adjustable axis against sliding
- Do not clamp the timing belt between the flanges

Operation

- Protect the drives against dust, dirt, hot surrounding media as well as acids and lyes
- Take into consideration the ambient temperatures (see characteristics of polyurethane timing belts)



Providing the following conditions of tooth strength (1st), tension member tensile strength (2nd) and flexibility (3rd) are met, then a maintenance-free timing belt operation can be expected.


1. Tooth shear strength Specific tooth shear strength

The specific tooth shear strength depends on the rotational speed. The maximum specific tooth shear strength is the limit load the belt tooth can bear in continuous operation. The values are stated in tables for each timing belt type. The timing belt drive is correctly designed, when not exceeding the admissible tooth shear strength. Generally, a special safety surplus is not necessary, see chapter "Safety factors".

The high specific tooth shear strength of the ATP profile, for example, is achieved by the optimised force and load distribution. The effective force is distributed to two tooth faces.

The working loads can be distributed the more effective the more belt teeth are meshing in the pulley. Maximum number of teeth in mesh (BRECOFLEX® timing belts): z_{emax}=12

Due to the high pitch accuracy of BRECOFLEX® timing belts generally, it can be calculated with 12 belt teeth in mesh, should the number of teeth in mesh be respectively high enough.



2. Tension cord tensile strenght

Admissible tensile load on belt cross section


The timing belt is designed correctly, when the maximum admissible tensile load in the steel cord tension members is not exceeded under operation conditions. The table values for F_{adm} refer to the constant loading.


144

Minimum number of teeth, minimum pulley diameter

The recommended minimum number of teeth and/or the minimum diameter for a malfunction-free operation depends on the selected belt type. Take especially into consideration that the minimum number of teeth and/or the minimum diameter is higher when using a belt arrangement "with contraflexure" (e.g. due to a tension roller).


The selection of the minimum number of teeth and/or minimum diameter of the pulleys as well as tension and return rollers is based on a large number of different parameters. In the applications of the belt is to taken into consideration the belt versions and the flexibility of the tension members.







Terms, definitions



Circumferential force specific tooth force admissible tensile load Pre-tension force Shaft force Torque Acceleration torque specific torque Power specific power Load bearing torque Load Density Speed Rotational speed Angular speed	F _U F _{Usp} F _{adm} F _V M M _{sp} P P _{spec} J m P
	n
Angular speed Frequency	ω f _e
. ,	е

F_{U}	[N]
Fuspec	[N/cm]
Fadm	[N]
F _v	[N]
F _w	[N]
M	[Nm]
M _B	[Nm]
M _{spec}	[Ncm/cm]
P	[kW]
P _{spec}	[W/cm]
J	[kgm²]
m	[kg]
ρ	[kg/dm³]
V	[m/s]
n	[min ⁻¹]
ω	[S ⁻¹]
f _e	[S ⁻¹]
C	

Centre distance	а	[mm]
Belt length	$L_{_{\rm B}}$	[mm]
Belt width	b	[mm]
Pulley width	В	[mm]
Bore, pulley	d	[mm]
Pitch circle diameter	d_{o}	[mm]
Crown diameter	$d_{\kappa}^{"}$	[mm]
Span length	L, ``	[mm]
Pitch	ť	[mm]
Number of belt teeth	Z_B	
Number of teeth with i = 1	Z	
Number of teeth in mesh	Z_{e}	
No. of teeth, small pulley	Z_1	
No. of teeth, large pulley	$\mathbf{Z}_{2}^{'}$	
Transmission	i	
Acceleration time	$t_{_{B}}$	[s]

$$F_{U} = \frac{2 \cdot 10^{3} \cdot M}{d_{0}}$$


$$= \frac{19.1 \cdot 10^{6} \cdot P}{n \cdot d_{0}}$$

$$= \frac{10^{3} \cdot P}{v}$$

$$M = \frac{G_0 \cdot V_0}{2 \cdot 10^3}$$

$$= \frac{9.55 \cdot 10^3 \cdot P}{n}$$

$$= \frac{G_0 \cdot P}{2 \cdot V}$$



Power

Peripheral speed

 $\frac{d_0 \cdot n}{19,1 \cdot 10^3}$

$$L_{B} = 2a + \pi \cdot d_{0}$$

$$= 2a + z \cdot t$$
Belt length for i = 1

А	_	$z\cdot t$
\mathbf{u}_{0}	=	π

Pitch circle diameter

$$\omega = \frac{\pi \cdot \Pi}{30}$$

Circumferential force

Angular speed

$$M_{B} = \frac{J \cdot \Delta n}{9.55 \cdot t_{p}}$$

Acceleration torque

$$n = \frac{19.1 \cdot 10^3 \cdot v}{d_0}$$

Rotational speed

$$J = 98.2 \cdot 10^{-15} \cdot B \cdot \rho \cdot (d_k^4 - d^4)$$

Load bearing torque

Apply all equations with the dimensions mentioned here.

Calculation example power transmission

Calculation power transmission

Task: A roll table drive must be designed for heavy conveying duties. Under start-up conditions the 2.5 times the running torque is exerted on the timing belt.

The application conditions are:

P = 10 kWGiven: Power

> $n = 800 \text{ min}^{-1}$ Nominal speed Start-up torque M = 300 Nm

Transmission, number of teeth i = 1, $z = z_1 = z_2 = 25$

Centre distance a = 625 mm

Required: The timing belt pitch is to be determined and the belt width is to be designed.

Formulae:

$$b = \frac{100 \cdot M}{z_1 \cdot z_e \cdot M_{spec}} \quad M[Nm]$$

$$b = \frac{1000 \cdot P}{z_1 \cdot z_e \cdot P_{spec}} \qquad P[kW]$$

$$F_{U} = \frac{2 \cdot 10^{3} \cdot M}{d_{0}} \quad F_{U}[N]$$

$$d_0 = \frac{z \cdot t}{\pi}$$
 [mm]

$$L = 2 \cdot a + z \cdot t \quad [mm]$$

How to proceed

Belt length: Profile preselection: AT10. Calculation of the belt length with formula:

$$L = 2 \cdot a + z \cdot t = 2 \cdot 625 + 25 \cdot 10 = 1500 \text{ mm}$$

Calculation of the 1. Tooth shear strength

belt width: In the calculation it will be used $z_0 = 12$ (see basis of calculation). Calculation of the belt width with the nominal speed of the power equations.

$$b = \frac{1000 \cdot P}{z_1 \cdot z_e \cdot P_{spec}}$$

$$= \frac{1000 \cdot 10}{25 \cdot 12 \cdot 6,96}$$

$$= 4,79 \text{ cm} = 47.9 \text{ mm}$$

Calculation of the belt width under start-up torque when rotational speed n = 0.

$$b = \frac{100 \cdot M}{z_1 \cdot z_e \cdot M_{spec}}$$

$$= \frac{100 \cdot 300}{25 \cdot 12 \cdot 11,70}$$

$$= 8,54 \text{ cm} = 85,4 \text{ mm}$$

The belt width is to be determined from the least favourable load conditions. Selected: the next larger standard belt width b = 100 mm.

2. Tension cord strength

The corresponding circumferencial force can be calculated from the general data supplied:

$$F_{U} = \frac{2 \cdot 10^{3} \cdot M}{d_{0}}$$

$$= \frac{2 \cdot 10^{3} \cdot M}{79,58}$$

$$= \frac{7539 \text{ N} < 16000 \text{ N}}{}$$

The tabular value F_{adm} for AT 10 with 100 mm belt width is 16000 N. Thus, there is a sufficient tension member safety factor.

3. Flexibility


The design is a drive "without contraflexure". The minimum number of teeth according to the table is adhered to.

Result: The drive is correctly designed with a belt width of 100 mm. A maintenance-free operation can be expected.

Ordering code: BRECOFLEX® timing belt 100 AT 10 / 1500

BRECO® and BRECOFLEX® timing belts used for transportation

Transport timing belts are to be designed preferably as head drive. The goods to be transported can consist of one or more individual loads. A lot of individual loads can be seen as line load.



Calculation of the circumferencial force F₁₁

From the overall transport load, the required haul-off force or the circumferential force F_u for the drive pulley assemblies can be derived:

$$F_U = 9.81 \cdot m \cdot \mu$$

Circumferential force in the drive pulley station F_{U} [N] Mass of the items to be transported m [kg] Friction factor of the timing belt in relation to the bed plate μ

As friction factor μ (slide friction), the following values can be assumed:

 Steel/PUR 92 Shore A
 0,6 - 0,7

 Steel/PAZ
 0,2 - 0,4

 PE/PUR
 0,3 - 0,4

In general, friction factors show large ranges. Trials should be carried out, if necessary. Information without obligation.

Information on the force/ elongation behaviour

The grid surface in the picture shows the force/elongation behaviour in the timing belt under operating conditions. The individual spacing between the transported products increase towards to the drive pulley assembly.

Space
$$s_1 < s_2$$

Pre-tension force

We recommend to set the pre-tension force in the transport timing belt such that a residual pre-tension force is always maintained on the slack span side under operating conditions. The following pre-tension force is required:

$$F_{V} > 0.5 \cdot F_{U}$$

Calculation of the belt width b

$$b = \frac{F_U}{z_e \cdot F_{Uspez}} \qquad F_U[N]$$

F_{II}: Circumferencial force (calculated)

F_{Lister}: Specific load of the belt teeth

z_s: Number of teeth in mesh


 z_{emax} : Maximum number of teeth in mesh for endless joined BRECO timing belts (V): $z_{emax} = 6$


Surrounding structure


Low friction and low dead weight is to be aspired for all assembly modules assuming part of the movement. The surrounding structure is to design dimensionally stable. Generally, BRECO® AT and ATL timing belts as open length are to be clamped on the moving linear technology using clamp plates.

Information about linear technology

BRECO® AT and ATL timing belts permit a rotational to linear translation of movement with continous accuracy. Due to the high pitch accuracy between belt and pulley meshing the load distribution is distributed equally to the tooth faces in mesh on the drive assembly pulley and that produces a high performance and accuracy. The choice of materials for the belt and pulley is especially suitable for bi-directional drives. The distance of travel per pulley revolution is defined with the selection of the pitch and the number of teeth of the drive assembly pulley. For the linear drives are three design versions available. (Please note chapter "Belt guidance")







151

A dimensionally stable surrounding structure is to consider.

Construction and properties

The most common output movement of electro-mechanical drives is the rotational movement. For the technical designer is the timing belt an ideal link in the kinematics. The timing belt transmits reliable, fast and directly rotational movements into linear motions. Travel speeds up to 10 m/s and any centre distances are possible. Within linear motions low position deviations are often required, e.g. in the handling technology (high precision of repeatability). We recommend our product range of BRECO® timing belts with the profiles AT and ATL. These polyurethane timing belts are designed and optimised for linear drives. They stand out for dimensionally stable teeth and stiffness of the belt spans.

Under extreme load and after a short run-in time, the pre-tension of the belts might slightly reduce by the tension members settling, making a once-only re-tensioning of the timing belt unavoidable. No post-elongation of the tension members is to be expected in continuous operation.

The timing belts are temperature resistant with ambient temperatures from -30°C to +80°C. Applications close to the limit temperatures (<-10°C and >50°C), however, might require adapted dimensioning. In this case please contact your distribution partner.

This catalog has been compiled to especially meet designers requirements. In this catalog you will find both the delivery range and all technical data required for the dimensioning linear drives.

Take into consideration corrections to the admissible load values, in case of deviations from the standard.

Construction

BRECO® timing belts are constructed of wear resistant polyurethane and high tensile steel cord tension members. Both materials combined form the basis for dimensionally stable and reliable BRECO® timing belts. An additional nylon tooth facing results in a low-friction timing belt with high performance.

The BRECO® timing belts is manufactured without length limitation. The steel cord tension members are arranged with parallel edges. The preferred delivery form is in rolls of 50 m or 100 m.


150

Properties

- · Positive fit, synchronous run
- · High loadability, length stable
- High degree of efficiency, max. 98 %
- Wear resistant in continous operation
- Precision of repeatability of positioning in the linear system
- Pitch accuracy in the rotational to linear translation of movement
- Low mass, suitable for stepper drives
- Hydrolysis resistant, resistant against ozone and sun light
- Temperature resistant from -30° to + 80°C, temporarily higher
- Resistant to petrol, simple fats and oils

Coarse design

Determination of belt type and belt width



Example for the coarse design:

Mass of linear slide $m_L = 50 \text{ kg}$ Max. acceleration (w/o delay) $a = 20 \text{ m/s}^2$


In the graph intersection point can be read:


BRECO® timing belt: AT 10 / ATL 10, 50 mm wide Alternatively: AT 20 / ATL 20, 32 mm wide


Recommendation:

The corresponding pulley of the drive pulley assembly should have 20 teeth (ATL =25) or more. With a pulley with less than 20 teeth (AT), select the next larger belt width.

List of formulae, terms, definitions







Circumfore mainly force	_	[NI]	Ton montial force	_	[NI]
Circumferencial force	F	[N]	Tangential force	F _t	[N]
Torque	M	[Nm]	Specific tooth force	Ftspec	[N]
Power	Р	[W]	Admissible tensile load	F	[N]
Mass to be moved	m	[kg]	Pre-tension force	F_{TV}	[N]
Mass of linear slide	m,	[kg]	max. span force	F _{Tmax}	[N]
Mass of timing belt	m _B	[kg]	Centre load	F	[N]
Mass of pulley	m,	[kg]	Shaft force	F _w	[N]
Mass of tension roller	m,	[kg]	Frictional force	F _R	[N]
reduced mass	m_{red}	[kg]	Lifting force	F _H	[N]
specific weight	ρ	[kg/dm³]	Belt length	L _B	[mm]
Acceleration	a	[m/s ²]	Span length	L_1, L_2	[mm]
Acceleration due to			Number of belt teeth	Z _B	
gravity	g	[m/s ²]	Number of pulley teeth	Z	
Speed	V	[m/s]	Number of meshing teeth	$Z_{\rm e}$	
Rotational speed	n	[min ⁻¹]	Pitch circle diameter	ď	[mm]
Angular speed	ω	[S ⁻¹]	Crown diameter	d _K	[mm]
Centre distance	S_A	[mm]	Tension roller diameter	ď	[mm]
Useful linear distance	Sı	[mm]	Bore	ď	[mm]
total distance of travel	S _{tot}	[mm]	Belt width	b	[mm]
	tot	[·····]			[]

Pre-tension distance Specific elasticity	ΔI C _{spec}	[mm] [N]
Elasticity	С	[N/mm
Positioning deviation	Δs	[mm]
Positioning range	P_{s}	[mm]
Acceleration distance	SB	[mm]
Braking distance	S´ _B	[mm]
Inherent frequency	$f_{\rm e}$	[S ⁻¹]
Excitation frequency	\mathbf{f}_{0}^{-}	[S ⁻¹]
Travel time with	Ü	
v = const.	t_v	[s]
Overall time	t_{tot}	[s]
Overall distance	S _{tot}	

Apply all equations with the dimensions mentioned here.

Information about linear technology

List of formulae, terms, definitions

Calculation

Belt width (formula 1)


Torque

 $= \frac{F_T}{F_{tspez} \cdot Z_e} \qquad M = \frac{d_0 \cdot F_t}{2 \cdot 10^3}$

Power

Circumferencial force (formula 2)

$$F_t = \frac{2 \cdot 10^3 \cdot M}{d_0}$$



Calculation value

Belt width

 $\begin{array}{cccc} \text{Tangential force} & \textbf{F}_{t} & [\textbf{N}] \\ \text{Torque} & \textbf{M} & [\textbf{Nm}] \\ \text{Power} & \textbf{P} & [\textbf{kW}] \\ \text{Diameter} & \textbf{d}_{o} & [\textbf{mm}] \\ \end{array}$

b

[cm]

M⋅n

9,55 · 10³

Maximum number of teeth in mesh for BRECO® timing belts (M): z_{emax}=12

Angular speed

$$\omega = \frac{\pi \cdot n}{30}$$

Linear and rotary motion

Rotational speed

$$n = \frac{19,1 \cdot 10^3 \cdot v}{d_0}$$

Travel time when v = const.

$$t_v = \frac{s_v}{v \cdot 10^3}$$

Travel distance when

v = const.

Overall time

$$t_{tot} = t_B + t_v + t_B$$

 $s_v = v \cdot t_v \cdot 10^3$

Overall distance

$$S_{tot} = S_B + S_V + S_B$$

(formula 3)

Speed / peripheral speed

$$V = \frac{d_0 \cdot n}{19,1 \cdot 10^3} = \sqrt{\frac{2 \cdot s_B \cdot a}{1000}}$$

Acceleration time (braking time)

$$t_{B} = \frac{V}{a}$$
 = $\sqrt{\frac{2 \cdot s_{B}}{a \cdot 1000}}$

Acceleration distance (braking time)

$$s_B = \frac{B}{2} = \frac{1}{2 \cdot a}$$

 F_t = Acceleration force (1st) + Lifting force (2nd) + Frictional force (3rd) = $m \cdot a$ + $m \cdot g$ + $m \cdot \mu \cdot g$ Required tangential force at the pulley F, [N]

- (1.) The acceleration force F_B is necessary to accelerate the linear drive with with mass m e.g. from the stand still to the limit speed v.
- (2.) The lifting force F_H is necessary with a movement direction opposite to the acceleration due to gravity. With horizontal linear movement is $F_H = 0$.
- (3.) A friction force is required when opposite to the moving direction a force is taking effect, e.g. friction force. Can the frictional drags be neglected is $F_p = 0$.

(formula 4)

List of formulae, terms, definitions

Mass of the pulley m, [kg]

Reduced mass of the pulley

Reduced Mass of the tension

Pre-tension force F_{TV} [N]

Maximum span force in the

Admissible span force

Centre force [N]

belt F_{Tmax} [N]

 $F_{Tadm}[N]$

m_{zred} [kg]

Berechnung

Calculation value

Mass to be moved m [kg]

n, [kg] Mass of the linear slide to be moved

m_B [kg] Mass of the timing belt (belt weight, see technical data)

m_{7red} [kg] Reduced mass of the pulley(s)

m_{Sred} [kg] Reduced mass of the tension roller(s)

 $m = m_L + m_B + m_{Zred} + m_{Sred}$ (formula 5)

The mass of a pulley and/or tension roller is calculated in relation to:

$$\frac{(d_{\kappa}^2 - d^2) \cdot \pi \cdot B \cdot \rho}{4 \cdot 10^6} \qquad m_{\varsigma} = \frac{(d_{\varsigma}^2 - d^2) \cdot \pi \cdot B \cdot \rho}{4 \cdot 10^6} \qquad \text{Mass of the tension roller}$$

$$m_{\varsigma} [kg]$$

The reduced mass m_{Zred} of a pulley and/or tension roller is an equivalent mass with equal load bearing to the effective line of the timing belt, the same as the rotational solid to the rotational axis.

$$m_{Sred} = \frac{m_S}{2} + \left[\frac{d^2}{d_S^2}\right]$$
 roller m_{Sred} [kg] (formula 6)

A linear drive is pre-tensioned correctly, when under maximum effective tangential force F_{tmax} (from acceleration and braking) the slack span side of the belt stays tight. A minimum pre-tension force is to be considered:

$$F_{TV} \ge F_{t}$$
 (formula 7)

The highest span forces F_{Tmax} are to be expected within the tight span side, when both pre-tension force F_{Tv} (static) and tangential force F_{t} (dynamic) acting together.

$$F_{\text{Tmax}} = F_{\text{TV}} + F_{\text{t}}$$
 (formula 8)

The admissible tensile load F_{Tadm} has to show always safety factors to the max. occurring span force F_{Tmax} in the timing belt. (F_{Tadm} see Technical Data)

$$F_{\text{Tadm}} \ge F_{\text{Tmax}}$$
 (formula 9)

The static centre/axis load F_{Asta} act within the stand still or under no-load conditions. F_{Advn} is a value depending on the effective circumferencial force.

$$F_{Astat} = 2 \cdot F_{TV}$$
 (formula 10)

Information about linear technology

List of formulae, terms, definitions

List of formulae, terms, definitions

$\Delta I = \frac{F_{TV} \cdot L_B}{2 \cdot c_{spec}}$ Linear slide

$$\Delta I = \frac{F_{TV} \cdot L_B}{c_{spec}}$$
 Linear trolley

$$\Delta I = \frac{F_{TV} \cdot L_B}{c_{spec}}$$
 Linear table

The tensioning station can be mounted at any position on the timing belt. Values for con-Elasticity c [N/mm] see technical data.

$$C = \frac{L_B}{L_1 \cdot L_2} \cdot C_{\text{spec}}$$

$$L_B = L_1 + L_2$$

(formula 11)

Linear systems show a variable elasticity. The elasticity behaviour of the linear slide and/or linear bed depends on the length proportion L₁ and L₂.

That means: Each individual position of the linear bed has its own elasticity.

The elasticity shows a minimum c_{min} , when L_1 and L_2 are equal in length.

For this case the following relation is valid:

$$c_{min} = \frac{4 \cdot c_{spec}}{L_B}$$
 bei $L_1 = L_2$

(formula 12)

Is an external force acting on a linear slide a positioning deviation s results Δs from the relation:

$$\Delta s = \frac{F}{c}$$

Positioning deviation $\Delta s [mm]$

Inherent frequency

 $f_{o}[s^{-1}]$

Calculation value

 $\Delta I [mm]$

Pre-tension distance

(formula 13)

(formula 14)

Under the effect of a triggered force, a mass connected to the timing belt (elasticity/mass system) assumes a damped natural vibration.

$$f_{\rm e} = \frac{1}{2\pi} \sqrt{\frac{c \cdot 1000}{m_{\rm L}}}$$

If necessary, check linear drives with regard to the occurrence of excitation frequencies f_0 in the drive pulley assembly which are close to the natural frequency f_o.

For technical structures, avoid compatibility of $f_0 = f_0$ (resonance).

Note: In linear drives, the natural frequency f_o is in general considerably higher than the excitation frequency f_o of the drive, in which case no resonance is to be expected.

We recommend a special examination, if necessary, where stepping motors are used. Measures in the event of resonance: Increase the stiffness of the timing belt by choosing

a larger belt width.

 $f_0[s^{-1}]$

Excitation frequency

156 157

Information about linear technology

List of formulae, terms, definitions

How to proceed

The above mentioned equations can be used to comprehensively compute BRECO® linear drives. The type of the individual examinations depends on the task. If necessary, request technical support from our sales outlets.

General kinematics

If the movement sequence of the linear drive has to be timed, we recommend to proceed in accordance with the linear movement values of the equations (3).

Coarse design according to mass and acceleration

Generally, the mass of the linear slide m, and the acceleration a represent the decisive values for the design of linear drives. On page 152 the belt type and timing belt width can be determined, based on mass and acceleration after the selection diagram.

In conjunction with the coarse design, we recommend to adopt the pulley dimensions (as a provisional measure). Note the permissible minimum number of teeth or minimum diameters.

The drive station

The required tangential force F, in the drive pulley assembly has to be determined according to equation (4). By provisionally assuming the pulley size, it is possible to calculate the attendant drive torque M according to equation (2) for the drive pulley assembly. In how far the calculated torque M can be harmonised with the torque sequence of the motor, depends on the type and selection of the drive motor. The selection of the motor also depends on the desired servo and positioning tasks. Once the drive motor has been decided upon, the actual torque sequence of the motor has to be taken into consideration for the further precise design of the timing belt.

Information about linear technology

List of formulae, definitions

Belt width calculation Precise design to tooth shear strength

For the calculation of the belt width the actual torque characteristic of the drive motor - from drive or brake - is to be used. At first the maximum motor torque according to formula (2) is to be converted to the respective circumferencial force $F_{\rm u}$. From the calculated tangential force the minimum width of the timing belt, according to formula (1) can be calculated.

$$b = \frac{F_t}{F_{tspec} \cdot Z_e}$$
 [cm]

The result of the calculated belt width (b in cm) is the required belt width for transmit the tangential force F_t via the meshing teeth from the pulley to the belt (or reverse). The calculated belt width is to be rounded-up to the next larger standard belt width.

Check of tensile load

Check the tensile loads for the calculated belt width, which become effective due to the pre-tension force F_{TV} according to formula (7) and the overlapping tangential force F_{t} according to formula (8). The max. permitted tensile loads according to formula (9) must not be exceeded. If necessary, select the next larger belt width.

Safety factors

Special additional safety factors are not necessary for the BRECO $^{\circ}$ timing belt. When, however, in addition to the maximum tangential force F_{tmax} are to be expected unevennesses, variations or impact shocks, which are not yet cosidered in the design, any additional safety factors can be added to the belt width.

Accuracy

in the rotational to linear translation of movement

The BRECO® timing belt transmits rotational movements into the corresponding linear motions via the pulley of the drive station. The procedure can be repeated as often as required and is a continous operation with BRECO® timing belts. Deviation from the linear line can occur due to different forces and tolerances. The following is a description of causes and measures to be taken.

1. Precision of repeatability

The term repeatability of a linear drive implies the capability of regaining a position once accessed under the same conditions. In linear systems, repeatabilities of notably less than +/- 0.1 mm per metre of path travelled can be achieved with BRECO® AT timing belts. Prerequisite for a consistent repeatability is the retaining of the minimum pre-tension force according to the equation (7).

2. Positioning precision

The term positioning precision of a linear drive is the capability to convert the turning angle of the pulley into the attendant setpoint linear path via the timing belt. The achievable actual linear path depends on the active forces and of the tolerances of all assembly groups involved in the sequence of movement. Measures: Individual measures according to the following points 3 - 8 are to be applied, depending on the dominating values.

3. Stiffness / forceextension behaviour

If varying forces act on the linear unit, a correspondingly different elongation becomes effective. The corresponding "specific elasticities" are indicated in the Technical Data for steel cord tension members.

Measures: Plan a wider timing belt to keep the elongation small. The positioning deviation resulting from the elongation behaviour can be calculated with the equations (12) and (13). A dimensionally stable surrounding structure is to consider.

List of formulae, definitions

4. Inverse fault

When a linear position is moved to from a different direction, an inverse fault could occur in relation to the desired position. In other words: If the forces acting on the linear unit inverse, an inverse fault could occur.

Measures: Design linear guides and the entire system such that low friction occurs. Design the pulley of the drive pulley assembly with a narrower tooth gap or with a "0" tooth gap. Normal requirements with regard to the positioning precision are reached with the standard tooth gap. For the use of special tooth gaps, please ask for our technical support.

5. Length tolerance Pitch deviation

A length tolerance in the timing belt leads to a pitch deviation. In this case, all pitches remain identical in relation to each other. Once installed, amongst others, a length tolerance/pitch deviation depends on the pre-tension applied. The length tolerance/pitch deviation is available in pre-defined ranges, due to the production method.

Measures: Use BRECO® timing belts in the minus tolerance range, and pre-tension to the setpoint dimension once installed. Ask for our specialist support.

6. Pitch faults

The term pitch faults defines irregularities of neighbouring pitches. Pitch faults have no cumulative effect within one belt section.

Measures: Design the pulley of the drive pulley assembly as large as possible. The larger the number of teeth meshing in the pulley, the more efficient pitch errors are suppressed.

7. Eccentricity fault Centre offset

The eccentricity fault and/or centre offset of at least one pulley or tension roller involved can lead to an irregular movement in the linear system. This type of fault should be assumed when sinusoidal movements occur in the linear movement sequence.

Measures: Check the concentric precision and the centre offset. Reduce the tolerance range, if necessary.

8. Ambient temperature Elongation under heat

The linear elongation under heat of the BRECO® timing belt with steel cord tension members shows the same values as the linear elongation under heat of a surrounding steel structure. No change of the pre-tension force is then to be expected. In the case of a surrounding aluminium structure and a rise of the ambient temperature, a slight increase of the pre-tension can be expected. The attendant linear path changes with the linear elongation behaviour under heat of the surrounding structure.

Measures: The influence of elongation under heat in the belt and also in the surrounding structure are minor. Temperature influences only need to be taken into account in exceptional cases.

User information

Part of the offered formulae contain simplified assumptions.

E.g. calculation of the positioning deviation according to equations (12) and (13): The elongation behaviour of the tension member is also taken into account in the area of the pulley angle of wrap. However, the elasticity of the belt tooth has been neglected.

E.g. the vibration behaviour according to equation (14):

Only the vibrating mass m of the linear slide m_L is taken into account. The vibrating mass of the timing belt, the pulleys as well as the retroaction of the elasticity to the surrounding structure have not been taken into consideration.

For this reason, we point out that corresponding deviations have to be expected, depending on the drive geometry selected.

Information

Available worldwide around the clock.

Ordering a standard size by way of a code guarantees the delivery of a product meeting the ensured properties.

All information contained in our product range refers to the standard types.

Please contact your competent distribution partner for further information regarding technical data, tolerances, calculations and special purpose belts.

Ordering examples **BRECOFLEX®** timing belt BRECOFLEX® timing belt 50 BAT10 / 2000 110 XL 037 PAZ Width in mm — Length code -Type / Pitch — Type / Pitch — Length in mm ----Width code -Nylon facing on the tooth side BRECOFLEX® timing belt BRECO® timing belt 50 AT10 / 8000 V - PAZ 50 AT10 / 50000 - M Belt width in mm — Width in mm — Type / Pitch — Type / Pitch — Length in mm Length in mm -Open length -Endless joined (V) —— Nylon facing on the tooth side


Quality products, first-class advice and individual service are part of the standard package for all members of Mulco Europe EWIV. This standard is constantly being upgraded and adapted to the needs of the customers.

The "belt pilot" is an online tool which allows design engineers all over the world to work round the clock on design solutions for timing belt drives. They can carry out geometric calculations to configure the belt drive, decide on the number of teeth, plan the belt width or calculate the pulley diameter, save the configured drive or open calculations already saved, or use the performance calculation to check the possibility of using the selected timing belt with the load data - the "belt pilot" has the versatility and wide range of calculation options to help them find the right solution quickly.

The CAD download facility enables users to transfer timing belts and components to their own CAD system as CAD drawings. 2D or 3D CAD drawings in a wide and diverse range of file formats are user-definable and can be copied directly into CAD programs.

To find the "belt pilot" visit www.mulco.de





Ambient temperatures. Angular drives AT10	
Angular drives AT10	
ATTO	7, 152, 160, 1
AT10 DC. AT20. 10, 19, 28, 29, AT3. 11, 13, 18, 20 AT5. 10, 11, 13, 18, 22 ATK. ATK10K6 10, 18, ATN ATN with V-groove ATP10. 13, 18 ATP 15 ATP high capacity profile ATS15. 18, 26 AT high capacity profile B Bases of calculation BAT BAT10 14, 18, 34, 35, BAT15 18, 36, 37 BATK BATK10 14, 18, 34, 35, BATK10 14, 18, 34, 35, BATK15 18, 36, 37 BATK10 14, 18, 34, 35, BATK10 15ifilar winding Bifilar winding Bifilar winding Bifilar winding Bifilar winding Bifilar winding Brakes BRECO® AT10 AT10-T AT20 AT20-T AT3 AT5 AT5 ATK10K13.	21, 74, 75, 1 21, 74, 75, 1 23, 76, 77, 1
AT20. 10, 19, 28, 29, AT3. 11, 13, 18, 20 AT5. 10, 11, 13, 18, 20 ATK. 10, 11, 13, 18, 22 ATK ATK 10K6 10, 18, ATN ATN with V-groove ATP10. 13, 18 ATP 15. ATP high capacity profile ATS15. 18, 26 AT high capacity profile AT high capacity profile ATS15. 18, 26 AT high capacity profile 18, AT high capacity profile 19, AT high capacity p	32, 83, 141, 1 21, 74, 75, 1 23, 76, 77, 1
AT3.	21, 74, 75, 1 23, 76, 77, 1 50, 51, 104, 1 30, 31, 32, 1 18, 32, 33, 1
AT5. 10, 11, 13, 18, 22 ATK	23, 76, 77, 1 50, 51, 104, 1 30, 31, 32, 1 18, 32, 33, 1 27, 80, 81, 1
ATK ATK10K6	30, 31, 32, 1 18, 32, 33, 1
ATK10K6	30, 31, 32, 1 18, 32, 33, 1 27, 80, 81, 1
ATK10K6	30, 31, 32, 1 18, 32, 33, 1 27, 80, 81, 1
ATN ATN with V-groove. ATP10	30, 31, 32, 1 18, 32, 33, 1
ATN with V-groove ATP10	30, 31, 32, 1 18, 32, 33, 1
ATP10	30, 31, 32, 1 18, 32, 33, 1 27, 80, 81, 1
ATP 15 ATP high capacity profile ATS15	18, 32, 33, 1 27, 80, 81, 1
ATP high capacity profile ATS15	
ATS15. 18, 26 AT high capacity profile. 18, 26 Bases of calculation BAT	27, 80, 81, 1
Bases of calculation BAT BAT10 BAT15 BAT15 BATK16 BATK10 BATK10 BATK10 BATK10 BATK10 BATK10 BATK15 BATK15 BATK15 BATK15 BATK15 BATK15 BATK10 BIFIIar winding BIFIIar winding BIFIIAR BRECO® AT10 AT10-T AT20 AT20-T AT3 AT5 AT5 ATK10K13	
Bases of calculation BAT BAT10	
Bases of calculation BAT BAT10	
BAT	
BAT	1
BAT10	
BAT15	
BATK	
BATK10 14, 18, 38 BATK15 18, 40 Belt-pilot Sifilar winding Sifilar winding Stakes SECO® AT10 AT20 AT20 AT20-T AT3 AT5 ATK10K13	
BATK15	
Belt-pilot Bifilar winding Bifilar winding Brakes BRECO® AT10 AT10-T AT20 AT20-T AT3 AT5 ATK10K13.	
Bifilar winding Bifilar winding Brakes BRECO® AT10 AT10-T AT20 AT20-T AT3 AT5 ATK10K13.	
Bifilar winding Brakes BRECO® AT10 AT10-T AT20 AT20-T AT3 AT5 ATK10K13.	1
Brakes	1
BRECO® AT10. AT10-T AT20. AT20-T AT3 AT5 ATK10K13.	
AT10 AT10-T AT20 AT20-T AT3 AT5 ATK10K13.	
AT10-T AT20 AT20-T AT3 AT5 ATK10K13	
AT20 . AT20-T AT3 . AT5 . ATK10K13.	
AT20-T	
AT3	
AT5	
ATK10K13	
ATK10K13	
AIRTOR13-1	
ATK 10K/	
ATK10K6	
ATK20K13	
ATK5K6	
ATL10	
ATL20	
ATL5	
ATS15	
BAT10	
BAT15	
BATK10	
BATK15	
SFAT10	
SFAT20	
T1/2"	
T1/2"-T	
T1/5"	
T10	
T10-DL	
T10-DR	
T10-T	

12,5		18
T20		24
T20-DL		24
T20-T		24
T3/8"		28
T5		20
T5-DL		20
T5-DR		20
T5-T		20
T7/8"		32
TK1/2"K13.		16
TK10K13		14
		14
		12
IK5K6		10
BRECO® BRECO	OFLEX® timing belts	
	n	4
		0
		-6
		73
BRECO® timing	pelt	73
DDE005151/8		
BRECOFLEX®		
AT10		24
AT10-DL		24
AT10-DR		24
		24
AT20		28
720		
		28
AT20-DR		28
AT20-T		28
AT3		20
AT5		22
		22
		22
ATK10K6		50
ATK10K6-DL	L	50
ATK10K6-DF	R	50
ATK5K6		48
ATP10		30
		30
		32
ATP15-DL		32
ATS15		26
ATS15-DI		26
DAT1E		
BATK10		40
BATK10		
BATK10 BATK15		68
BATK10 BATK15 H		
BATK10 BATK15 H H-DL		68
BATK10 BATK15 H H-DL H-DR		68 68
BATK10 BATK15 H H-DL H-DR H-T		68 68 68
BATK10 BATK15 H H-DL H-DR H-T		68 68 68 66
BATK10 BATK15 H H-DL H-DR H-T		68 68 68 66
BATK10 BATK15 H H-DL H-DR H-T SFAT10		68 68 68 66
BATK10 BATK15 H H-DL H-DR H-T L SFAT10		68 68 66 42 44
BATK10 BATK15 H H-DL H-DR H-T SFAT10 SFAT15		68 68 66 42 44 46
BATK10 BATK15 H H-DL H-DR H-T SFAT10 SFAT15 SFAT20		68 68 66 42 44 46 60
BATK10 BATK15 H H-DL H-DR H-T SFAT10 SFAT15 SFAT20 T10		68 68 66 42 44 46 60
BATK10 BATK15 H H-DL H-DR H-T SFAT10 SFAT15 SFAT20 T10		68 68 66 42 44 46 60
BATK10 BATK15 H H-DL H-DR H-T SFAT10 SFAT15 SFAT20 T10 T10-DL		68 68 66 42 44 46 60 60
BATK10 BATK15 H H-DL H-DR L SFAT10 SFAT15 SFAT20 T10 T10-DL T10-DR		68 68 66 42 44 46 60 60 60


T20-T T5 T5 T5-DL T5-DR TK10K13 TK10K6 TK5K6 XH XL BRECOFLEX® manufacturing BRECOFLEX® timing belt BRECO Antriebstechnik Brehe	62 62 54 53 62 53 62 54 55 62 56 56 56 57 62 70 64 64 65 67 67 67 68 68 69 70 70 70 70 70 70 70 70 70 70 70 70 70	
С		
CAD-Download Calculation example Power transmission Transport technology Centrifugal masses Circumferential force Curved teeth	161 146 148 140 142 7, 14, 15	
Curved teeth timing belt		
D		
E		
E tension member		
Force distribution		
Н		
Imperial profile	9	
L		
Linear slide	9, 19, 66, 67, 141, 146, 147, 169 151, 153 151, 153 151, 153	
Linear technology		
List of formulae, definition Coarse design	es. 150 ns 155 152 159	

Safety factors158Stiffness158Pitch faults159Ambient temperature159Precision of repeatability158	
Low aggressive environment12Electrically discharge properties12High ambient temperature12By contact with food12Standard application area12Low ambient temperature12	
BRECO timing belts (M). 12 Endless joint BRECO timing belts (V) 12 BRECOFLEX timing belts 12 Minimum diameter 144 Minimum number of teeth 144	
Operation	
Pre-tension	
Rated operations	
SFAT15 18, 44, 45, 47, 141 SFAT20 19, 46, 47, 100, 101, 141 Safety factors 140 Self-tracking belts 9 Standard version 10, 11 StandardPlus 17 Standard profile 9 Start-up-characteristics 12 Step-up transmission 12	
	Pitch faults

Register

Register

Т	Γ 10
	T10 DC
	Γ 20
_	F5 10, 11, 13, 19, 58, 59, 120, 121, 141
Т	Table of contents
	Tension cord strength
	Terms, definitions
	Fiming belt lock AT10 DC / T10 DC
T	Fiming belt versions
T	Fiming belt guidance
	BAT timing belt
T	Fiming belt types
T	Tolerances
T	Tooth gap shapes 138
	Tooth shear strength
T	TPUAS1
T	TPUAU1
T	[PUFD1
T	TPUKF1 12
T	TPUST1 12
T	TPUST2 12
T	TPUST3 12
Т	[PUWB1
	Transport coating 12
	Transport/storing
U	Inguan noscos
	Jnevennesses
V	
\	Version Version
	DL
	DL-PAZ
	DR
	PAR
	PAZ
	Standard
	T 10
X	
}	KH
	KL
•	





Anton Klocke Antriebstechnik GmbH Senner Straße 151

D-33659 Bielefeld phone: +49 521 950 05-01 +49 521 950 05-11 fax: www.klocke-antrieb.de

info@klocke-antrieb.de



REIFF Technische Produkte GmbH

Tübinger Straße 2-6 D-72762 Reutlingen phone: +49 712 132 3-0

+49 712 132 3-318 fax:

www.reiff-tp.de

zahnriemen@reiff-gmbh.de



Wilhelm Herm. Müller GmbH & Co. KG

Heinrich-Nordhoff-Ring 14 D-30826 Garbsen

phone: +49 513 145 22-0 +49 513 145 22-110 fax:

www.whm.net info@whm.net

W. H. MÜLLER s.r.o.

Pražákova 39 CZ-61900 Brno

phone: +420 543 211 008 phone: +420 543 212 343 +420 541 217 468 fax.

www.whm.cz whm@whm.cz



Czech Republic

Wilhelm Herm. Müller

Polska Sp. z o.o. ul. Solna 20

PL-85-862 Bydgoszcz phone: +48 523 490 715 +48 523 490 075 fax:

www.whm.pl whm@whm.pl

Poland

Walter Rothermundt GmbH & Co. KG

Am Tannenbaum 2 D-41066 Mönchengladbach phone: +49 216 169 462-0 +49 216 166 446 9 fax: www.rothermundt.de info@rothermundt.de



Roth GmbH & Co. KG

info@roth-ing.de

Andernacher Straße 14 D-90411 Nürnberg

phone: +49 911 995 21-0 +49 911 995 21-70 www.roth-ing.de



Aratron AB

Smidesvägen 4-8 SE-17141 Solna

phone: +46 840 416 00 +46 898 428 1 www.aratron.se info@aratron.se

Aratron

ARATRON AS

Postboks 214 Holmlia

N-1204 Oslo

phone: +47 231 916 60 +47 231 916 61 fax: www.aratron.no firmapost@aratron.no

Aratron

Norway

Movetec Oy

Hannuksentie 1 FIN-02270 Espoo

phone: +35 895 259 230 +35 895 259 233 3 fax:

www.movetec.fi info@movetec.fi

MOVETEL

BONDY LMT A/S

Hassellunden 14 DK-2765 Smørum

phone: +45 701 514 14 fax.: +45 446 414 16

www.bondy.dk info@bondy.dk

BONDY

Hilger u. Kern GmbH Antriebstechnik

Käfertaler Straße 253 D-68167 Mannheim phone: +49 621 370 5-0 +49 621 370 5-403

www.hilger-kern.com antriebstechnik@hilger-kern.de



Haberkorn Ulmer GmbH

Modecenterstraße 7 A-1030 Wien

phone: +43 174 074-0 +43 174 074-99 www.haberkorn.com info.wien@haberkorn.com



Dinámica Distribuciones S.A.

Ctra. No. II, km 592,6 E-08740 S. Andreu de la Barca

phone: +34 936 533 500 +34 936 533 508 www.dinamica.net dinamica@dinamica.net



BRECOflex Co., L.L.C. 222 Industrial Way West

USA-Eatontown, NJ 07724 phone: +1 732 460-9 500

+1 732 542-6 725 www.brecoflex.com info@brecoflex.com

Binder Magnetic

1, Allee des Barbanniers phone: +33 146 138 080

info@binder-magnetic.fr



168

Transmission Developments Co. (G.B.) LTD

Dawkins Road, Hamworthy GB-Poole Dorset BH15 4HF phone: +44 120 267 555 5 +44 120 267 746 6 fax: www.transdev.co.uk sales@transdev.co.uk

Great Britain

BRECO insists on high quality not only in its manufacturing processes but also in the standard of its advice and service in everything to do with polyurethane timing belt technology. Our distribution partners are all specialists in this field who themselves offer first-class customer service.

BRECO is a member of Mulco Europe EWIV, a European Economic Interest Grouping (EEIG). All the members of this group are considered pioneers in the field of polyurethane timing belt technology. The trust which has evolved over many years and the intensive cooperation have been and will continue to be the basis for innovative power transmission solutions in mechanical engineering in general.

BRECO® and BRECOFLEX® timing belts - staying safely on the move.

Distribution partner



F-92632 Gennevilliers-Cedex fax: +33 146 138 099 www.binder-magnetic.com



Available product catalogues - for every application the right product

BRECO® and **BRECOFLEX®** timing belts

- General information (application and calculation notes)
- Endless timing belts (BRECOFLEX®)
- Open length timing belts (BRECO® M)
- Endless joined timing belts (BRECO® V)
- Timing belt lock for AT10, T10

ATN-System - BRECO® timing belts for transport technology

- ATN timing belts
- ATN timing belt lock
- ATN standard profile connection
- ATN profiles
- ATN components
- Application and calculation notes

BRECO® and **BRECOFLEX®** flat belts

- General information
- Endless flat belts (BRECOFLEX®)
- Open length flat belts (BRECO® M)
- Endless joined flat belts (BRECO® V)

Finishing of timing belts

- Coatings for polyurethane timing belts
- Mechanical rework of coatings
- Mechanical rework of timing belts
- High strength profile connection
- Welded-on profiles

BRECO® und **BRECOFLEX®** Components

- General information
- Timing Pulleys
- Synchronous waves
- Synchronous pulleys with clamping sets
- Tensioners
- BRECO® fix-clamping elements

Warranty

All information was compiled with utmost care according current knowledge. We wish to stress that the technical data is subject to tolerances and not intended to be understood as a delivery specification. We further emphasise the fact that the section 'Calculations' and their application implies development risks.

No claims can be derived from possible errors or false application interpretation. All rights for technical modifications are withheld.



BRECO® and BRECOFLEX® are registered trademarks of BRECO Antriebstechnik Breher GmbH & Co. KG.

© 2010 BRECO Antriebstechnik Breher GmbH & Co. KG

All rights withheld.

No parts of this catalogue may be reproduced. Printed in Germany, Engl. Version 47/2010/5000

Keeping things moving!



This company positioning confronts

BRECO Antriebstechnik Breher GmbH & Co. KG,

manufacturer of BRECO® and BRECOFLEX® timing belts,

with new great challenges, which are accepted with pleasure

BRECO Antriebstechnik Breher GmbH & Co. KG Kleiststr. 53 | D-32457 Porta Westfalica phone: +49 5731 / 7670-0 | fax: +49 5731 / 7670-16 www.breco.de | info@breco.de

> Find your responsible sales partner or www.breco.de or www.mulco.de.

